S onestream

BAI Parser Solution

PV800 SV102

Copyright © 2025 OneStream Software LLC. All rights reserved.

Any warranty with respect to the software or its functionality will be expressly given in the Subscription License Agreement or Software License and Services Agreement between OneStream and the warrantee. This document does not itself constitute a representation or warranty with respect to the software or any related matter.

OneStream Software, OneStream, Extensible Dimensionality and the OneStream logo are trademarks of OneStream Software LLC in the United States and other countries. Microsoft, Microsoft Azure, Microsoft Office, Windows, Windows Server, Excel, Internet Information Services, Windows Communication Foundation and SQL Server are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. DevExpress is a registered trademark of Developer Express, Inc. Cisco is a registered trademark of Cisco Systems, Inc. Intel is a trademark of Intel Corporation. AMD64 is a trademark of Advanced Micro Devices, Inc. Other names may be trademarks of their respective owners.

Table of Contents

Release PV800 SV102	
Prerequisites1	
New Features1	
Enhancements1	
Fixed Issues1	
Known Issues	>
Contact Support 4	ŀ
Release PV800 SV101)
Prerequisites 5	-)
New Features	-)
Enhancements 5	5
Fixed Issues	-)
Known Issues 6)
Release PV800 SV100)
Prerequisites)
Known Issues)

Release PV800 SV102

The theme of this release are enhancements.

NOTE: Only the Release Notes were updated for this release. The BAI Parser Solution Guide has not been updated except to change the release number and copyright if needed.

Prerequisites

- This solution is compatible with OneStream Platform v8.
- This release requires a minimum 8.0 Platform release.

New Features

None

Enhancements

- When imported, files with warnings will still display all available information so you can review your data. (MP3-6350)
- When Account Identifier and Fund Type fields are not valid on imported files, the file will still be parsed with warnings. (MP3-6328, MP3-6348)

Fixed Issues


None

Known Issues

- Automation of the data load is impacted by the Connector Uses File setting. To automate a file, follow the steps below:
 - 1. Navigate to the Data Source using the BAI Parser Solution.
 - 2. Set the Connector Uses File setting to False.

I Data Sources - Milharser			
11 K N B O H I † 4 B	4 / / I B & I	4 1 0 0 N 7 Y 4 4 1 0 A	
· E Connectoro		BAlfuser	
I ACM Accountion		Connector Fields	
CI ACM ENTRYSOUTH	the filehame		
III ACM/Reviource	Fx.SenderD		
III ACM Metadatalaurae	Pix_ReceiverID		
ACM Standistance of the	PH_NeOesticeDate		
	PH_NeCreationTime		
 III ACM_UD1Source 	Rx,NetDNumber		
 E ACM_UD2Source 	In Proceedings		
 ELACM, VOISource 	Pw_BlockSte		
EI ACM, UD4Source	PH_BH/Mesion		
 ACM_UD1Seurce 	GH_UltimateReceiver0		
 III ACM, UD4Source 	CH_OriginatorD		
 ACM_UDIficures 	GH_GroupStatus		
ACM_UD4Seurce	GH,AxOfDate		
a 🛄 BAFasar	GH,AsOffine		
- 🗱 Scenarios	GH_Curreng/Code		
- O Time	GH, AsO/DateNod/fer		
- 👗 Corpletities	Air, Customer AccountNumber		
@ Vex	AH_CurrencyCode		
CorpAccounts	AH_TypeCode		
II Flows	AH, Amount		
-A <	An_RemCount		
- 12 CostCenters	AH_FundsType		
- Corpilvoducts	AH_ImmediateAuslability AH_OneDepAuslability		
Corptational	An Une Seater Sector Se		
	p General		
- The Custom 4	Name	BARRING .	
-1 GANN	Description	ballacer	
-12 UDSATINBUSIONS	D Security		
UD7Am/buteDime	Access Group	tveryone	0 -
- The factoring	Maintenance Group	fiveryone	0 -
- G. Label	D Settings		
- se Source/D	Cube Name	(offitsen	0
- Y Weiser	Scenario Tupe	Artuil	
- 1 Attributed	E Data Structure Settings		
- 3 Attributed	Tope	Connection	
- 7 Web	Data Structure Tope	Tebular Data	
- 1 Attributed	Allow Dynamic Excel Loads	tue .	
- 7 Mont	E Connector Settings		
-1 Attributed	Connector Name	BALConnector	
- 2º Miland	Connector Uses File	The second se	
- i Ambuni			
2 mont	,		

- 3. Create a copy of the BAI_Connector Connector Business Rule.
- 4. Comment out line 42.



NOTE: If you have an automated process that moves files to the Harvest Folder, you must add a step that also copies the file to a new folder in the OneStream File Explorer. This step must occur before the connector rule runs, so it is recommended to place this code in an extensibility rule.

 Add code to the new connector rule that reads the file from your chosen OneStreamFile Explorer folder.

NOTE: Below is an example of how you can access the folder structure under a specific workflow name:

```
string IncomingFolder = BRApi.Utilities.GetFileShareFolder
(si,FileShareFolderTypes.ApplicationIncoming,
api.WorkflowProfile);
```

6. After defining the file path, use this code to process the file:

```
DataTable dt = bai.GetDataFromFile(SourceFilePath);
```

Contact Support

Contact OneStream Support by registering at:

Support - OneStream Software

Release PV800 SV101

The theme of this release is bug fixes.

NOTE: Only the Release Notes were updated for this release. The BAI Parser Solution Guide has not been updated except to change the release number and copyright if needed.

Prerequisites

- This solution is compatible with OneStream Platform v8.
- This release requires a minimum 8.0 Platform release.

New Features

None

Enhancements

None

Fixed Issues


- BAI files uploaded without type codes parse based on all other codes available in the document. (MP3-4736)
- BAI files uploaded with empty, optional fields will parse without error. (MP3-4735)

Known Issues

- Automation of the data load is impacted by the Connector Uses File setting. To automate a file, follow the steps below:
 - 1. Navigate to the Data Source using the BAI Parser Solution.
 - 2. Set the Connector Uses File setting to False.

🗇 Data Sources - Milhaser			×
1 K N (3 O H † † 8	1 617710A1	8 2 1 0 0 1 % 2 Y 1 4 4 1 8 1 6	
Connectors .		Milleter	
• E ACM, Accountiouna		Connector Fields	
El ACM_EMB/Source	Fix Niehane		
 III ACM/Reviource 	Fix SenderO		
III ACM_Metadatalauroa	In AnteiverD		
ACM_Metadutation ACM_Standidization	PH_NeOesticrDate		
	PH_NeOrestionTime		
Ell ACM_UD1Source	Px,NetDNumber		
 E ACM_UDDSource 	In Physical Record Length		
 E ACM, UDISource 	PH_BodGate		
 EL ACM, UDHSource 	Pic, Balversion		
 ACM_UDISource 	Gri, UtimateReceiver0		
 EL ACM, UD4Source 	CH_DrighterorD		
 III ACM_UD1Source 	GH_GroupStatus		
 EL ACMUUDESeurce 	GH,AxOfDete		
 EAParar 	GH,AsOffine		
- 🗱 Scenarios	GH_CurrencyCode		
-O Time	GH, AsOfDateNod/fer		
Corplinities	Air, Customer AccountNumber		
@ Vee	AH_CurrencyCode		
TorpAccounts	AH_TypeCode		
II Pows	Abi_Amount		
- A <	AH_RENCOUR		
- Configurations	AH_Fundshpe		
- Corpinoducto	AH, Immediatekoslability AH, OneDeplovalability		
Corptatestapions	An Une Handson and An Andrews		
Corporationaptors	E General		
	Name	SA/Farser	
- The GANPE	Description.	hitterer	
UDGATE/BUNCIES	p Security		
- UD/AmiButeDime	Access Group	tuesyone	0 -
- taporting	Maintenance Group	fuerone	0
- år Label	D Settings		
- SeurcerD	Cube Name	dolf/hyun	1
- 3" Webert	Scenario Type	Arturi	
- 1 Attribute1	Data Structure Settings		
- 3 Attribute2	Type	Connection	
- 7" value2	Data Shuchura Tupa	Tabular Ceta	
- 3 Attributed	Allow Osnamic Excel Loads	tue .	
- 7 West	D Connector Settings		
- 1 ATVBUIRE	Connector Name	Mi, Connector	
2 Word	Convector Uses File	The second se	
- Amburul			
2 mart .			

- 3. Create a copy of the BAI_Connector Connector Business Rule.
- 4. Comment out line 42.



NOTE: If you have an automated process that moves files to the Harvest Folder, you must add a step that also copies the file to a new folder in the OneStream File Explorer. This step must occur before the connector rule runs, so it is recommended to place this code in an extensibility rule.

 Add code to the new connector rule that reads the file from your chosen OneStreamFile Explorer folder.

NOTE: Below is an example of how you can access the folder structure under a specific workflow name:

```
string IncomingFolder = BRApi.Utilities.GetFileShareFolder
(si,FileShareFolderTypes.ApplicationIncoming,
api.WorkflowProfile);
```

6. After defining the file path, use this code to process the file:

```
DataTable dt = bai.GetDataFromFile(SourceFilePath);
```

Release PV800 SV100

This is the initial release of the BAI Parser Solution and documentation for installation guidance.

Prerequisites


- This solution is compatible with OneStream Platform v8.
- This release requires a minimum 8.0 Platform release.

Known Issues

- Automation of the data load is impacted by the Connector Uses File setting. To automate a file, follow the steps below:
 - 1. Navigate to the Data Source using the BAI Parser Solution.
 - 2. Set the Connector Uses File setting to False.

IKINSOHI44	181 A17710		
Connectors	•	BAlfuser	
El ACM_Accountiourca		Connector Raids	
 ACM_EMBySource 	fri Nehane		
 III ACM, Reviework 	PH_Sender(0		
E ACM_Matadatafeuros	Pri, Receiver(D		
M ACM, ScanarioSource	PH_NeOestionDate		
 III ACM, UD15ource 	Px_NeOvationTime		
ACM ubbleures	Ps,NeDAumber		
ACM, UDISource	In Physical Record Length		
 III ACM, UD4Source 	Pix_BlockSize		
 ACM_UDISeurce 	Rid, Bill/Version		
 El ACM, UDISource 	Gr.,UtimateReceiver(D		
	CH_CHERMOND		
ACM_UDIficures	GH_GroupStatus		
ACM_UD4Searce	GH, AsOfDate GH, AsOfTime		
a 🛄 BAFasar	GH, CurrencyCode		
- Sanarios	GH AnO/DateNoolifer		
- O Time	Air_CustomerAccountNumber		
Corplinities	AH_CurrencyCode		
- @ Ves	AH, TypeCode		
- D CorpAccourts	AH, Amount		
- I Post	Art, RemCount		
- A <	AH, Fundshper		
- ScotCenters	Air, immediate/veilability		
Corpilvoducts	Air, OneDeptivalability		
CorptainsRegions	The Discontinue Providence and the line		
Custom4	E General		
CAN'S	Name	BAPaser	
UDIAMBUSCING	Description	BAPaser	
UD/AttributeDime	@ Security		
 Reporting 	Access Group	Desyone)
- Label	Maintanance Group	Everyone)
na Label	E Settings		
	Cube Name	Óc/fűtvan	
- 7 minut	Scenario Type	Actual	
Attribute1	E) Data Structure Settings		
Attributed	Type	Connection	
- Y Weed	Deta Shuchure Type	Tebular Data	
- 3 Attributed	Allow Dynamic Excel Loads	tue .	
- 7 West	E Connector Settings		
-1 ANBUM	Connector Name	6ALConnector	
- 7 Weet	Connector Uses File	True	

- 3. Create a copy of the BAI_Connector Connector Business Rule.
- 4. Comment out line 42.



NOTE: If you have an automated process that moves files to the Harvest Folder, you must add a step that also copies the file to a new folder in the OneStream File Explorer. This step must occur before the connector rule runs, so the code needs to be placed in an extensibility rule.

- Add code to the new connector rule that reads the file from your chosen OneStreamFile Explorer folder.
- 6. After defining the file path, use this code to process the file:

DataTable dt = bai.GetDataFromFile(SourceFilePath);

NOTE: This is an example of how to access the folder structure under a specific workflow name:

string IncomingFolder = BRApi.Utilities.GetFileShareFolder

(si,FileShareFolderTypes.ApplicationIncoming, api.WorkflowProfile);