S onestream

BAI Parser Solution Guide

PV8.0.0 SV104

Copyright © 2025 OneStream Software LLC. All rights reserved.

Any warranty with respect to the software or its functionality will be expressly given in the Subscription License Agreement or Software License and Services Agreement between OneStream and the warrantee. This document does not itself constitute a representation or warranty with respect to the software or any related matter.

OneStream Software, OneStream, Extensible Dimensionality, and the OneStream logo are trademarks of OneStream Software LLC in the United States and other countries. Microsoft, Microsoft Azure, Microsoft Office, Windows, Windows Server, Excel, Internet Information Services, Windows Communication Foundation and SQL Server are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. DevExpress is a registered trademark of Developer Express, Inc. Cisco is a registered trademark of Cisco Systems, Inc. Intel is a trademark of Intel Corporation. AMD64 is a trademark of Advanced Micro Devices, Inc. Other names may be trademarks of their respective owners.

Table of Contents

Overview	1
Setup and Installation	
Dependencies	2
Install BAI Parser Solution	2
Set Up BAI Parser Solution	
Create Tables	
Package Contents	4
BAI Dashboard Configuration	5
Data Source	5
Workflow Setup	6
Administration Management	
Global Options	
Global File Management	9
Overview Grid	
Delete Files	
Uninstall	
Preview Dashboard	
Preview Grid	
Export Grid Data	

Key Performance Indicators	
Records Total	
BAI File Rows	
Transaction Summary	
Warnings	
Upload BAI Files	
View Previously Uploaded Files	
Load Files to Workflows	
File Management	
Overview Grid	
File Preview	
Parser Log	
Export Grid Data	
Upload Files	
Delete Files	
Help and Miscellaneous Information	
Display Settings	
Package Contents and Naming Conventions	
Solution Database Migration Advice OneStream	
Solution Modification Considerations	

Overview

BAI Parser Solution is a OneStream Solution that enables you to preview and upload BAI file data received from your banking institutions directly into your workflows.

With BAI Parser Solution you can:

- Import BAI files received from banks directly into OneStream without parsing the data file in advance.
- Import a single BAI file that includes balances and transactions without the need to split the file.
- Preview imported BAI files to verify information and check for missing data.
- Load data directly into workflows and store each data file to view throughout the year.
- Work cross-functionally with other OneStream feature sets, such as Transaction Matching, so you can access all your data in one unified interface.

Setup and Installation

This section contains important details related to the planning, configuring, and installation of your solution. Before you install the solution, familiarize yourself with these details.

See MarketPlace Solution Modification Considerations.

Dependencies

Component	Description
OneStream 8.0.0 or later	Minimum OneStream Platform version required to install this version of BAI Parser Solution.

Install BAI Parser Solution

- On the OneStream Solution Exchange, go to OneStreamSolution > BAI Parser Solution
- 2. On the **BAI Parser Solution** page, in the **Platform Version** drop-down list, select the appropriate OneStream Platform version.
- In the Solution Version drop-down list, select the most recent version. Click Download.
- 4. Log into OneStream.
- 5. On the **Application** tab, go to **Tools** > **Load/Extract**.


- On the Load tab, use the Select File icons to locate the solution package. Click
 Open.
- 7. When the solution file name appears, click **Load**.
- 8. Click **Close** to complete the installation.

Set Up BAI Parser Solution

The first time BAI Parser Solution runs, it guides you through the table setup process.

In OneStream, go to OnePlace > Dashboards > BAI Parser Solution >

BAI Parser Solution.



Create Tables

1. Click Step 1: Create Tables.

This step may be necessary when upgrading, even if tables are already present. BAI Parser Solution will not remove existing tables, but will modify table structures and add new ones if necessary.

- XFW_BAI_ControlLists - W XFW_BAI_Files 2. When setup is complete, click **Step 2: Launch Solution** to open BAI Parser Solution.

Package Contents

The Workspaces Maintenance Unit provides the user interface for BAI Parser Solution and includes the required Dashboard Groups, Components, Data Adapters, Parameters, and files.

BAI Dashboard Configuration

Set up the BAI Dashboard to preview BAI files before adding them to workflows.

Data Source

BAI Parser Solution uses a Connector Data Source. Navigate to **Application > Data Collection > Data Sources** to set up the source.

- 1. Select or create a data source.
- 2. Under Connector Settings, set Connector Name to BAI_Connector.
- 3. In the Connector Uses File drop-down menu, select True.

🕥 Data Sources - BAIParser		
첊 않! 🗙 🖄 이 🛛	1 🛧 🦊 🔄	👼 🖉 🍠 🥅 🍌 🏔 😫 [
Fixed Files		BAIParser
Delimited Files		Connector Fields
Connectors	FH_FileName	
► I ACM_AccountSource	FH_SenderID	
► 🖽 ACM_EntitySource	FH_ReceiverID	
► I ACM_FlowSource	⊞ General	
► 🖽 ACM_MetadataSource		
ACM_ScenarioSource		
ACM_UD1Source	Data Structure Settings	
ACM_UD2Source	Connector Settings	
ACM_UD3Source	Connector Name	BAI_Connector
ACM_UD4Source	Connector Uses File	True

- 4. Click the **Save** icon.
- 5. Set the **Data Type** for **Scenario** and click the **Save** icon.
- 6. Set the **Data Type** for **Time** and click the **Save** icon.

- 7. Select Amount > Connector Settings.
- Set the Source Field Name to a Connector Field such as AH_Amount and click the Save icon.

NOTE: Scenario, Time, and Amount must be configured. All other settings are optional.

Workflow Setup

Finalize workflow setup by navigating to Application > Workflow > Workflow Profiles.

- 1. Select or create a workflow profile to be used with BAI files.
- 2. Click Import.
- 3. In the **Profile Properties** tab expand **Integration Settings**.
- 4. Set **Data Source Name** to the name of the data source you created.
- 5. Set Import Dashboard Profile Name to BAI File Preview (BAI).

Prof	ile Properties	ulation Definitions
		BAI Cube_Default.Import - Properties [(Default)]
(C	Default)	eneral
A	ctual	ecurity
A	dministration	/orkflow Settings
В	udget	ntegration Settings
C	ontrol	Data Source Name BAIParser
FI	ash	ransformation Profile Name (Unassigned)
Fo	orecast	mport Dashboard Profile Name BAI File Preview (BAI)
	XModel	(unassigned)
	istory	optional Data Load False
		Can Load Unrelated Entities False
	ongTerm	low Type No Data Zero View Override (Unassigned)
	1odel	alance Type No Data Zero View Override (Unassigned)
	perational	orce Balance Accounts To YTD View False
PI	lan	ata Quality Settings
So	cenarioType1	tercompany Matching Settings

6. Click the **Save** icon.

NOTE: Using the BAI Dashboard Preview is optional. Use Load and Transform to import BAI files without using the BAI dashboard.


Administration Management

Accesses the **Administration Management** page.

The Administration Management page centralizes tasks for BAI Parser Solution system administrators so you can:

- Manage Global Options.
- Use Global File Management to view BAI files for all workflow profiles, scenarios, and time periods outside of the Preview dashboard.
- Access Uninstall options.

Administration Management



Global Options

Global Options enables administrators to set security roles that determine which groups have access to Global File Management.

To set the security role for a group to view Global File Management:

- 1. Click the **Global Options** tile or quick link.
- 2. Select the **Security role (Manage Global File Management)** drop-down menu and select a security group.

Global Options	Global File Management	Uninstall	
Security Role (Manag	ge Global File Management):		
Administrators			•

3. Click the **Save** button.

The group selected can access the BAI Parser Solution Dashboard on OnePlace and the Administration Management page using the Administration Management icon. Once on the Administration Management page, users will only see the Global File Management tile.

Save

Global File Management

Global File Management enables administrators to view uploaded BAI files for all workflow profiles, scenarios, and time periods outside of the Preview dashboard. Click the **Global File Management** tile or quick link to view all BAI files.

NOTE: The BAI Parser Solution does not require you to upload directly to the solution. You can load and automate files through the workflow. BAI files uploaded directly through the workflow process appear in the File Management overview grid, Global File Management overview grid, and in the File Source drop-down on the Preview dashboard.

Overview Grid

0101	al Options Global File Management Uninstall								
Î									
ele	2								
	File Name	Warnings	r	WF Parent	WF Profile	WF Scenario	WF Year 7	WF Period	Uploade
	20230221wf_RT1_Input_Broken.ba2	12	4 🔴	BAI Cube_Default	t Import	BAI Scenario Member	2020	1	-
	20230217 _RT3_Input_Convert1.ba2			BAI Cube_Default	t Import	BAI Scenario Member	2020	1	-
	900 type codes.txt			BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit4.txt	1	5	BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit3.txt		1 🔴	BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit2.txt			BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit.txt			BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	20230705141509693_07012023.txt_2023-Jul-05_141514.txt	t		BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	20230221RT1_Input_Convert1.ba2			BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	20230221wf_RT1_Input_Broken.ba2	12	4 🔴	BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	RT1_20230403wf_0627.ba2			BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm
	20230705141509693 07012023.txt_2023-Jul-05_141514.txt	t		BAI Cube_Default	t Import	BAI Scenario Member	2023	3	BAI Adm

The overview grid displays the following column information:

• File Name: The name of the file

NOTE: File names can appear more than once.

- **Warnings**: Total number of warnings that appeared in the file. A red dot to the right of the column indicates a warning.
- WF Parent: The workflow parent used to import the file
- WF Profile: The workflow profile used to import the file
- WF Scenario: The workflow scenario used to import the file
- WF Year: The year of the workflow.
- **WF Period**: The workflow period used to import the file. The number shown is based on the period setup of your OneStream application.

Example: Applications set to monthly display 1-12 for each month of the year.

- Uploaded By: User who uploaded the file
- Upload Date: Date the file was uploaded

Use the parameter filter to refine the data in the overview grid.

Export Grid Data

To export content from the overview grid, right-click in the grid and select **Export**.

File Preview

Click any file in the overview grid to preview the file. The preview pane defaults to the **File Preview** tab, which displays the raw BAI file.

Slo	al Options Global File Management Uninstall								
Tele	le .								
		Warnings	r	WF Parent	WF Profile	WF Scenario	WF Year T	WF Period	Uploade
	20230221wf_RT1_Input_Broken.ba2	124	4 🔴	BAI Cube_Default	Import	BAI Scenario Member	2020	1	-
	20230217RT3_Input_Convert1.ba2			BAI Cube_Default	Import	BAI Scenario Member	2020	1	-
	900 type codes.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit4.txt	15	5	BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit3.txt	1	1	BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit2.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	TMF_edit.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	20230705141509693_07012023.txt_2023-Jul-05_141514.txt	t		BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	20230221RT1_Input_Convert1.ba2			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	20230221wf_RT1_Input_Broken.ba2	124	4 🔴	BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	RT1_20230403wf_0627.ba2			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm
	20230705141509693_07012023.txt_2023-Jul-05_141514.txt	t		BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm

Click the **Download** icon to download the data.

Parser Log

Use the **Parser Log** tab on the preview pane to display the parsed results of the

generated file.

Glob	al Options Global File Management Uninstall									0
Î										
Delet	8									
	File Name T	Warnings T		WF Parent T	WF Profile T	WF Scenario T	WF Year 🔻	WF Period T	Uploade	20220224 of DT4 level Berley had
	20230221wf_RT1_Input_Broken.ba2	124	۲	BAI Cube_Default	Import	BAI Scenario Member	2020	1	-	20230221wf_RT1_Input_Broken.ba2
	20230217 _RT3_Input_Convert1.ba2			BAI Cube_Default	Import	BAI Scenario Member	2020	1	-	Upload Date: 10/31/2023 By: Warnings: 124
	900 type codes.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	File Preview Parser Log Download
	TMF_edit4.txt	15	٠	BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	
	TMF_edit3.txt	1	۲	BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Start Parsing
	TMF_edit2.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Prev Line 01,121000248,0008875,230222,0848,01,080,,2/
	TMF_edit.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Current Line 01,121000248,0008875,230222,0848,01,080,,2/ BAI HelperQueries - Parsing Other line
	20230705141509693_ 07012023.txt_2023-Jul-05_141514.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Parsed Current line 01,121000248,0008875,230222,0848,01,080,,2,
	20230221RT1_Input_Convert1.ba2			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	
	20230221wf_RT1_Input_Broken.ba2	124	۲	BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Prev Line 02,0008875,121000248,1,230221,,,/
	RT1_20230403wf_0627.ba2			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Current Line 02,0008875,121000248,1,230221,,,/ BAI_HelperQueries - Parsing Other line
	20230705141509693_07012023.txt_2023-Jul-05_141514.txt			BAI Cube_Default	Import	BAI Scenario Member	2023	3	BAI Adm	BAI_HelperQueries - Parsed Current line 02,0008875,1210000248,1,230221,,,,

Click the **Download** icon to download the log.

Delete Files

You can manage the list of files displayed in the overview grid on Global File Management by deleting files. Deleted files will only be deleted from the BAI Parser Solution. All data uploaded to a workflow will be preserved.

To delete a file:

- 1. On the Global File Management page, select the file or files to delete.
- 2. Click the **Delete** icon.
- 3. On the **Delete File Confirmation** dialog box, click the **Remove** button to delete the file from the grid.

${\mathscr D}$ Delete File Confirmation		Û	
Are you sure you want to remove this file?			
Removing this file will be permanent and cannot be undone.			
	Remove	Car	ncel
NOTE: Deletion is permanent and some	at ba upa	lono	
NOTE: Deletion is permanent and cann	or be und	ione.	

Uninstall

Use the Uninstall tile to remove BAI Parser Solution interface or the entire solution. If part of an upgrade, any modifications performed on standard BAI Parser Solution objects are removed.

- 1. On the Administration Management page, click the Uninstall tile or quick link.
- 2. Select either Uninstall UI or Uninstall Full.

Administration Management

Global Options	Global File Management	Uninstall
Uninstall UI	Uninstall Full	

• Uninstall UI button to remove BAI Parser Solution, including related dashboards and business rules, but retain the database and related tables.

NOTE: For some releases, perform this step before accepting a new solution version as some of the dashboards or other objects may have changed. Choose this option to update BAI Parser Solution without removing the data tables. The Release Notes indicate if an overinstall is supported.

NOTE: If BAI_Connector is linked to a data source it will not uninstall with the Uninstall UI option.

 Uninstall Full button to remove all related data tables, data, and BAI Parser Solution dashboards and business rules. Choose this option to completely uninstall BAI Parser Solution or to perform an upgrade that is so significant in its changes to the data tables that this method is required.

NOTE: If BAI_Connector is linked to a data source it will not uninstall with the Uninstall Full option.

CAUTION: Uninstall procedures are irreversible.

3. On the **Confirm** dialog box, click the **Uninstall** button to proceed.

Preview Dashboard

Use the Preview dashboard to upload BAI files from your banking institution into OneStream. Data is automatically parsed during the upload process and is shown in a readable format in a preview grid. Key performance indicators (KPIs) are shown for the uploaded file. Data in the grid will change when a KPI is clicked. Once a file is verified, load the data directly into your workflow.

	.ba2 •	Upload										
		17 Record		49 BAI File	3 Transaction	1 Warnings						
		Total		Rows	Summary							
T* cad to Workflow												
FH_FileName T	FH_SenderID 7	FH_ReceiverID 7	FH_FileCreationDate 7	FH_FileCreationTime	FH_FileIDNumber 7	FH_PhysicalRecordLength	FH_BlockSize T	FH_BAIVersion 7	GH_UltimateRec			
Missing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Vissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
Aissing File Creation Time		9414607	230222		11302200	80		2	9414607			
vissing File Creation Time		9414607	230222		11302200	80		2	9414607			
		9414607	230222		11302200	80		2	9414607			

Preview Grid

The preview grid populates when a new BAI file is uploaded or a previously uploaded file is selected from the File Source drop-down list. Data in the grid is view only and can be filtered by clicking the parameter icon.

When a file is selected, the grid displays the following column information:

- FH_FileName
- FH_ReceiverID
- FH_FileCreationTime
- FH_PhysicalRecordLength
- FH_BAIVersion
- GH_OriginatorID
- GH_AsOfDate
- GH_CurrencyCode
- AH_CustomerAccountNumber
- AH_TypeCode
- AH_ItemCount
- AH_ImmediateAvailability
- AH_MoreThanOneDayAvailability
- AH_TimeHHMM
- AH_TypeCodeTransaction
- AH_TypeCodeRelatedTo
- TH_Amount
- TH_ImmediateAvailability

- FH_SenderID
- FH_FileCreationDate
- FH_FileIDNumber
- FH_BlockSize
- GH_UltimateReceiverID
- GH_GroupStatus
- GH_AsOfTime
- GH_AsOfDateModifier
- AH_CurrencyCode
- AH_Amount
- AH_FundsType
- AH_OneDayAvailability
- AH_DateYYMMDD
- AH_TypeCodeDescription
- AH_TypeCodeLevel
- TH_TypeCode
- TH_FundsType
- TH_OneDayAvailability

- TH_MoreThanOneDayAvailability
- TH_TimeHHMM
- TH_CustomerReference
- TH_TypeCodeDescription
- TH_TypeCodeLevel
- AT_AccountControlTotal
- GT_GroupControlTotal
- GT_NumberOfRecords
- FT_NumberOfGroups
- BAI_Status

Export Grid Data

- TH_DateYYMMDD
- TH_BankReference
- TH_Text
- TH_TypeCodeTransaction
- TH_TypeCodeRelatedTo
- AT_NumberOfRecords
- GT_NumberOfAccounts
- FT_FileControlTotal
- FT_NumberOfRecords

To export content from the overview grid, right-click in the grid and select **Export**.

Key Performance Indicators

After a BAI file is uploaded or selected from the drop-down list, KPIs are displayed. The layout of the preview grid changes when a KPI is clicked, populating with details of the selected metric.



Records Total

The Records Total KPI shows the total number of parsed rows in the BAI file. Data for this KPI displays by default in the preview grid after a file is uploaded.

BAI File Rows

BAI File Rows shows the total number of rows in the raw BAI file. Click the KPI to view the raw, imported version of the BAI file.

Transaction Summary

The Transaction Summary rows KPI shows the number of individual account transactions in the BAI file. Click the KPI to view a list of transactions.

The following columns will display in the summary grid:

- FH_FileName
- FH_SenderID
- FH_ReceiverID
- FH_FileCreationDate
- FH_FileCreationTime
- FH_FileIDNumber
- FH_BAIVersion
- AH_CustomerAccountNumber

- AH_TypeCode
- AH_Amount
- AH_ItemCount
- AH_FundsType
- AH_ImmediateAvailability
- AH_OneDayAvailability
- AH_DateYYMMDD
- AH_TimeHHMM

• AH_CurrencyCode

Click any transaction in the summary grid to view more detailed information. A new grid displays below the summary grid and shows the following information:

- TH_TypeCode
- TH_Amount
- TH_FundsType
- TH_ImmediateAvailability
- TH_OneDayAvailability
- TH_MoreThanOneDayAvailability
- TH_DateYYMMDD
- TH_TimeHHMM

Warnings

The Warnings KPI shows any discrepancies found in the file, such as missing, required data or monetary transactions that do not total the associated summary balance. Click the Warnings KPI to view the flagged transactions.

Upload BAI Files

IMPORTANT: A Record Code must be included in the file or the upload will fail.

To upload a file into OneStream:

- 1. From the Preview Dashboard click the Upload button.
- 2. Use File Explorer to select the file to upload and then click **Open**.

The name of the uploaded file appears in the drop-down list. The preview grid is populated with the file data.

View Previously Uploaded Files

View uploaded files using the File Source drop-down list on the Preview dashboard. The files in the drop-down list are specific to the workflow Point of View. If no files have been uploaded for the current time period, the drop-down list will be blank.

Example: When viewing the January workflow, all files uploaded in that month can be viewed in the drop-down list. If you are in the current month and no files have been uploaded, the drop-down list will be empty.

NOTE: The BAI Parser Solution does not require you to upload directly to the solution. You can load and automate files through the workflow. BAI files uploaded directly through the workflow process appear in the File Management overview grid, Global File Management overview grid, and in the File Source drop-down on the Preview dashboard.

Load Files to Workflows

The **Load to Workflow** icon enables users to import data from the BAI file to their current workflow.

NOTE: Files can be imported to workflows even if a workflow has been completed. You cannot add data to workflows that are locked.

To load the data to the workflow:

 From the Preview dashboard upload a new BAI file or select a file from the File Source drop-down list.

- 2. Click the Load to Workflow icon.
- On the Load to Workflow dialog box, use the Load method drop-down list to select from the following options:
 - Replace: This will clear all data for the previous file that correlates with the specific Source ID and replace it with the new file's data. This can be done even if the previous data has already been loaded into the Cube. Once the file is re-loaded, the user will need to complete all Workflow Tasks and load the new data into the Cube.
 - 2. **Replace (All Time)**: Replaces all Workflow Units in the selected Workflow View (if multi-period). Forces a replace of all time values in a multi-period workflow view.
 - 3. **Replace Background (All Time, All Source ID's)**: Replaces all Workflow Units in the selected Workflow View and all Source ID's in a background thread while the new file parse or connector execution is running. The delete is being performed while parse is being performed.
 - 4. Append: This is used when additional rows are added to a source file and need to be loaded into the Stage. This will not change any of the data already loaded for the source file. It will only add rows that were not included in the previous file load.
- 4. Click the **Proceed** button to import the file to the workflow.

🗴 Load to Workflow		Ô	ο×
Load to Workflow?			
You are about to add this file to t proceed?	he workflow. Are you	sure you wan	t to
Workflow Name: BAI Cube_Defa	ult.Import		
	ult.Import		

5. Click the **Close** button to exit the dialog box.

NOTE: Completed uploads display as green. When re-uploading a completed file, the new upload can be verified by looking at the upload timestamp under the status and confirming the ID number.

File Management

Use File Management to view all previously uploaded BAI files for the selected workflow, scenario, and time period.

NOTE: Only administrators can view all previously uploaded files for all workflow profiles, scenarios, and time periods. See <u>Administration</u> Management.

Overview Grid

The overview grid displays uploaded files for the current workflow.

NOTE: The BAI Parser Solution does not require you to upload directly to the solution. You can load and automate files through the workflow. BAI files uploaded directly through the workflow process appear in the File Management overview grid, Global File Management overview grid, and in the File Source drop-down on the Preview dashboard.

The grid displays the following column information:

• File Name: The name of the file

NOTE: File names can appear more than once.

- **Warnings**: Total number of warnings that appeared in the file. A red dot to the right of the column indicates a warning.
- Uploaded By: User who uploaded the file
- Upload Date: Date the file was uploaded

Use the parameter filter to refine the data in the overview grid.

File Preview

Click any file in the overview grid to preview the file. The preview pane defaults to the **File Preview** tab, which displays the raw BAI file.

2 🗐 pload Delete							
le Name	Warnings T		Uploaded By	Upload Date	T		
0230221wf_RT1_Input_Broken.ba2	124	•	Real Property lies	10/31/2023 1:2	3:13 PM	20230221wf_RT1_Input_Broken	i.ba2
230217 _RT3_Input_Convert1.ba	2			10/31/2023 1:2	2:53 PM	Upload Date: 10/31/2023 By:	Warnings: 124
						01,121000248,0008875,230222,0848, 02,0008875,121000248,1,230221,,,, 03,444444444,USD,015,0,,3020,0,, 88,074,0,,,100,0,0,,400,0,0,/ 49,0,3/ 03,9440101266,USD,015,0,,020,0,, 88,074,0,,,100,78145614,123,,400, 16,172,9797090,0000000244,00000 88,0THER REFERENCE:1A009987304543 88,Cash Vault - Missing Deposit 3 88,4941710360/ 16,301,2955685,00000000241,00000 88,0THER REFERENCE:1A005846742883	,,040,0,,,045,0,,, ,040,0,,,045,0,,, ,78145614,13,/)000244,/ 5/ Slip FR 0000000244 0000241,/

Click the **Download** icon to download the data.

Parser Log

Use the Parser Log tab on the preview pane to display the parsed results of the

generated file.

Delete					
le Name	Warnings T		Uploaded By T	Upload Date	
0230221wf_RT1_Input_Broken.ba2	124	•	States in case	10/31/2023 1:23:13 PM	20230221wf_RT1_Input_Broken.ba2
230217 _RT3_Input_Convert1.ba	2		Second Second	10/31/2023 1:22:53 PM	Upload Date: 10/31/2023 By: Warnings: 1
					File Preview Parser Log Download BAI_HelperQueries Start Parsing BAI_HelperQueries Prev Line 01,121000248,000887 BAI_HelperQueries Parsing Other line BAI_HelperQueries Parsing Other line BAI_HelperQueries Parser Log
					BAI_HelperQueries - Prev Line 02,0008875,12100024 BAI_HelperQueries - Current Line 02,0008875,12100 BAI_HelperQueries - Parsing Other line

Click the **Download** icon to download the log.

Export Grid Data

To export content from the overview grid, right-click in the grid and select **Export**.

Upload Files

Upload files from File Management to view in the Preview dashboard.

To upload a file:

- 1. From File Management, click the Upload icon.
- 2. Use File Explorer to select the file to upload and click **Open**.

Once uploaded, the file appears in the:

- Overview grid on the File Management dashboard.
- Preview grid on the Preview dashboard.
- File Source drop-down on the Preview dashboard.

Delete Files

You can manage the list of files displayed in the overview grid on File Management by deleting files. Deleted files will only be removed from the BAI Parser Solution. All data uploaded to a workflow will be preserved.

To delete a file:

- 1. From File Management, select the file to delete.
- 2. Click the **Delete** icon.
- 3. On the **Delete File Confirmation** dialog box, click the **Remove** button to delete the file from the grid.

Help and Miscellaneous Information



This page contains solution documentation.

Display Settings

OneStream Solutions frequently require the display of multiple data elements for proper data entry and analysis. Therefore, the recommended screen resolution is a minimum of 1920 x 1080 for optimal rendering of forms and reports.

Package Contents and Naming Conventions

The package file name contains multiple identifiers that correspond with the platform. Renaming any of the elements contained in a package is discouraged in order to preserve the integrity of the naming conventions.

ldentifier	Description
BAI	Solution ID
PV8.0.0	Minimum Platform version required to run solution
SV104	Solution version
PackageContents	File name

Example Package Name: BAI_PV8.0.0_SV104_PackageContents.zip

Solution Database Migration Advice

A development OneStream application is the safest method for building out a solution with custom tables such as this one. The relationship between OneStream objects such as workflow profiles and custom solution tables is that they point to the underlying identifier numbers and not the object names as seen in the user interface. Prior to the solution configuration and to ensure the identifiers match within the development and production applications, the development application should be a recent copy of the production application. Once the development application is created, install the solution and begin design. The following process below will help migrate the solution tables properly.

See also: Managing a OneStream Environment in the Design and Reference Guide.

- In the production OneStream application, install the solution and create the data tables. See <u>Setup and Installation</u> for Database Server Connection settings and installation details.
- Data tables are created in the OneStream Development application during the solution installation. Using the <u>Microsoft Data Migration Assistant</u>, copy the data from the tables to the Production Microsoft SQL Server Database. Only the Microsoft SQL Administrator should run the migration assistant.

IMPORTANT: This process has the potential to overwrite existing table data in the production application database if data already exists.

OneStream Solution Modification Considerations

A few cautions and considerations regarding the modification of OneStream Solutions:

- Major changes to business rules or custom tables within a OneStream Solution will not be supported through normal channels as the resulting solution is significantly different from the core solution.
- If changes are made to any dashboard object or business rule, consider renaming it or copying it to a new object first. This is important because if there is an upgrade to the OneStream Solution in the future and the customer applies the upgrade, this will overlay and wipe out the changes. This also applies when updating any of the standard reports and dashboards.
- If modifications are made to a OneStream solution, upgrading to later versions will be more complex depending on the degree of customization. Simple changes such as changing a logo or colors on a dashboard do not impact upgrades significantly. Making changes to the custom database tables and business rules, which should be avoided, will make an upgrade even more complicated.