



Guided Reporting Guide

Copyright © 2025 OneStream Software LLC. All rights reserved.

All trademarks, logos, and brand names used on this website are the property of their respective owners. This document and its contents are the exclusive property of OneStream Software LLC and are protected under international intellectual property laws. Any reproduction, modification, distribution or public display of this documentation, in whole or part, without written prior consent from OneStream Software LLC is strictly prohibited.

Table of Contents

Overview	1
Setup and Installation	2
Dependencies	2
Application Server Settings	2
Configure the OneStream Application Server	2
Install Guided Reporting	4
Set Up Guided Reporting	4
Create Tables	5
Package Contents	5
Settings	6
Global Parameters	6
Global View Order	7
User Preferences	8
Home Page Behavior when Auto Update is Disabled	9

Table of Contents

Uninstall	11
Dashboard	12
Report Management	13
Security	13
Report Groups	14
Create a Report Group	14
Reports	15
Add a Dashboard Report	15
Add a Cube View Report	16
Discover Parameters from Cube View Reports	17
Home Page	27
Set Report Options and Filters	29
Select Parameters	29
Change Parameter Selections	32
User Interface for Shared Parameters Sets	33
Use Reports with Parameters from Cube View Templates	34

Table of Contents

Help and Miscellaneous Information	36
Display Settings	36
Package Contents and Naming Conventions	36
Solution Database Migration Advice	37
OneStream Solution Modification Considerations	38
Appendix: Additional Parameter Details	39
Parameter Types Available from the Discover Process	39
Discover Process for Cube View Templates Using Additional Parameters	40

Overview

Guided Reporting provides business users with a simple and intuitive report viewing experience.

This solution provides:

- A framework for dynamically integrating customer data content into a report viewer workspace for dashboards or Cube Views as structured within the organization.
- Reports that are tailored to the data available for the specific parameter filters set by the business user across any dimension type.
- The ability to use custom reporting without the need for extra maintenance or duplicating templates.

Setup and Installation

This section contains important details related to the planning, configuring, and installation of your solution. Before you install the solution, familiarize yourself with these details.

Dependencies

Component	Description
OneStream 8.4.0 or later	Minimum OneStreamPlatform version required to install this version of Guided Reporting.
OneStream App for Windows	Guided Reporting is optimized for the OneStream Application for Windows which has all the functionality as the browser-based version of OneStream.

Application Server Settings


You may need to edit the OneStream Application Server Configuration so users can create and change data in the additional database tables. If other OneStream Solutions (such as Specialty Planning) are already in the application, these adjustments may already exist.

Configure the OneStream Application Server

Be sure that the security group settings include the users who work on and set up the solution before proceeding.

NOTE: Group settings are applicable to all OneStream Solutions; it is important to keep the group names generic.

1. Start the OneStream Server Configuration Utility as an Administrator.
2. Click **Open Application Server Configuration File > Database**.
3. Edit the following **OneStream Database Server properties**:
 - **Access Group for Ancillary Tables**: Select a group that includes those who will access records.
 - **Can Create Ancillary Tables**: True
 - **Can Edit Ancillary Table Data**: True
 - **Maintenance Group for Ancillary Tables**: Select a group to edit and maintain tables.
 - **Table Creation Group for Ancillary Tables**: Select a group who can create tables.



4. Restart Internet Information Server.

Install Guided Reporting

IMPORTANT: You must have administrator security level permissions to establish the Guided Reporting setup and reporting options.

1. In the OneStream Solution Exchange, go to **OneStream Solutions > Guided Reporting**.



2. On the Guided Reporting solution page, select the appropriate OneStream platform version from the **Minimum Platform Version** drop-down list.
3. Select the most recent version from the **Solution Version** drop-down list and click **Download**.
4. Log in to OneStream. On the **Application** tab, click **Tools > Load/Extract**.
5. On the **Load** tab, locate the solution package using the **Select File** icons and click **Open**.
6. When the file name of the solution appears, click **Load**.
7. Click **Close** to complete the installation.

Set Up Guided Reporting

The first time you run Guided Reporting, a guided table setup process begins.

In OneStream, click **Community Solution > Dashboards > Guided Reporting > Guided Reporting**.



Create Tables

1. Click **Step 1: Create Tables**

This step may be necessary when upgrading even if tables already exist. Guided Reporting will not drop tables that already exist but modifies table structures and add new ones if necessary.

2. When setup is complete, click **Step 2: Launch Solution** to open Guided Reporting.

Package Contents

The Dashboard Maintenance unit provides the user interface for Guided Reporting and includes these required dashboard features:

- Components
- Data adapters
- Files
- Groups
- Parameters

Settings

To access the **Settings** page, click **Show Settings Page**.



NOTE: In the Settings page, administrators have access to all functionality while non-administrators can only access User Preferences.

Global Parameters

The Global Options tab allows you to identify which parameters to set up as a Global view within the Global Parameter definition table. By setting global parameters, a Global view bar displays on the Home page that you can use those assigned parameters across multiple Cube View reports.

A global parameter displays on multiple Cube View reports if that parameter is used on that report. You can also set the List Label and the Default Value of the global parameter.

This table shows the change in display for each List Label population:

List Label	Global Parameter Definition Table Display
Blank	Name of the parameter on the home page reflects the parameter name.
Populated	List Label contents overrides name of the parameter

This table shows the change in display for each Default Value population:

Settings

Default Value	Home Page Display
Blank	<i>No Selection</i>
Populated	Default Value contents

The parameter uses the most recent selection for current and future sessions. After you save, the Parameter Name, List Label, and Default Value columns become read-only. You can edit Global View Order at any time.

Global Parameter Definition				
Parameter Name	List Label	Default Value	Global View Order	
ParamTime	Time	2022M3	5	
WorkflowEntityPrompt	Entity	Houston Heights	10	

Global View Order

Apply the sort order in the Global Parameter Definition table in the **Global View Order** column. The global view order assigned retains its setting on the Home page.

If the Global View Order column is blank, the default sort order for the dimensions is the order of the POV:

1. Cube
2. Entity
3. Parent
4. Consolidation
5. Scenario, and more

When an administrator adds a new parameter in the initial setup or includes additional parameters to an existing list on the Global Definition Table and clicks **Save**, a validation displays *Changes made to the Global Definition table will be captured during a discover or rediscover process.*

This validation alerts the administrator that any changes made to the Global Definition Table will be available on the Home page of the individual Cube View reports after the Discover process completes. If you ran a Discover process for a Cube View, clicking it again reflects any changes made to parameters in the Cube View itself or in the Global Parameter Table. See [Discover Parameters from Cube View Reports](#).

User Preferences

After you enable the Auto Update feature, the Cube View report updates when each parameter is populated on the Home page.

This feature provides flexibility for interaction with Cube View parameters and report updates on the Home page. It can be modified at any time.

To access the Auto Update feature:


1. On the Settings page, click **User Preferences**.
2. Click **Auto Update Parameter Filters**. This setting is selected by default.

When the Auto Update box is selected, and you are viewing the report for the first time, *Select parameters* text is shown as a reminder to make your selections. When you select the final parameter, the report displays based on your selections.


When the Auto Update box is selected and you viewed the report, The Cube View displays using the last filters selected on the parameters.

Home Page Behavior when Auto Update is Disabled

When the Auto Update box is unchecked, a Run Report button displays in the Selector List view on the Home page. When viewing the report for the first time, *Select parameters* displays in gray text below the parameters as a reminder to make your selections.




After the initial run, if additional changes are made to the parameters, gray text displays *Run Report for Modified Parameters* where the Cube View was.



Settings

This is a reminder to run the changes after all filters are populated. When you click **Run Report**, the Cube View displays with the updates to the parameter filters.



ParamScenario1:	ParamScenario2:	ParamPeriod1POV:	Members_UO2\AllDims_Base:	
Target	BudgetV2	2022	Subassemblies	Run Report
Income Statement				
		2022	2022	2022
		Target	BudgetV2	Variance
60000 - Operating Sales	1,212,138	1,186,804	25,334	
60200 - Returns & Allowances	303,800	297,450	6,350	
60999 - Net Sales	908,339	889,354	18,985	
41000 - Operating Cost of Goods Sold	645,200	658,149	-12,949	
42000 - IC Cost of Goods Sold	39,458	41,184	-1,726	
43000 - Cost of Goods Sold	684,659	699,333	-14,675	
61000 - Gross Margin	223,680	190,021	33,659	
54400 - Total Operating Exp Before Allocation				
54150 - Total Allocations				
54500 - Total Operating Expenses				
62000 - Total Operating Income	223,680	190,021	33,659	
62999 - Total Other Income (Expense)				
63000 - Earnings Before Interest and Taxes	223,680	190,021	33,659	
56999 - Total Income Taxes				
69000 - Net Income	223,680	190,021	33,659	

Uninstall

Uninstall allows you to uninstall the Guided Reporting user interface or the entire solution.

There are two uninstall options:

1. **Uninstall UI** removes Guided Reporting, including related dashboards and business rules, but leaves the database and related tables in place. For some releases, perform this step before accepting any new version of Guided Reporting because dashboards or other objects may have been modified.
 - Select this option to accept a Guided Reporting update without removing the data tables.
 - The Guided Reporting Release Notes indicate if you can reinstall over the existing installation.
2. **Uninstall Full** removes all related data tables, data, Guided Reporting dashboards, and Business Rules.
 - Select this option to remove Guided Reporting or to perform an upgrade that is significant in changes to data tables that this method is required. Only business rules deployed on Guided Reporting during setup and installation are removed.

CAUTION: Uninstall procedures are irreversible.

Dashboard

Guided Reporting provides one dashboard that displays main icons based on permission level.

This table shows the access permissions for each dashboard component:

Accessible Components	Administrators	Non-administrators
Home page	Yes	Yes
Report Management page	Yes	No
Settings > Global Options	Yes	No
Settings > User Preferences	Yes	Yes
Settings > Uninstall	Yes	No
Help page	Yes	Yes

Report Management

The Report Management page streamlines administrative activities needed to set up Guided Reporting. Administrators can:

- Assign Cube View or Dashboard reports within Report Groups.
- Apply security.
- Create Report Groups.
- Discover parameters used in a Cube View report to view them through the Selector List view table.

To access the Report Management page, click **Report Management** page.




Security

When you create Report Groups and Reports in the Report Management page, set the Access group for each section from the Access Group drop-down list. This reflects the options found in the **System > Security > Groups** section of OneStream.

NOTE: Access Group columns always default to **Everyone**.

Example: The FinRptg report group has an Access Group set to Power Users, and there are individual reports set to Everyone and GolfStream Controllers. If some reports are set to Everyone, the Report Group takes priority for first pass security. If you are not set to the Power Users group, you cannot access the report group of FinRptg on the Home page or individual reports set to Everyone.



The screenshot shows two side-by-side tables in a reporting application. The left table is titled 'Report Groups' and lists two entries: 'AdminRptg' with 'Administrators' as the access group, and 'FinRptg' with 'Power Users' as the access group. The right table is titled 'Reports' and lists five entries: 'Income Statement' (Cube View, (Unassigned), Everyone, Enabled, Display Order 10), 'Balance Sheet' (Cube View, (Unassigned), Everyone, Enabled, Display Order 20), 'Controller Workspace' (Dashboard, 0_Frame_Ctrf_OnePlace_AWSe2 (Confr), (Unassigned), GolfStream Controllers, Enabled, Display Order 30), 'Sales Details' (Dashboard, Sales Details Dashboard, (Unassigned), Everyone, Enabled, Display Order 40), and 'OpEx Details' (Dashboard, OpEx Details Dashboard, (OpEx Details), (Unassigned), Everyone, Enabled, Display Order 50). Both tables have pagination at the bottom showing '3 Rows' and 'Page 1 of 1'.

Display Name	Description	Access Group
AdminRptg		Administrators
FinRptg		Power Users

Display Name	Type	Dashboard Name	Cube View Name	Access Group	Enabled	Display Order
Income Statement	Cube View	(Unassigned)	Income Statement	Everyone	■	10
Balance Sheet	Cube View	(Unassigned)	Balance Sheet	Everyone	■	20
Controller Workspace	Dashboard	0_Frame_Ctrf_OnePlace_AWSe2 (Confr)	(Unassigned)	GolfStream Controllers	■	30
Sales Details	Dashboard	Sales Details Dashboard	(Unassigned)	Everyone	■	40
OpEx Details	Dashboard	OpEx Details Dashboard	(OpEx Details)	Everyone	■	50

Report Groups

The Report Groups table allows an administrator the flexibility to create groupings of reports based on categories or access groups.

Create a Report Group

1. Click **Insert Row**.
2. Enter a **Display Name**, which is the name for the report group that will appear on the Home page. The Display Name is a required field that must be unique and can contain up to 50 characters.

3. Enter a **Description**, which is a descriptive name for the report group. The Description field is optional and may contain up to 200 characters.
4. Select an **Access Group**. Assign the Access Group based on **System > Security > Group** settings for the Report Group.
5. Click **Save**.

IMPORTANT: You must save the report group before you can add reports.

Reports

You can incorporate previously created Dashboard or Cube View reports into Guided Reporting in a simplified way. Each report group contains multiple reports with individualized security groups.

NOTE: You can create a duplicate display name for a report that is in a different report group.

Add a Dashboard Report

You can add a Dashboard report to a report group. Each report has its own Access Group settings.

1. Select a Report Group from the Report Groups list.
2. In the Reports section, click **Insert Row** to add a report.
3. In Display Name, enter the name of the report. This is the displayed name on the Home page.
4. In Type, select **Dashboard**. In Dashboard Name, select a dashboard from the list of all dashboards available in OneStream.

5. Assign the Access Group, which is based on the **System > Security > Group** setting.
6. Set your settings:

Enabled: If selected, you will see the report on the Home page. It is selected by default.

- **Display Order:** Order in which you can select the reports from a list view within the Report Group.

NOTE: If the default remains at 10, reports on the Home page will be in alphabetical order.

7. Click **Save**.

NOTE: A Dashboard report will be part of the Report Group.

Add a Cube View Report

You can add a Cube View report to a report group. Each report has its own Access Group settings.

1. Select a Report Group from the Report Groups list.
2. In Reports, click **Insert Row** to add a report.
3. In Display Name, enter the name of the report.
4. In Type, select **Cube View**. In Cube View Name, select a Cube View from the list of all Cube Views available in OneStream.
5. Assign the Access Group, which is based on the **System > Security > Group** setting.
6. Set your settings:

Enabled: If selected, you will see the report on the Home page. It is selected by default.

- **Display Order:** Order in which you can select the reports from a list view within the Report Group.

NOTE: If the default remains at 10, reports on the Home page will be in alphabetical order.

7. Click **Save**.

NOTE: A Cube View report will be part of the Report Group.

8. Go to [Discover Parameters from Cube View Reports](#).

Discover Parameters from Cube View Reports

When Cube View reports are added to a report group, view parameters and their respective setups in the Selector List and Parameter Details table of the Report Management page. For these to appear, see [Discover Parameters](#).

Discover Parameters

To view parameters in a Cube View report, ensure you have selected a Cube View report in the Reports section. After you select it, you will see a Discover icon located in the table below.


Click the **Discover** icon to initiate the following steps:

1. Gather parameters used in various areas of a Cube View report
2. Compile parameters into a Selector List table
3. Provide information on how parameters render on the Home page

Report Management

IMPORTANT: You must click the Discover icon for Cube View reports to interface with the Cube View on the Home page.

The image below shows the *Select a Cube View Report* prompt that displays after you first create a Cube View.




The screenshot shows two tables side-by-side. The left table is titled 'Report Groups' and has columns for 'Display Name', 'Description', and 'Access Group'. It contains one row: 'Example Report Group' with 'Everyone' in the Access Group column. The right table is titled 'Reports' and has columns for 'Display Name', 'Type', 'Dashboard Name', 'Cube View Name', 'Access Group', 'Enabled', and 'Display Order'. It contains four rows: 'ex1-graph' (Cube View, Unassigned, Demo1, Everyone, Enabled, 10), 'ex2-circular-reference' (Cube View, Unassigned, Demo2, Everyone, Enabled, 10), 'ex3-member-filter' (Cube View, Unassigned, Demo3, Everyone, Enabled, 10), and 'ex4-literal-params' (Cube View, Unassigned, Demo4, Everyone, Enabled, 10). Both tables have pagination at the bottom: '1 Rows Page 1 of 1' for the left and '4 Rows Page 1 of 1' for the right.

Display Name	Description	Access Group
Example Report Group		Everyone

Display Name	Type	Dashboard Name	Cube View Name	Access Group	Enabled	Display Order
ex1-graph	Cube View	(Unassigned)	Demo1	Everyone	■	10
ex2-circular-reference	Cube View	(Unassigned)	Demo2	Everyone	■	10
ex3-member-filter	Cube View	(Unassigned)	Demo3	Everyone	■	10
ex4-literal-params	Cube View	(Unassigned)	Demo4	Everyone	■	10

Select a Cube View Report

1. In the Reports list, select a Cube View and click the **Discover** button. OneStream scans the parameters assigned to the selected Cube View and populates the Selector List table. The Selector List table opens.



The screenshot shows a table titled 'Selector List' with columns for 'Parameters', 'List Label', 'Default Value', 'Home Page Interface', 'Selector List View', and 'Parent Parameters'. It contains four rows: 'ParamA' (List Label: Selector List View, Default Value: 2, Parent Parameters: 0), 'ParamB' (List Label: Selector List View, Default Value: 1 ParamA, Parent Parameters: 0), 'ParamC' (List Label: Selector List View, Default Value: 1 ParamA, Parent Parameters: 0), and 'ParamD' (List Label: Selector List View, Default Value: 0 ParamB, ParamC, Parent Parameters: 0). The table has pagination at the bottom: '4 Rows Page 1 of 1'.

Parameters	List Label	Default Value	Home Page Interface	Selector List View	Parent Parameters
ParamA	Selector List View	2			
ParamB	Selector List View	1 ParamA			
ParamC	Selector List View	1 ParamA			
ParamD	Selector List View	0 ParamB, ParamC			

Select Parameter

NOTE: If you add parameters to the Cube View and then click **Discover**, the new parameters display in this list. If you delete a parameter from a Cube View, you must perform the Discover process again to remove it from the Home page selections.

2. View or populate the Selector List properties:

- **Parameter:** Populated based on parameters assigned to the Cube View.
- **List Label:** When you populate the label, it updates on the Home page. If you do not populate this value, the Home page displays the parameter name.
- **Default Value:** If assigned, this is the first filter shown by default on the Home page. If you do not populate this value, the Home page displays *No Selection*.
- **Home Page Interface:** Indicates if the parameter is set in the Global view, Selector List, or None. The Discover process identifies parameters that are being used in the Cube View, but also scans the Global Parameter Definition table to identify what parameters are being used as a global parameter. If none are used, the default is Selector List view or None.
- **Selector List View Order:** As an administrator, you have the flexibility to choose the order in which parameters display on the Home page. Apply the sort order in the Selector List table on the Cube View reports in the **Selector List View Order** column. The sort order assigned is retained on the Home page. If the Selector List View Order column is unchanged, the default sort order for the dimensions is the order of the POV such as cube, entity, scenario, and more.
- **Parent Parameter:** This column populates with the name of the parameter where the nested parameters live. If the parameter is referenced by multiple parent parameters, they will appear listed in the same cell separated by commas. If the parameter is not a nested parameter, the Parent Parameter column remains empty.

NOTE: Apply the sort order of the parameter in its designated area of the Home page. If you apply the sort order of a Global View item on the Selector List View Order column, you receive a message that redirects you to the Global Parameter Definition table, and modifications on that global parameter are not saved.

3. If you highlight a Cube View report and click **Discover** again, the list of parameters updates to reflect additions, removals, or updates of parameters made to the Cube View. The right pane resets to the *Select Parameter* prompt.
4. Go to [View Parameter Details](#).

NOTE: If you go back to Reports and replace a Cube View name on a Cube View report you have already saved, the Selector List resets to *Perform Discovery of Parameters*.

NOTE: When you click **Discover**, the original Cube View name is removed from the Dynamic Dashboard group, and those changes are dynamically updated through the parameter.

Nested Parameters

To view reports that include nested parameters, click **Discover**. The reports that reference a Cube View containing nested parameters will show that line item on the Reports grid.

When selecting a report on the Home page, associated nested parameters will display in line with the other report parameters at the top of the window.

Types of parameters viewable as nesting parameters include:

- Member List
- Member Dialog
- Bound List


- Delimited List
- Input Value

NOTE: Nested parameters with circular references to a parent parameter are not supported and will produce an error.

Parent Parameters

Depending on the parent-child relationship of the nested parameters, updating 1 parameter will affect the available options for you to choose from in the dependent parameters. As an example, when you select a child value before a parent, then the selection will be included in the available selections for the parent parameter. In the parent parameter, the list of available values that are nested parameters are filtered accordingly.

Example: Parameter A is driven by the values of Parameter B and Parameter C, while Parameters B and C require the value of Parameter D.



Home Page Interface Assignments within the Selector List

The Discover process determines if a parameter name matches the parameter name in the Global Parameter Definition table. If it exists in the table, the default for the Home page on the Selector List is Global view. If it does not exist in the table, the default is Selector List view.

If you click **Discover** again, the default Discover process begins. If the parameter no longer exists in the Global Parameter Definition table, and is still being used in the Cube View, the Home page updates to the Selector List view for that parameter.

You can override the Global view and assign a parameter to the Selector List view in a specific Cube View report. If you change the Global view parameter to Selector List view, anything populated as the List Label and Default Value for that Global view parameter overrides what is in the Global Options table. To change a Selector List view to a Global view, navigate to the Global Parameter Table and add that parameter.


NOTE: If you do not update the Global Parameter Table to include a new parameter, the change of a Home page interface from Global view to Selector List view on a parameter resets to Global view when you run the Discover process on a Cube View report. For the Home page interface on a parameter to change from a Selector List view to a Global view, you must add the parameter in the Global Parameter Definition Table. See [Home Page](#).

View Parameter Details

In Selector List, select a parameter to view the details established upon creation. Any changes made to the parameter details on the Application tab are updated in the Parameter Details section of Guided Reporting without the need to click Discover again.

NOTE: This information is read-only, but informs on what is included in the report for this parameter.

The default value of a parameter is the initial view for the parameter filter. When the default value of a parameter is modified, the next time the parameter is viewed, it will use the last value selected and not the default value that was initially displayed. You can select a different default value than what is listed in the Parameter Details by using the Default Value column within the Selector List table.



The screenshot shows the 'Discover' interface with a 'Selector List' table and a 'Parameter Details' table. The 'Selector List' table has columns: Parameters, List Label, Default Value, Home Page Interface, Selector List VI, and Parent Parameters. The 'Parameter Details' table has columns: Name, Value, and Parameter Type. The 'Parameter Type' is 'Delimited List'. The 'Default Value' is '1, ParamA'. The 'Display Items (comma delimited)' is '1, 2, [[ParamB]] [[ParamC]]'. The 'Value Items (comma delimited)' is '1, 2, [[ParamB]] [[ParamC]]'.

Parameters	List Label	Default Value	Home Page Interface	Selector List VI	Parent Parameters
ParamA	Selector List View	2			
ParamB	Selector List View	1	ParamA		
ParamC	Selector List View	1	ParamA		
ParamD	Selector List View	0	ParamB, ParamC		

Name	Value	Parameter Type
Parameter Type	Delimited List	
Default Value	1, ParamA	
Display Items (comma delimited)	1, 2, [[ParamB]] [[ParamC]]	
Value Items (comma delimited)	1, 2, [[ParamB]] [[ParamC]]	

Where Parameters are Discovered


After you click **Discover**, Parameters are found in these areas of a Cube View:

- **Cube View > POV**
- **Cube View > General Settings > Sharing**
 - If row or column is sharing a Cube View, the **Discover** process searches in the Cube View in the Member filter area of the shared Cube View for parameters.
 - If row or column is sharing a parameter, up to two parameters can be used for row set or column set and will appear in a different area of the Home page.
 - If a row or column set parameter has a Cube View that is using additional parameters, the parameters shown in the Member Filters section of that Cube View are also included in the Global or Selector List view of the Home page. See [Discover Process for Cube View Templates Using Additional Parameters](#)
- **Cube View > Rows and Columns > Member Filters > Row**
- **Cube View > Rows and Columns > Member Filters > Column**


Discover Process for Shared Column and Row Sets

The Discover process includes the following shared column and row set parameters.

- **Discover column and row sets:** Any shared parameters on the column or row set are part of the Discover process and display in the Selector List table. The search includes an option to select up to two column parameters and two row parameters in the **Cube View Sharing** section of the Cube View.




- **Discover column or row sharing for the Cube View:** Any Cube View under the **Column Sharing** section or **Row Sharing** section of a Cube View prompts the discover and rediscover process to go one level deeper and return any parameters listed in the Member Filters section of the columns or rows.



Report Management

- These also display in the Selector List table. The search includes an option to select up to two column sets or row sets if in a Cube View.



The screenshot shows the Report Management Designer interface. The top navigation bar has 'Designer' and 'Advanced' tabs. The main area is titled 'Rows_Income Statement' with a 'Description' field. The 'Rows and Columns' section is expanded, showing a 'Layout' table with four rows: 'Net Sales_D', 'Net Sales_T', 'COGS_D', and 'Gross Income_T'. The 'Member Filters' tab is selected, showing a 'Row' section with 'Net Sales_D' and a 'Column' section with 'Time'. The 'Time' column has a filter 'T=POV'. The 'Formatting' and 'Data' tabs are also visible.

- Column and row sets on the Home page:** See [User Interface for Shared Parameters Sets](#).

Parameters for Member Filters

Parameters assigned in the Member Filters section of a Cube View for rows and columns are included in the Discover process and display in the Selector List table with the default of Global view or Selector List view.

Delete a Row

From the Selector List table, if you click **Delete Row** and then **Save**, the parameter is removed and unavailable on the Home page. Removing the parameter from the Selector List does not remove it from the Cube View itself. If you rediscover, the parameter will be redisplayed in the Selector List table.

Home Page


The Home page interface offers dynamic views of the established report groups and reports as set by the administrator. This includes the viewing access of each report group. The accessibility options are a reflection of how your Cube View or dashboard are established in your application and any additional setup for labels and default values in the solution itself.

Guided Reporting provides parameters in a Global view or a Selector List view for you to work with and reference when reviewing chosen filters. On the Guided Reporting Home page, you can do the following:

- Define parameters available for selected Cube View reports such as global parameters, selector list view parameters, shared column or row set parameters
- Review Dashboard reports
- Select report groups
- Select reports

This image represents a Cube View that uses global and selector list parameters and a shared column set parameter.


Home Page



The Define Global Parameter header and the Global Parameter bar only display on the Home page if the Global Parameter Definition table is used. If the Global Parameter Definition table is being used, the Home page will reflect as such if the Cube View report is using those parameters in the Global view.

NOTE: The Global Parameter Definition table is used for Cube View reports only. There is no impact on this table for Dashboard report types.

When you toggle between report groups and reports, the right side of the Home page updates with a new Cube View or dashboard based on new filtered selections. Below is an example of how a Dashboard report would render.



NOTE: The global parameter bar and selector list bar are not present. If parameters are defined and used in a Dashboard report, they remain in that dashboard as they are not part of the Discover process established for Cube Views in Guided Reporting.

Set Report Options and Filters

1. On the Home page, in Report Groups, select a report group.
2. In Reports, click a report. The report generates and populates the right side of the screen.
3. For reports specific to Cube Views, see [Select Parameters](#).

Select Parameters

When viewing Cube View reports, parameters display based on what is used for that report, which may include multiple parameters for a single dimension.


A maximum of 15 parameters may be shown on the Home page. If more than 15 are used in a Cube View, you have the option on the Selector List to choose how the parameter is used on the Home page. For example, *None* will not show that parameter.

1. In the example below, there is a global parameter defined and two Selector List view parameters in the Selector List bar that display *No Selection*. Click the **No Selection** text box at the top of the screen.

GUIDED REPORTING	
ANALYSIS	
Define Global Parameter	WorkflowEntityPrompt: <input type="text" value="Total GolfStream"/>
Report Options	ParamScenario1: <input type="text" value="No Selection"/> ParamScenario2: <input type="text" value="No Selection"/>
Report Groups: <input type="text" value="FinRptg"/>	
Reports: <ul style="list-style-type: none"><input style="background-color: #e0e0e0; border: 1px solid #ccc; padding: 2px; width: 150px; height: 20px; display: inline-block; border-radius: 5px; font-weight: bold; font-size: 10px; margin-right: 10px;" type="text" value="Income Statement"/><input type="text" value="Balance Sheet"/><input type="text" value="Controller Workspace"/><input type="text" value="Sales Details"/><input type="text" value="OpEx Details"/>	

2. In the Item Selector dialog box, select a parameter, and click **OK**.

Home Page



The report populates with your parameter selections.


GUIDED REPORTING																																																																									
ANALYSIS																																																																									
Define Global Parameter	WorkflowEntityPrompt: Total GolfStream																																																																								
Report Options	ParamScenario1: Target ParamScenario2: BudgetV2 ParamPeriod1POV: 2022 Members_UD2s_AllDims_Base: Subassemblies																																																																								
Report Groups:	FinRptg																																																																								
Reports:	Income Statement (selected), Balance Sheet, Controller Workspace, Sales Details, OpEx Details																																																																								
Income Statement																																																																									
<table border="1"><thead><tr><th></th><th>2022</th><th>2022</th><th>2022</th></tr><tr><th></th><th>Target</th><th>BudgetV2</th><th>Variance</th></tr></thead><tbody><tr><td>60000 - Operating Sales</td><td>1,212,138</td><td>1,186,804</td><td>25,334</td></tr><tr><td>60200 - Returns & Allowances</td><td>303,800</td><td>297,450</td><td>6,350</td></tr><tr><td>60999 - Net Sales</td><td>908,339</td><td>889,354</td><td>18,985</td></tr><tr><td>41000 - Operating Cost of Goods Sold</td><td>645,200</td><td>658,149</td><td>-12,949</td></tr><tr><td>42000 - IC Cost of Goods Sold</td><td>39,458</td><td>41,184</td><td>-1,726</td></tr><tr><td>43000 - Cost of Goods Sold</td><td>684,659</td><td>699,333</td><td>-14,675</td></tr><tr><td>61000 - Gross Margin</td><td>223,680</td><td>190,021</td><td>33,659</td></tr><tr><td>S4400 - Total Operating Exp Before Allocation</td><td></td><td></td><td></td></tr><tr><td>S4350 - Total Allocations</td><td></td><td></td><td></td></tr><tr><td>54500 - Total Operating Expenses</td><td></td><td></td><td></td></tr><tr><td>62000 - Total Operating Income</td><td>223,680</td><td>190,021</td><td>33,659</td></tr><tr><td>62999 - Total Other Income (Expense)</td><td></td><td></td><td></td></tr><tr><td>63000 - Earnings Before Interest and Taxes</td><td>223,680</td><td>190,021</td><td>33,659</td></tr><tr><td>64000 - Earnings Before Taxes</td><td>223,680</td><td>190,021</td><td>33,659</td></tr><tr><td>56999 - Total Income Taxes</td><td></td><td></td><td></td></tr><tr><td>69000 - Net Income</td><td>223,680</td><td>190,021</td><td>33,659</td></tr></tbody></table>			2022	2022	2022		Target	BudgetV2	Variance	60000 - Operating Sales	1,212,138	1,186,804	25,334	60200 - Returns & Allowances	303,800	297,450	6,350	60999 - Net Sales	908,339	889,354	18,985	41000 - Operating Cost of Goods Sold	645,200	658,149	-12,949	42000 - IC Cost of Goods Sold	39,458	41,184	-1,726	43000 - Cost of Goods Sold	684,659	699,333	-14,675	61000 - Gross Margin	223,680	190,021	33,659	S4400 - Total Operating Exp Before Allocation				S4350 - Total Allocations				54500 - Total Operating Expenses				62000 - Total Operating Income	223,680	190,021	33,659	62999 - Total Other Income (Expense)				63000 - Earnings Before Interest and Taxes	223,680	190,021	33,659	64000 - Earnings Before Taxes	223,680	190,021	33,659	56999 - Total Income Taxes				69000 - Net Income	223,680	190,021	33,659
	2022	2022	2022																																																																						
	Target	BudgetV2	Variance																																																																						
60000 - Operating Sales	1,212,138	1,186,804	25,334																																																																						
60200 - Returns & Allowances	303,800	297,450	6,350																																																																						
60999 - Net Sales	908,339	889,354	18,985																																																																						
41000 - Operating Cost of Goods Sold	645,200	658,149	-12,949																																																																						
42000 - IC Cost of Goods Sold	39,458	41,184	-1,726																																																																						
43000 - Cost of Goods Sold	684,659	699,333	-14,675																																																																						
61000 - Gross Margin	223,680	190,021	33,659																																																																						
S4400 - Total Operating Exp Before Allocation																																																																									
S4350 - Total Allocations																																																																									
54500 - Total Operating Expenses																																																																									
62000 - Total Operating Income	223,680	190,021	33,659																																																																						
62999 - Total Other Income (Expense)																																																																									
63000 - Earnings Before Interest and Taxes	223,680	190,021	33,659																																																																						
64000 - Earnings Before Taxes	223,680	190,021	33,659																																																																						
56999 - Total Income Taxes																																																																									
69000 - Net Income	223,680	190,021	33,659																																																																						

Change Parameter Selections

When viewing a Cube View report for the first time, parameters that have a default value will populate the filter. If a default value is not assigned to the parameter, *No Selection* will display. Once the parameter filter is selected, it will remain for future sessions where that parameter is used. You may choose to update a parameter at any time. For more information on rendering reports based on auto update features, see [User Preferences](#).

1. Click a parameter at the top of the screen.
2. In Item Selector, select a parameter and then click **OK**.

The parameter and report update to the selection you made. If the parameter provides a large list of values to choose from, type the desired value in the Search bar and click the icon to the right. Using the search bar will take you directly to the searched value.




User Interface for Shared Parameters Sets

On the Home page, when selecting a report that has shared column or row sets, a drop-down list displays for each column and row set below the report listing.

NOTE: There is a maximum of two column set and two row set lists.

These fields are dynamic based on the number of column sets or row sets used in your main Cube View. If shared column or row sets are not being used for that Cube View report, you will not see anything below the reports section on the Home page.

1. In Report Groups, select a report group.
2. In Reports, select a Cube View report that uses one or more shared parameter sets.
3. In the image below, there is a Cube View report that is using one column set parameter. Select a column set Cube View for your data to render to. In this example, the selection Same Period Last Year rendered Feb 2022 and Feb 2021 results.



The screenshot shows the 'GUIDED REPORTING ANALYSIS' interface. On the left, a sidebar lists 'Report Groups' (FinRptg) and 'Reports' (Income Statement, Balance Sheet, Controller Workspace, Sales Details, OpEx Details). The main area shows a parameter configuration for a 'WorkflowEntityPrompt' (Total GolfStream) and 'ParamTime' (2022M2). Below this, a 'Members_UD2s_AllDims_Base' parameter is set to 'Subassemblies'. The main content area displays an 'Income Statement' report with the following data:

	Feb 2022	Feb 2021
60000 - Operating Sales	229,704	222,047
60200 - Returns & Allowances	57,571	55,652
60999 - Net Sales	172,133	166,395
41000 - Operating Cost of Goods Sold	133,281	128,838
42000 - IC Cost of Goods Sold	28,080	0
43000 - Cost of Goods Sold	161,361	128,838
61000 - Gross Margin	10,772	37,557
54400 - Total Operating Exp Before Allocation		
54350 - Total Allocations		
54500 - Total Operating Expenses		
62000 - Total Operating Income	10,772	37,557
62999 - Total Other Income (Expense)		
63000 - Earnings Before Interest and Taxes	10,772	37,557
64000 - Earnings Before Taxes	10,772	37,557
56999 - Total Income Taxes		
69000 - Net Income	10,772	37,557

At the bottom, a 'Column Set 1' dropdown is set to 'Same Period Last Year'.

4. Continue to make your selections based on the number of column sets and row sets the main Cube View report uses.

The report populates with the parameters you selected.

Use Reports with Parameters from Cube View Templates

If the main Cube View uses a parameter for column or row sharing, the Discover process for the main Cube View scans the member filter sections of the template Cube Views and includes those additional parameters to select from on the Home page. These parameters display when the template Cube View that it resides in is selected from the column or row set drop-down list.

They are dynamic in that parameters for each Cube View report only show the parameters assigned to it. If the template parameter is the same as a parameter used in the main Cube View, it updates using the single parameter shown.

If the template parameter for a single dimension is different from the main cube, the template parameter renders in the main Cube View report.

1. In Report Groups, select a report group.
2. In Reports, select the main Cube View report.
3. In Column Set or Row Set, select a Cube View report with a template where an additional parameter is used within it. This template parameter dynamically appears in the Global view or the Selector List view.

Help and Miscellaneous Information

 Access the help documentation.

Display Settings

OneStream and OneStream Solutions frequently require the display of multiple data elements for proper data entry and analysis. Therefore, the recommended screen resolution is a minimum of 1920 x 1080 for optimal rendering of forms and reports.

Additionally, OneStream recommends that you adjust the Windows System Display text setting to 100% and do not apply any Custom Scaling options.

Package Contents and Naming Conventions

The package file name contains multiple identifiers that correspond with the platform. Renaming any of the elements contained in a package is discouraged in order to preserve the integrity of the naming conventions.

Example Package Name: GDR_PV8.4.0_SV112_PackageContents.zip

Identifier	Description
GDR	Solution ID
PV8.4.0	Minimum Platform version required to run solution
SV112	Solution version
PackageContents	File name

Solution Database Migration Advice

A development OneStream application is the safest method for building out a solution with custom tables such as this one. The relationship between OneStream objects such as workflow profiles and custom solution tables is that they point to the underlying identifier numbers and not the object names as seen in the user interface. Prior to the solution configuration and to ensure the identifiers match within the development and production applications, the development application should be a recent copy of the production application. Once the development application is created, install the solution and begin design. The following process below will help migrate the solution tables properly.

See also: *Managing a OneStream Environment* in the *Design and Reference Guide*.

OneStream Solution Modification Considerations

A few cautions and considerations regarding the modification of OneStream Solutions:

- Major changes to business rules or custom tables within a OneStream Solution will not be supported through normal channels as the resulting solution is significantly different from the core solution.
- If changes are made to any dashboard object or business rule, consider renaming it or copying it to a new object first. This is important because if there is an upgrade to the OneStream Solution in the future and the customer applies the upgrade, this will overlay and wipe out the changes. This also applies when updating any of the standard reports and dashboards.
- If modifications are made to a OneStream Solution, upgrading to later versions will be more complex depending on the degree of customization. Simple changes such as changing a logo or colors on a dashboard do not impact upgrades significantly. Making changes to the custom database tables and business rules, which should be avoided, will make an upgrade even more complicated.

Appendix: Additional Parameter Details

Parameter Types Available from the Discover Process

Member List	Selector List or Global View	Flat List of Members to Choose
Member Dialog	Both	Similar to Member Dialog but with search capabilities
Literal	None	Value is hard-coded and cannot be used on the Home page.
Input	Both	Value can be updated on the Home page.
Delimited List	Both	Valid values to choose from are populated in the parameter type.
Bound	Both Shown in the Reports section of the Home page	Members available to choose from are in the Command type.

Discover Process for Cube View Templates Using Additional Parameters

Use the Discover process to scan the template parameters in a shared parameter. If a Cube View report that uses a shared parameter for the column or row set has been added to a report group, click **Discover** to see if any template parameters exist and are included in the Selector List table. Like any other parameter in the Selector List table, nested parameters default to the sort order of 0 and are designated to the proper Home page interface (the Selector List view, Global view, or None).