



Financial Close Release Notes

Copyright © 2025 OneStream Software LLC. All rights reserved.

Any warranty with respect to the software or its functionality will be expressly given in the Subscription License Agreement or Software License and Services Agreement between OneStream and the warrantee. This document does not itself constitute a representation or warranty with respect to the software or any related matter.

OneStream Software, OneStream, Extensible Dimensionality, and the OneStream logo are trademarks of OneStream Software LLC in the United States and other countries. Microsoft, Microsoft Azure, Microsoft Office, Windows, Windows Server, Excel, Internet Information Services, Windows Communication Foundation and SQL Server are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. DevExpress is a registered trademark of Developer Express, Inc. Cisco is a registered trademark of Cisco Systems, Inc. Intel is a trademark of Intel Corporation. AMD64 is a trademark of Advanced Micro Devices, Inc. Other names may be trademarks of their respective owners.

Table of Contents

Release PV840 SV111	iv
Enhancements	iv
Transaction Matching	iv
Fixed Issues	iv
Transaction Matching	iv
Upgrade Information	iv
Compatibility	v
TXM Tables	vii
RCM Tables	viii
TXM Columns	x
RCM Columns	xiii
Migration	xiii
Contact Support	xiii
Release PV840 SV110	xiv
Fixed Issues	xiv
Account Reconciliations	xiv
Transaction Matching	xiv
Upgrade Information	xv
Compatibility	xv

Table of Contents

TXM Tables	xvii
RCM Tables	xix
TXM Columns	xxi
RCM Columns	xxiii
Migration	xxiii
Contact Support	xxiii
Release PV840 SV100	xxiv
Prerequisites	xxiv
Compatibility	xxiv
TXM Tables	xxvi
RCM Tables	xxviii
TXM Columns	xxxix
RCM Columns	xxxiii
Migration	xxxiii
New Features	xxxiii
Account Reconciliations	xxxiii
Transaction Matching	xxxiii
Enhancements	xxxiv
Account Reconciliations	xxxiv
Transaction Matching	xxxiv

Table of Contents

Fixed Issuesxxxv

 Account Reconciliationsxxxv

 Transaction Matchingxxxvi

Known Issuesxxxvii

 Account Reconciliationsxxxvii

 Transaction Matchingxxxvii

Contact Supportxxxvii

Release PV840 SV111

The theme for this Hotfix release is to enhance date logic for Date Attribute fields in TXM, ensuring the source column is included and active in the data source.

Enhancements

Transaction Matching

- Enhanced date logic for Date Attribute fields to ensure the source column is included and active in the data source, not only active in the cube. (MP1-6826)

Fixed Issues

Transaction Matching

- Improved date logic for Date Attribute fields to ensure the source column is included and active in the data source, not only the cube. An error will occur if the field is active in both locations and the value is blank or unparseable. Refer to Appendix B in the guide, detailing how to use a complex expression in these cases. (MP1-6823)

Upgrade Information

- This solution is compatible with OneStream Platform v8.4.
- Review the information in this section before you install, deploy, or upgrade. OneStream strongly recommends that you upgrade in a Development environment before upgrading in the Production application.
- Uninstall UI prior to upgrading due to the migration to the OneStream Financial Close workspace.
- Upgrade to OFC PV710 SV203 before upgrading to any OFC 8.X version.
- Users with multiple instances will need to use the same instance number build of the current release when upgrading.

Compatibility

Component	Description
OneStream 8.4.0 or later	<p>Minimum OneStream Platform release required to install this release of OneStream Financial Close.</p> <p>See the <i>Upgrade Guide</i>.</p>
Microsoft SQL Server	<p>One of these versions of Microsoft SQL Server is required:</p> <ul style="list-style-type: none"> • Standard Edition 2016 SP1 or later • Enterprise Edition 2012 or later

IMPORTANT: Due to the significant refactoring and restructuring, any previous source code customizations will be obsolete.

If you are using any of the Templates or Exports listed below from a prior release version, please update the file to reflect the new table names in the following areas:

RCM Templates	Old	New	Location
Basic Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A17
MultiPeriod Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A17

Table of Contents

MultiCurrency Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A20
MultiCurrencyMultiPeriod Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A20
Access Groups	XFW_RCM_AccessGroups	[rcm].[AccessGroup]	A4
Access Group Members	XFW_RCM_AccessGroupMembers	[rcm].[AccessGroupMembers]	A4

Export/Import Templates	Old	New	Location
Access Groups	XFW_RCM_AccessGroups	[rcm].[AccessGroup]	A13
Access Group Members	XFW_RCM_AccessGroupMembers	[rcm].[AccessGroupMembers]	A16
Administration - Inventory and Groups pages	XFW_RCM_ReconItems	[rcm].[ReconItem]	A26

NOTE: If using multiple instances, [rcm].[ReconItem] will need to be updated to the instance in use. For example, [rcm1].[ReconItem].

IMPORTANT: If you are using a Template or Export from a prior release version, you will need to unhide certain rows within the template to update to the new table names.

Please be aware that if you have made any customizations in RCM or TXM that the names of the following tables and columns have been updated:

Table of Contents

TXM Tables

OFC PV800 SV200	OFC PV840 SV110
Old Table/View Name	New Table/View Name
[dbo].[vXFW_TXM_TransactionDetail]	DEPRECATED
[dbo].[vXFW_TXM_TransactionDetailMatched]	DEPRECATED
[dbo].[vXFW_TXM_TransactionDetailWithSource]	DEPRECATED
[dbo].[XFW_TXM_AccessGroupMembers]	[txm].[AccessGroupMember]
[dbo].[XFW_TXM_AccessGroups]	[txm].[AccessGroup]
[dbo].[XFW_TXM_AdvFilters]	[txm].[AdvancedFilter]
[dbo].[XFW_TXM_ControlLists]	DEPRECATED
[dbo].[XFW_TXM_DataSetFields]	[txm].[MatchDataSetField]
[dbo].[XFW_TXM_DataSets]	[txm].[MatchDataSet]
[dbo].[XFW_TXM_DataSetWorkflows]	[txm].[MatchDataSetWorkflow]
[dbo].[XFW_TXM_Match]	[txm].[Match]
[dbo].[XFW_TXM_MatchCommentary]	[txm].[MatchComment]
[dbo].[XFW_TXM_MatchSets]	[txm].[MatchSet]

Table of Contents

[dbo].[XFW_TXM_MatchSupportDoc]	[txm].[MatchSupportDoc]
[dbo].[XFW_TXM_ReasonCodes]	[txm].[ReasonCode]
[dbo].[XFW_TXM_RuleDefinitions]	[txm].[MatchRuleDefinition]
[dbo].[XFW_TXM_RuleFilter]	[txm].[MatchRuleFilter]
[dbo].[XFW_TXM_RuleGroupFields]	[txm].[MatchRuleGroupField]
[dbo].[XFW_TXM_Rules]	[txm].[MatchRule]
[dbo].[XFW_TXM_SplitFilter]	[txm].[DataSplitFilter]
[dbo].[XFW_TXM_SplitWorkflows]	[txm].[DataSplitTarget]
[dbo].[XFW_TXM_Transaction]	[txm].[Transactions]
	[txm].[vAllTransactions] (NEW)
	[txm].[vMatchedTransactions] (NEW)
	[txm].[vNonMatchedTransactions] (NEW)

RCM Tables

OFC PV800 SV200	OFC PV840 SV110
Old Table/View Name	New Table/View Name
[dbo].[XFW_RCM_AccessGroups]	[rcm].[AccessGroup]

Table of Contents

[dbo].[XFW_RCM_AccessGroupMembers]	[rcm].[AccessGroupMember]
[dbo].[XFW_RCM_ControlListAging]	[rcm].[AgingPeriod]
[dbo].[XFW_RCM_AuditRecon]	[rcm].[AuditRecon]
[dbo].[XFW_RCM_AuditReconTimeAttribute]	[rcm].[AuditReconTimeAttribute]
[dbo].[XFW_RCM_AutoRecRules]	[rcm].[AutoRecRule]
[dbo].[XFW_RCM_BalanceCheckLevels]	[rcm].[BalanceCheckLevel]
[dbo].[XFW_RCM_Certifications]	[rcm].[Certification]
[dbo].[XFW_RCM_ControlListCloseDates]	[rcm].[CloseDate]
[dbo].[XFW_RCM_ControlLists]	[rcm].[ControlList]
[dbo].[XFW_RCM_ControlListCustomAttributes]	[rcm].[CustomAttribute]
[dbo].[XFW_RCM_ControlListCustomAttributesDropdownValues]	[rcm].[CustomAttributeDropdownValue]
[dbo].[XFW_RCM_EntityTrackingLevel]	[rcm].[EntityTrackingLevel]
[dbo].[XFW_RCM_NotificationMethods]	[rcm].[NotificationMethod]
[dbo].[XFW_RCM_Recon]	[rcm].[Recon]
[dbo].[XFW_RCM_ReconBalance]	[rcm].[ReconBalance]
[dbo].[XFW_RCM_ReconCommentary]	[rcm].[ReconCommentary]

Table of Contents

[dbo].[XFW_RCM_ReconDefinition]	[rcm].[ReconDefinition]
[dbo].[XFW_RCM_ReconGridColumnSettings]	[rcm].[ReconGridColumnSetting]
[dbo].[XFW_RCM_ReconItems]	[rcm].[ReconItem]
[dbo].[XFW_RCM_ReconItemTransactions]	[rcm].[ReconItemTransaction]
[dbo].[XFW_RCM_ReconMatchSets]	[rcm].[ReconMatchSet]
[dbo].[XFW_RCM_ReconStateLog]	[rcm].[ReconStateLog]
[dbo].[XFW_RCM_ReconSupportDoc]	[rcm].[ReconSupportDoc]
[dbo].[XFW_RCM_ReconSupportDocInstance]	[rcm].[ReconSupportDocInstance]
[dbo].[XFW_RCM_ReconTemplates]	[rcm].[ReconTemplate]
[dbo].[XFW_RCM_ReconTimeAttribute]	[rcm].[ReconTimeAttribute]
[dbo].[XFW_RCM_TrackingLevels]	[rcm].[TrackingLevel]

TXM Columns

OFC PV800 SV200	OFC PV840 SV110
TableName.OldColumnName	NewColumnName
AccessGroupMember.FKGroupName	FkGroupName
AdvancedFilter.FilterID	FilterId
AdvancedFilter.FKDataSetID	FkMatchDataSetId

Table of Contents

DataSplitTarget.FKDataSetID	FkMatchDataSetId
DataSplitTarget.SplitID	SplitId
Match.FKMatchSetID	FkMatchSetId
Match.FKReasonCodeID	FkReasonCodeId
Match.FKRuleID	FkMatchRuleId
Match.MatchID	MatchId
MatchComment.CommentID	CommentId
MatchComment.FKMatchID	FkMatchId
MatchDataSet.DataSetID	MatchDataSetId
MatchDataSet.FKMatchSetID	FkMatchSetId
MatchDataSetWorkflow.FKDataSetID	FkMatchDataSetId
MatchRule.FKMatchSetID	FkMatchSetId
MatchRule.FKReasonCodeID	FkReasonCodeId
MatchRule.RuleID	MatchRuleId
MatchRule.Type	RuleType
MatchRuleFilter.FKDataSetID	FKMatchDataSetId
MatchRuleFilter.FKRuleID	FKMatchRuleId

Table of Contents

MatchRuleGroupField.FKDataSetID	FKMatchDataSetId
MatchRuleGroupField.FKRuleID	FKMatchRuleId
MatchSupportDoc.DocID	DocId
MatchSupportDoc.FKMatchID	FkMatchId
ReasonCode.FKMatchSetID	FkMatchSetId
ReasonCode.ReasonCodeID	ReasonCodeId
TransactionComment.CommentID	CommentId
TransactionComment.FKTransactionID	FkTransactionId
Transactions.FKDataSetID	FkMatchDataSetId
Transactions.FKMatchID	FkMatchId
Transactions.FKReasonCodeID	FkReasonCodeId
Transactions.TransactionID	TransactionId
TransactionSupportDoc.DocID	DocId
TransactionSupportDoc.FKTransactionID	FkTransactionId

RCM Columns

OFC PV800 SV200	OFC PV840 SV110
TableName.OldColumnName	NewColumnName
CloseDate.CloseDate	CloseDateLocal

Migration

If you have reconciliations with a frequency other than monthly that migrate to OneStream Financial Close Release PV710 SV201 or later, you may need to mark these reconciliations as required in the current period and then run Discover for the current period. (MP1-4614, MP1-4688)

Contact Support

Contact OneStream Support by registering at:

[Support - OneStream Software](#)

Release PV840 SV110

The theme for this Minor release is maintenance and bug fixes to improve overall functionality.

Fixed Issues

Account Reconciliations

- When you move an account from Group 1 to Group 2, Group 1 does not acquire the frequency of Group 2. (MP1-6487, MP1-6392)
- A modification was made to improve T-Doc import performance. (MP1-6674)
- Preparers receive an upcoming reconciliation notification when the reconciliation does not belong to the period. (MP1-6484, MP1-5975)
- The reconciliation status displays "FrequencyChanged" and is only visible in the grid when using the Miscellaneous filter. (MP1-6480, MP1-3414)
- Aging Pivot report captures Item Amount regardless of whether the detail item is assigned at the individual reconciliation or group reconciliation level. (MP1-6716)
- A deleted R-doc will no longer be automatically pulled forward as reconciliation support when associated with an AutoRec rule. (MP1-6151)

Transaction Matching

- The logic for date parsing has been updated. Dates that fail date parsing will no longer default to 1/1/1900. (MP1-6669)
- The Where Clause component can be used and will no longer be overridden. (MP1-6717)
- Attribute conditions (Left/Right) will no longer throw an error on Process when the condition value is larger than the length of any value. (MP1-6719)

- Selecting Entity OR IC as an option under Administration > Data Sets > Security Type will no longer display incorrect results in the respective data set. (MP1-6735)

Upgrade Information

- This solution is compatible with OneStream Platform v8.4.
- Review the information in this section before you install, deploy, or upgrade. OneStream strongly recommends that you upgrade in a Development environment before upgrading in the Production application.
- Uninstall UI prior to upgrading due to the migration to the OneStream Financial Close workspace.
- Upgrade to OFC PV710 SV203 before upgrading to any OFC 8.X version.
- Users with multiple instances will need to use the same instance number build of the current release when upgrading.

Compatibility

Component	Description
OneStream 8.4.0 or later	Minimum OneStream Platform release required to install this release of OneStream Financial Close. See the <i>Upgrade Guide</i> .
Microsoft SQL Server	One of these versions of Microsoft SQL Server is required: <ul style="list-style-type: none">• Standard Edition 2016 SP1 or later• Enterprise Edition 2012 or later

Table of Contents

IMPORTANT: Due to the significant refactoring and restructuring, any previous source code customizations will be obsolete.

If you are using any of the Templates or Exports listed below from a prior release version, please update the file to reflect the new table names in the following areas:

RCM Templates	Old	New	Location
Basic Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A17
MultiPeriod Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A17
MultiCurrency Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A20
MultiCurrencyMultiPeriod Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A20
Access Groups	XFW_RCM_AccessGroups	[rcm].[AccessGroup]	A4
Access Group Members	XFW_RCM_AccessGroupMembers	[rcm].[AccessGroupMembers]	A4

Export/Import Templates	Old	New	Location
Access Groups	XFW_RCM_AccessGroups	[rcm].[AccessGroup]	A13
Access Group Members	XFW_RCM_AccessGroupMembers	[rcm].[AccessGroupMembers]	A16

Table of Contents

Administration - Inventory and Groups pages	XFW_RCM_ReconItems	[rcm].[ReconItem]	A26
---	--------------------	-------------------	-----

NOTE: If using multiple instances, [rcm].[ReconItem] will need to be updated to the instance in use. For example, [rcm1].[ReconItem].

IMPORTANT: If you are using a Template or Export from a prior release version, you will need to unhide certain rows within the template to update to the new table names.

Please be aware that if you have made any customizations in RCM or TXM that the names of the following tables and columns have been updated:

TXM Tables

OFC PV800 SV200	OFC PV840 SV110
Old Table/View Name	New Table/View Name
[dbo].[vXFW_TXM_TransactionDetail]	DEPRECATED
[dbo].[vXFW_TXM_TransactionDetailMatched]	DEPRECATED
[dbo].[vXFW_TXM_TransactionDetailWithSource]	DEPRECATED
[dbo].[XFW_TXM_AccessGroupMembers]	[txm].[AccessGroupMember]
[dbo].[XFW_TXM_AccessGroups]	[txm].[AccessGroup]
[dbo].[XFW_TXM_AdvFilters]	[txm].[AdvancedFilter]
[dbo].[XFW_TXM_ControlLists]	DEPRECATED

Table of Contents

[dbo].[XFW_TXM_DataSetFields]	[txm].[MatchDataSetField]
[dbo].[XFW_TXM_DataSets]	[txm].[MatchDataSet]
[dbo].[XFW_TXM_DataSetWorkflows]	[txm].[MatchDataSetWorkflow]
[dbo].[XFW_TXM_Match]	[txm].[Match]
[dbo].[XFW_TXM_MatchCommentary]	[txm].[MatchComment]
[dbo].[XFW_TXM_MatchSets]	[txm].[MatchSet]
[dbo].[XFW_TXM_MatchSupportDoc]	[txm].[MatchSupportDoc]
[dbo].[XFW_TXM_ReasonCodes]	[txm].[ReasonCode]
[dbo].[XFW_TXM_RuleDefinitions]	[txm].[MatchRuleDefinition]
[dbo].[XFW_TXM_RuleFilter]	[txm].[MatchRuleFilter]
[dbo].[XFW_TXM_RuleGroupFields]	[txm].[MatchRuleGroupField]
[dbo].[XFW_TXM_Rules]	[txm].[MatchRule]
[dbo].[XFW_TXM_SplitFilter]	[txm].[DataSplitFilter]
[dbo].[XFW_TXM_SplitWorkflows]	[txm].[DataSplitTarget]
[dbo].[XFW_TXM_Transaction]	[txm].[Transactions]
	[txm].[vAllTransactions] (NEW)
	[txm].[vMatchedTransactions] (NEW)

Table of Contents

	[txm].[vNonMatchedTransactions] (NEW)
--	--

RCM Tables

OFC PV800 SV200	OFC PV840 SV110
Old Table/View Name	New Table/View Name
[dbo].[XFW_RCM_AccessGroups]	[rcm].[AccessGroup]
[dbo].[XFW_RCM_AccessGroupMembers]	[rcm].[AccessGroupMember]
[dbo].[XFW_RCM_ControlListAging]	[rcm].[AgingPeriod]
[dbo].[XFW_RCM_AuditRecon]	[rcm].[AuditRecon]
[dbo].[XFW_RCM_AuditReconTimeAttribute]	[rcm].[AuditReconTimeAttribute]
[dbo].[XFW_RCM_AutoRecRules]	[rcm].[AutoRecRule]
[dbo].[XFW_RCM_BalanceCheckLevels]	[rcm].[BalanceCheckLevel]
[dbo].[XFW_RCM_Certifications]	[rcm].[Certification]
[dbo].[XFW_RCM_ControlListCloseDates]	[rcm].[CloseDate]
[dbo].[XFW_RCM_ControlLists]	[rcm].[ControlList]
[dbo].[XFW_RCM_ControlListCustomAttributes]	[rcm].[CustomAttribute]
[dbo].[XFW_RCM_ControlListCustomAttributesDropdownValues]	[rcm].[CustomAttributeDropdownValue]

Table of Contents

[dbo].[XFW_RCM_EntityTrackingLevel]	[rcm].[EntityTrackingLevel]
[dbo].[XFW_RCM_NotificationMethods]	[rcm].[NotificationMethod]
[dbo].[XFW_RCM_Recon]	[rcm].[Recon]
[dbo].[XFW_RCM_ReconBalance]	[rcm].[ReconBalance]
[dbo].[XFW_RCM_ReconCommentary]	[rcm].[ReconCommentary]
[dbo].[XFW_RCM_ReconDefinition]	[rcm].[ReconDefinition]
[dbo].[XFW_RCM_ReconGridColumnSettings]	[rcm].[ReconGridColumnSetting]
[dbo].[XFW_RCM_ReconItems]	[rcm].[ReconItem]
[dbo].[XFW_RCM_ReconItemTransactions]	[rcm].[ReconItemTransaction]
[dbo].[XFW_RCM_ReconMatchSets]	[rcm].[ReconMatchSet]
[dbo].[XFW_RCM_ReconStateLog]	[rcm].[ReconStateLog]
[dbo].[XFW_RCM_ReconSupportDoc]	[rcm].[ReconSupportDoc]
[dbo].[XFW_RCM_ReconSupportDocInstance]	[rcm].[ReconSupportDocInstance]
[dbo].[XFW_RCM_ReconTemplates]	[rcm].[ReconTemplate]
[dbo].[XFW_RCM_ReconTimeAttribute]	[rcm].[ReconTimeAttribute]
[dbo].[XFW_RCM_TrackingLevels]	[rcm].[TrackingLevel]

TXM Columns

OFC PV800 SV200	OFC PV840 SV110
TableName.OldColumnName	NewColumnName
AccessGroupMember.FKGroupName	FkGroupName
AdvancedFilter.FilterID	FilterId
AdvancedFilter.FKDataSetID	FkMatchDataSetId
DataSplitTarget.FKDataSetID	FkMatchDataSetId
DataSplitTarget.SplitID	SplitId
Match.FKMatchSetID	FkMatchSetId
Match.FKReasonCodeID	FkReasonCodeId
Match.FKRuleID	FkMatchRuleId
Match.MatchID	MatchId
MatchComment.CommentID	CommentId
MatchComment.FKMatchID	FkMatchId
MatchDataSet.DataSetID	MatchDataSetId
MatchDataSet.FKMatchSetID	FkMatchSetId
MatchDataSetWorkflow.FKDataSetID	FkMatchDataSetId

Table of Contents

MatchRule.FKMatchSetID	FkMatchSetId
MatchRule.FKReasonCodeID	FkReasonCodeId
MatchRule.RuleID	MatchRuleId
MatchRule.Type	RuleType
MatchRuleFilter.FKDataSetID	FKMatchDataSetId
MatchRuleFilter.FKRuleID	FKMatchRuleId
MatchRuleGroupField.FKDataSetID	FKMatchDataSetId
MatchRuleGroupField.FKRuleID	FKMatchRuleId
MatchSupportDoc.DocID	DocId
MatchSupportDoc.FKMatchID	FkMatchId
ReasonCode.FKMatchSetID	FkMatchSetId
ReasonCode.ReasonCodeID	ReasonCodeId
TransactionComment.CommentID	CommentId
TransactionComment.FKTransactionID	FkTransactionId
Transactions.FKDataSetID	FkMatchDataSetId
Transactions.FKMatchID	FkMatchId
Transactions.FKReasonCodeID	FkReasonCodeId

Table of Contents

Transactions.TransactionID	TransactionId
TransactionSupportDoc.DocID	DocId
TransactionSupportDoc.FKTransactionID	FkTransactionId

RCM Columns

OFC PV800 SV200	OFC PV840 SV110
TableName.OldColumnName	NewColumnName
CloseDate.CloseDate	CloseDateLocal

Migration

If you have reconciliations with a frequency other than monthly that migrate to OneStream Financial Close Release PV710 SV201 or later, you may need to mark these reconciliations as required in the current period and then run Discover for the current period. (MP1-4614, MP1-4688)

Contact Support

Contact OneStream Support by registering at:

[Support - OneStream Software](#)

Release PV840 SV100

The theme for this release is a comprehensive redesign of the of the Transaction Matching (TXM) solution, delivering enhanced functionality, a user friendly interface and efficiency gains. This release also includes bug fixes.

Prerequisites

- This solution is compatible with OneStream Platform v8.4.
- Review the information in this section before you install, deploy, or upgrade. OneStream strongly recommends that you upgrade in a Development environment before upgrading in the Production application.
- Uninstall UI prior to upgrading due to the migration to the OneStream Financial Close workspace.
- Upgrade to OFC PV710 SV201 before upgrading to any OFC 8.X version.
- Users with multiple instances will need to use the same instance number build of the current release when upgrading.

Compatibility

Component	Description
OneStream 8.4.0 or later	Minimum OneStream Platform release required to install this release of OneStream Financial Close. See the <i>Upgrade Guide</i> .

Table of Contents

Component	Description
Microsoft SQL Server	<p>One of these versions of Microsoft SQL Server is required:</p> <ul style="list-style-type: none"> • Standard Edition 2016 SP1 or later • Enterprise Edition 2012 or later

IMPORTANT: Due to the significant refactoring and restructuring, any previous source code customizations will be obsolete.

If you are using any of the Templates or Exports listed below from a prior release version, please update the file to reflect the new table names in the following areas:

RCM Templates	Old	New	Location
Basic Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A17
MultiPeriod Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A17
MultiCurrency Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A20
MultiCurrencyMultiPeriod Template	XFW_RCM_ReconItems	[rcm].[ReconItem]	A20
Access Groups	XFW_RCM_AccessGroups	[rcm].[AccessGroup]	A4
Access Group Members	XFW_RCM_AccessGroupMembers	[rcm].[AccessGroupMembers]	A4

Table of Contents

Export/Import Templates	Old	New	Location
Access Groups	XFW_RCM_ AccessGroups	[rcm].[AccessGroup]	A13
Access Group Members	XFW_RCM_ AccessGroupMembers	[rcm]. [AccessGroupMembers]	A16
Administration - Inventory and Groups pages	XFW_RCM_ReconItems	[rcm].[ReconItem]	A26

NOTE: If using multiple instances [rcm].[ReconItem] will need to be updated to the instance in use. For example, [rcm1].[ReconItem].

IMPORTANT: If you are using a Template or Export from a prior release version, you will need to unhide certain rows within the template to update to the new table names.

Please be aware that if you have made any customizations in RCM or TXM that the names of the following tables and columns have been updated:

TXM Tables

OFC PV800 SV200	OFC PV840 SV100
Old Table/View Name	New Table/View Name
[dbo].[vXFW_TXM_TransactionDetail]	DEPRECATED
[dbo].[vXFW_TXM_TransactionDetailMatched]	DEPRECATED
[dbo].[vXFW_TXM_TransactionDetailWithSource]	DEPRECATED

Table of Contents

[dbo].[XFW_TXM_AccessGroupMembers]	[txm].[AccessGroupMember]
[dbo].[XFW_TXM_AccessGroups]	[txm].[AccessGroup]
[dbo].[XFW_TXM_AdvFilters]	[txm].[AdvancedFilter]
[dbo].[XFW_TXM_ControlLists]	DEPRECATED
[dbo].[XFW_TXM_DataSetFields]	[txm].[MatchDataSetField]
[dbo].[XFW_TXM_DataSets]	[txm].[MatchDataSet]
[dbo].[XFW_TXM_DataSetWorkflows]	[txm].[MatchDataSetWorkflow]
[dbo].[XFW_TXM_Match]	[txm].[Match]
[dbo].[XFW_TXM_MatchCommentary]	[txm].[MatchComment]
[dbo].[XFW_TXM_MatchSets]	[txm].[MatchSet]
[dbo].[XFW_TXM_MatchSupportDoc]	[txm].[MatchSupportDoc]
[dbo].[XFW_TXM_ReasonCodes]	[txm].[ReasonCode]
[dbo].[XFW_TXM_RuleDefinitions]	[txm].[MatchRuleDefinition]
[dbo].[XFW_TXM_RuleFilter]	[txm].[MatchRuleFilter]
[dbo].[XFW_TXM_RuleGroupFields]	[txm].[MatchRuleGroupField]
[dbo].[XFW_TXM_Rules]	[txm].[MatchRule]
[dbo].[XFW_TXM_SplitFilter]	[txm].[DataSplitFilter]

Table of Contents

[dbo].[XFW_TXM_SplitWorkflows]	[txm].[DataSplitTarget]
[dbo].[XFW_TXM_Transaction]	[txm].[Transactions]
	[txm].[vAllTransactions] (NEW)
	[txm].[vMatchedTransactions] (NEW)
	[txm].[vNonMatchedTransactions] (NEW)

RCM Tables

OFC PV800 SV200	OFC PV840 SV100
Old Table/View Name	New Table/View Name
[dbo].[XFW_RCM_AccessGroups]	[rcm].[AccessGroup]
[dbo].[XFW_RCM_AccessGroupMembers]	[rcm].[AccessGroupMember]
[dbo].[XFW_RCM_ControlListAging]	[rcm].[AgingPeriod]
[dbo].[XFW_RCM_AuditRecon]	[rcm].[AuditRecon]
[dbo].[XFW_RCM_AuditReconTimeAttribute]	[rcm].[AuditReconTimeAttribute]
[dbo].[XFW_RCM_AutoRecRules]	[rcm].[AutoRecRule]
[dbo].[XFW_RCM_BalanceCheckLevels]	[rcm].[BalanceCheckLevel]
[dbo].[XFW_RCM_Certifications]	[rcm].[Certification]

Table of Contents

[dbo].[XFW_RCM_ControlListCloseDates]	[rcm].[CloseDate]
[dbo].[XFW_RCM_ControlLists]	[rcm].[ControlList]
[dbo].[XFW_RCM_ControlListCustomAttributes]	[rcm].[CustomAttribute]
[dbo].[XFW_RCM_ControlListCustomAttributesDropdownValues]	[rcm].[CustomAttributeDropdownValue]
[dbo].[XFW_RCM_EntityTrackingLevel]	[rcm].[EntityTrackingLevel]
[dbo].[XFW_RCM_NotificationMethods]	[rcm].[NotificationMethod]
[dbo].[XFW_RCM_Recon]	[rcm].[Recon]
[dbo].[XFW_RCM_ReconBalance]	[rcm].[ReconBalance]
[dbo].[XFW_RCM_ReconCommentary]	[rcm].[ReconCommentary]
[dbo].[XFW_RCM_ReconDefinition]	[rcm].[ReconDefinition]
[dbo].[XFW_RCM_ReconGridColumnSettings]	[rcm].[ReconGridColumnSetting]
[dbo].[XFW_RCM_ReconItems]	[rcm].[ReconItem]
[dbo].[XFW_RCM_ReconItemTransactions]	[rcm].[ReconItemTransaction]
[dbo].[XFW_RCM_ReconMatchSets]	[rcm].[ReconMatchSet]
[dbo].[XFW_RCM_ReconStateLog]	[rcm].[ReconStateLog]
[dbo].[XFW_RCM_ReconSupportDoc]	[rcm].[ReconSupportDoc]

Table of Contents

[dbo].[XFW_RCM_ReconSupportDocInstance]	[rcm].[ReconSupportDocInstance]
[dbo].[XFW_RCM_ReconTemplates]	[rcm].[ReconTemplate]
[dbo].[XFW_RCM_ReconTimeAttribute]	[rcm].[ReconTimeAttribute]
[dbo].[XFW_RCM_TrackingLevels]	[rcm].[TrackingLevel]

TXM Columns

OFC PV800 SV200	OFC PV840 SV100
TableName.OldColumnName	NewColumnName
AccessGroupMember.FKGroupName	FkGroupName
AdvancedFilter.FilterID	FilterId
AdvancedFilter.FKDataSetID	FkMatchDataSetId
DataSplitTarget.FKDataSetID	FkMatchDataSetId
DataSplitTarget.SplitID	SplitId
Match.FKMatchSetID	FkMatchSetId
Match.FKReasonCodeID	FkReasonCodeId
Match.FKRuleID	FkMatchRuleId
Match.MatchID	MatchId
MatchComment.CommentID	CommentId
MatchComment.FKMatchID	FkMatchId
MatchDataSet.DataSetID	MatchDataSetId
MatchDataSet.FKMatchSetID	FkMatchSetId
MatchDataSetWorkflow.FKDataSetID	FkMatchDataSetId

Table of Contents

MatchRule.FKMatchSetID	FkMatchSetId
MatchRule.FKReasonCodeID	FkReasonCodeId
MatchRule.RuleID	MatchRuleId
MatchRule.Type	RuleType
MatchRuleFilter.FKDataSetID	FKMatchDataSetId
MatchRuleFilter.FKRuleID	FKMatchRuleId
MatchRuleGroupField.FKDataSetID	FKMatchDataSetId
MatchRuleGroupField.FKRuleID	FKMatchRuleId
MatchSupportDoc.DocID	DocId
MatchSupportDoc.FKMatchID	FkMatchId
ReasonCode.FKMatchSetID	FkMatchSetId
ReasonCode.ReasonCodeID	ReasonCodeId
TransactionComment.CommentID	CommentId
TransactionComment.FKTransactionID	FkTransactionId
Transactions.FKDataSetID	FkMatchDataSetId
Transactions.FKMatchID	FkMatchId
Transactions.FKReasonCodeID	FkReasonCodeId

Table of Contents

Transactions.TransactionID	TransactionId
TransactionSupportDoc.DocID	DocId
TransactionSupportDoc.FKTransactionID	FkTransactionId

RCM Columns

OFC PV800 SV200	OFC PV840 SV100
TableName.OldColumnName	NewColumnName
CloseDate.CloseDate	CloseDateLocal

Migration

If you have reconciliations with a frequency other than monthly that migrate to OneStream Financial Close Release PV710 SV201 or later, you may need to mark these reconciliations as required in the current period and then run Discover for the current period. (MP1-4614, MP1-4688)

New Features

Account Reconciliations

None

Transaction Matching

None

Enhancements

Account Reconciliations

None

Transaction Matching



[Watch to learn more \(3:23\).](#)

- The navigation pane has been redesigned and is now positioned on the left side of the solution. (MP1-4871)
- Cancel option added to revert changes. (MP1-5034, MP1-5037)
- Defer Refresh on Transactions page has been added to the User Preferences page. (MP1-5023)
- The Reason Codes page is its own dedicated section under the Administration tab. (MP1-5073)
- Clone has been updated to Copy. (MP1-4912)
- Redesign of the Settings Page with sub-pages displayed horizontally and the selected sub-page underlined. Administrators will see Global Options as their default page and Non-Administrators will see User Preferences. (MP1-4892)
- Addition of the Type column to the Match Sets subpage specifies the number of data sets to be created for each match set. (MP1-5039)
- Scorecard and Analysis are now on separate pages. (MP1-4883, MP1-5996)
- Redesign of the Rules page under Administration. (MP1-5087)
- Redesign of the Fields section on the Data Sets page. (MP1-5081)
- Redesign of the Rules Page filters under Administration. (MP1-4899)

Table of Contents

- Redesign of the Rules page Grouping functionality under Administration. The fields added under Definition are automatically added to Grouping. (MP1-5084)
- Redesign of the Data Set Information on the Data Sets page. (MP1-4874)
- The count of selections in Data Sets is displayed to verify information for each potential match prior to creating the match. (MP1-5020)
- The Match Reason Code defaults back to unassigned enabling users to quickly make matches with different reason codes. (MP1-5021)
- Require Match Reason Code was added to the Options page. (MP1-5022)
- Enable Save State on Filtering on Transactions Table. (MP1-5024)
- Tree view as added to the Rules page. (MP1-5086)

Fixed Issues

Account Reconciliations

- Exponential values are allowed for decimals. (MP1-5066)
- Past Due dates are calculating correctly. (MP1-6009)
- Accounts were not being discovered if attributes were not active in the cube. (MP1-5019)
- If Entity was numeric, the comma was removed in the template which created an error when uploading the template. (MP1-4964)
- The user encountered an error during the export process, which was tracked back to a reconciliation associated with a workflow profile that has since been deleted. (MP1-4761, MP1-6445)
- Amount was not being converted properly when uploading a multicurrency template due to a combination of comma/period handling which varies based on user's culture code. (MP1-4949)

Table of Contents

- Item Type was disabled and displaying as blank on the UI and Template, allowing the user to save the detail item when a validation should have displayed: Item Type is a required field. (MP1-5977, MP1-6004)
- User and the Timestamp cannot be altered or saved when creating or editing detail items. (MP1-5074)
- Users with multiple instances of OFC were unable to download audit packages for 2 or more recs upon selecting Audit. (MP1-5256)
- If both Account and Entity were numeric values, the comma was removed in the template which created an error when uploading the template. (MP1-4964)

Transaction Matching

- Text column displays the full field when exporting from the Transactions or Matches page. (MP1-4907)
- Users can use Tm and TmT in match rule definition. (MP1-6307)
- Copy Match Set is functional. (MP1-6324)
- Admins and Approvers are able to Unmatch approved matches from Matches page. (MP1-5028)
- Preparers and above can edit transactions for fields marked as editable unless transaction is matched. (MP1-5093)
- When accessing a rule in TXM, when a Custom Filter is checked it becomes unchecked if the process sequence is altered and saved. (MP1-4742)
- Filters not consistently applying on the export transactions page. (MP1-5063)
- Validation error does not occur when making edits in the Notes field on transactions. (MP1-5840)
- Users can edit the Notes field while the matching process is running. (MP1-5894)

Known Issues

Account Reconciliations

- Users unable to download audit package for two or more reconciliations upon selecting Audit when more than one OFC instance is installed. Contact support if using MST copies to have multiple instances. Instructions will be provided to troubleshoot the issue for versions: OFC PV710 SV201, OFC PV710 SV202, OFC PV800 SV100, OFC PV800 SV200, OFC PV800 SV201.(MP1-5256, MP1-6010)
- Preparers receive upcoming reconciliation notification when not belonging to the period. (MP1-5975)
- The reconciliation status shows as "FrequencyChanged" and is only visible in the grid when utilizing the Miscellaneous filter. (MP1-3414)
- Group 1 is not acquiring the frequency of Group 2 when moving an account from Group 1 to Group 2. (MP1-6392)

Transaction Matching

- Custom events are no longer supported in this release (OFC PV840 SV100). If you are currently using custom events in your version of TXM, please contact OneStream Support. We are interested in learning about your use cases to inform potential enhancements in the future.

Contact Support

Contact OneStream Support by registering at:

[Support - OneStream Software](#)