# Tonestream

## SensibleAl Forecast Release Notes

Copyright © 2025 OneStream Software LLC. All rights reserved.

All trademarks, logos, and brand names used on this website are the property of their respective owners. This document and its contents are the exclusive property of OneStream Software LLC and are protected under international intellectual property laws. Any reproduction, modification, distribution or public display of this documentation, in whole or part, without written prior consent from OneStream Software LLC is strictly prohibited.

## **Table of Contents**

Re	elease PV9.0.0 SV401	. 1
	Prerequisites	. 1
	New	. 1
	SensibleAl Forecast	. 1
	Xperiflow	. 1
	Changed	2
	SensibleAl Forecast	2
	Xperiflow	2
	Fixed	. 2
	SensibleAl Forecast	2
	Xperiflow	3
	Known Issues	. 3
	SensibleAl Forecast	. 3
	Xperiflow	5

_			•	_	4	4
12	h	$\mathbf{n}$	$\sim$ t	1.0	nto	nts
10	ıvı	16	OI.	$\mathbf{v}$	III	HLS

Contacting Support 6

## Release PV9.0.0 SV401

## **Prerequisites**

Use OneStream Software platform version 9.0.0 or later with this version and Xperiflow version 4.0.1 or later.

#### New

#### SensibleAl Forecast

- Display Reconciliation Strategy on Data Dataset Page
  - Users are now able to view the reconciliation strategy that they selected while configuring hierarchical forecasting. This is included on the Data Dataset Page along with all other information about hierarchical forecasting and grouping.

#### **Xperiflow**

• None.

### Changed

#### SensibleAl Forecast

- Scenario Modeling MetaFileSystem Storage
  - When creating scenarios, display files are now stored in the project MetaFileSystem whereas they used to be stored in the OneStream Filesystem. This change was amended due to security restrictions through OneStream.

#### **Xperiflow**

• None.

#### **Fixed**

#### SensibleAl Forecast

- Feature Selection/Committing Multiple Features
  - Resolved action that would occur when a user would attempt to commit or decommit
    multiple feature sets at the same time. Now, users are able to use all of the built out
    functionality in the correct form.
- Page Level Navigation Restrictions
  - Navigation restrictions are now designated at the page level upon load to increase efficiency and to guide users throughout the SensibleAl Forecast process.
- UI Speed Optimization

 Consolidated API calls to Xperiflow to speed up the page load times throughout the solution's navigation.

#### **Xperiflow**

None.

#### **Known Issues**

#### SensibleAl Forecast

- Multiple Tabs Open for Same Project: If the same project is open in multiple different tabs, project names and labels throughout the application can either disappear or show incorrect values.
- Consumption Groups Can Export Data from Failed Predictions: If a prediction job
  were to fail after predictions were generated, the predictions would still be exported in the
  consumption group exports depending on settings chosen in the consumption group.
- Cannot Edit/Delete a Location That Is Assigned to a Source Feature: If a source
  feature dataset uses the location dimension, any locations used here cannot be deleted or
  edited unless the feature dataset is no longer in use.
- Feature Generalization Source Feature Issues: Statistics in the Feature Generalization
  grid on the Pipeline > Features page and Insights > Features pages can be misleading
  for source features. All target collection lags and source feature collection lags are
  considered the same feature in the feature generalization calculation.

- Two users importing event packages prior to any existing: If two users run the import
  all event package job at the same time from Solution Setup prior to the job ever being run
  for the environment, then the job can fail. It is recommended to have one user run this job
  on initial login to avoid the issue.
- The forecast range column not representing change during manual rebuild: On the
  Utilization Phase Manage > Audit page, the Forecast Range column does not show
  changes during a manual rebuild. If you change the forecast range in between rebuilds,
  then the original forecast range does not display properly in the Manage > Audit page,
  which still shows the old forecast range setting but not the new one.
- The Distribution Statistics plot and related statistics no data case: In the Explore
   Targets and Features dashboard, the Distribution Statistics bar chart and related statistics
   have no data if the feature time range does not overlap with the time range of the target
   data set.
- Loss of multiselect parameters in all multiselect Combo-boxes: There are situations
  when using multi-select in Sensible Machine Learning where the selection and the actual
  value of the selection do not match up. This does not cause major issues but may cause
  confusion where you have made a specific selection but the actual selection is different.
- Restarted Model Build have no build info status information: In the Utilization Section of Sensible ML, there is no way to tell the status of a model build (whether it successfully completed or failed). This makes it tough for the user to know the status of their project especially in the event of an auto rebuild failing which will automatically archive the failed build for you. When that happens, there is no easy way to tell whether the build failed or not other than looking at the job activity table or the OneStream Task Activity info.

#### **Xperiflow**

- Audit page shows generated features across all models: The Utilization phase
   Manage > Audit page shows the number of features generated across all models for each target, instead of just those generated for the best model.
- Lagged Database Connectivity on Initial Environment Build: Sensible Machine
  Learning has an initial database connectivity lag when installing an AIS bolt-on
  environment. There is a maximum 24 hour period where the DataSense Framework does
  not appear as a database connection option. Your organization should perform an IIS
  restart on creation of AIS.
- Incorrect Allowed Models in Advanced Settings Page for Grouped Targets: In the
  Modeling phase Configure > Model page, models selected to run for a grouped target
  using the advanced settings may not actually run. Some models selected are ignored by
  the engine. If only these models are selected, at least one allowed baseline still runs and
  produces predictions for the grouped target.
- Tasks/Jobs not copied over for copied projects: A copied project does not create
  copies of the jobs or tasks that ran from the original project. This means that those
  prediction jobs do not appear on pages such as the Utilization phase Manage > Predict
  page.
- Job reversion is currently shown in the app: Job reversion functionality in Sensible Machine Learning should only be used with help of support and under known circumstances.
- Targets with no data in the validation, test, or holdout portions of the data splits: In
  the Modeling phase Pipeline > Train page, if you have a target with no data in the
  validation, test, or hold portion, the mean model with a perfect fit for cleaned data is chosen.
  This then leads to the model having zero (0) for the error metric score. This makes the
  model appear to be performing well. These results should be ignored.

- Discrepancy Targets: Rebuild small targets with a lot of cleaned data: After rebuilding a small target with a lower number of data points than the largest target in a project, the small target:
  - Incorrectly shows an expected number data points on the Explore Targets and Features page based on the largest number of data points found across the project.
     This is not the amount making up the rebuild.
  - The Modeling phase Data > Dataset page incorrectly shows the number of unique dates based on the largest target found in the data set. This is not the largest target found in the rebuild.
- Only utilizes numeric source features: The engine only uses numeric source features.
   Non-numeric source features can be fed into the engine but are not used by any models.
   Strings, booleans, and other features are currently not supported.
- Deleting a build does not delete objects created during that build: When deleting a
  model build, previously created project-level objects are not deleted. This includes but is
  not limited to events, locations, and source feature data sources.

## **Contacting Support**

OneStream Support can be contacted at any time by registering at <a href="http://support.onestreamsoftware.com">http://support.onestreamsoftware.com</a> and then emailing <a href="mailto:support@onestreamsoftware.com">support@onestreamsoftware.com</a>.