Tonestream

Copyright © 2025 OneStream Software LLC. All rights reserved.

All trademarks, logos, and brand names used on this website are the property of their respective owners. This document and its contents are the exclusive property of OneStream Software LLC and are protected under international intellectual property laws. Any reproduction, modification, distribution or public display of this documentation, in whole or part, without written prior consent from OneStream Software LLC is strictly prohibited.

Find the column for your Platform Release. Known issues for that release are marked.

Description	Release		
Description	8.5	9.0	9.1
Narrative Reporting			
In Narrative Reporting, top- and bottom-line formatting is not displaying			
correctly. If you are using Extensible Documents to render	X		
OneStream content in Microsoft Word or PowerPoint, you should validate	^		
results before upgrading production.			
Cube View Member Filter Where Clause			
Use of Cube View Member Filter Where Clause with HasChildren=True is			
only supported on dimensions assigned to the Default Scenario Type. (PF-	Χ	Χ	Χ
21833)			
Large Data Pivot Grid			
The Large Data Pivot Grid duplicates items in the field list on the initial			
launch. After a field is dragged to a column or row, duplicate fields no longer	Χ	Χ	
display. (PF6-7038)			
File Explorer			
Uploaded files may not immediately display in the File Explorer view. You			
can navigate to a different folder then back to see the uploaded files.	Χ	Χ	X
(PF-32468)			
Authentication			

Description	Release		se
Description	8.5	9.0	9.1
If you are in a self-hosted environment using a SAML 2.0 external identity			
provider for authentication and encounter an error, update the ACS URL			
both in the Web Server Configuration file in OneStream and in the			
application registration for the external identity provider. Use this format:	X	X	X
https:// <domainname>/OneStreamWeb/OneStreamLogonCallback.aspx/</domainname>			
See OneStream Knowledge Base article KB0012777. (PF2-15177)			
If you are in a self-hosted environment using a Microsoft Azure AD			
(Microsoft Entra ID) identity provider for authentication and encounter an	X	X	V
error, add the tenant ID in the Web Server Configuration file in OneStream.	^	^	Χ
See OneStream Knowledge Base article KB0012778. (PF2-15181)			
If you are in a self-hosted environment using Microsoft Azure AD (Microsoft			
Entra ID) for authentication and encounter an error, update the redirect URL			
both in the Web Server Configuration file in OneStream and in the			
application registration in Microsoft Azure AD (Microsoft Entra ID) from	X	Х	X
https://onestreamclient to			
https:// <domainname>/OneStreamWeb/OneStreamLogonCallback.aspx</domainname>			
See OneStream Knowledge Base article KB0012781. (PF2-14668)			
If you are in a self-hosted environment using a Microsoft Azure AD			
(Microsoft Entra ID) identity provider for REST API authentication and			
encounter an error, add the claim aud in the ordered lookups in the Web	X	Χ	Χ
Server Configuration file in OneStream. See OneStream Knowledge Base			
article KB0012779. (PF2-15031)			
If you are in a self-hosted environment using a PingFederate identity	X	X	X

Description	Rel	eleas	lease	
Description	8.5	9.0	9.1	
provider for REST API authentication and encounter an error, add the claim				
client_id in the ordered lookups in the Web Server Configuration file in				
OneStream. See OneStream Knowledge Base article KB0012780. (PF2-				
15027)				
If you are in a self-hosted environment using an OIDC identity provider for				
legacy authentication with the Modern Browser Experience, add the Open				
ld Redirect Url in the Web Server Configuration file in OneStream. For	X	X	X	
configuration instructions, see the Installation and Configuration Guide and				
the <i>Upgrade Guide</i> . (PF7-7764, PF7-7261)				
If you are in a self-hosted environment that has upgraded to Platform				
Version 8.1.0 or later and your Network Security settings block loopbacks,	Χ	X	V	
you will encounter an error with your REST API calls. To resolve this error,	X	X	Χ	
see OneStream Knowledge Base article KB0012911. (PF7-4202)				
If you make a Rest API call to LogonAndReturnCookieClient, the Logon			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Activity displays an incorrect Client IP Address. (PF7-10296)			Χ	
Server Workflow				
Server Workflow caching processes inherit client-side regional culture code		X		
settings. In certain conditions, differences between a user's culture code			X	
encoding of the minus character, as u2212 or u002d, may not properly				
resolve against what is stored in the current Workflow Cache. This may	Χ			
result in errors using Intercompany Matching or other Workflow processing.				
To work around this issue, clear and reset the server workflow cache. (PF5-				
4263)				
Docking				

Description	Re	eleas	e 96
Description	8.5	9.0	9.1
When using the Navigate Recent Pages dialog box to open a tab in a			
maximized floating window, docking will restore the floating window size	Χ	Χ	X
and it is no longer maximized. (PF6-6068)			
When you minimize and attempt to reopen a floating window on a separate			
monitor or screen, the floating window opens on the main application	X	X	Х
screen. Drag the floating window back to the separate monitor or screen	^	^	^
every time you reopen that minimized window. (PF6-5911)			
The Close Page button is enabled on the Logon page. For example, when			
you log off or select Change Application and then click the Close Page	_	X	
button in the top right corner of the page, a blank screen will display. You	X		Х
must restart the application to access the Logon page again. (PF6-5805)			
If you have a workflow page in a minimized floating window and then try to			
launch another workflow page from the main application page, the	X	_	
minimized floating window will display a black page before loading. (PF6-	^	X	Х
5712)			
A list box may display when you open multiple tabs or pages and click the		X	
leftmost tab and then right-click a tab closer to the right end of the tab bar.	V		V
The list box will display a drop-down list with all currently opened tabs	X		Х
instead of the context menu. (PF6-5906)			
The Update POV Pane To Current Page toolbar button displays in every		X	
docked or floating window even if the docked or floating window does not	X		Х
reference the POV pane settings. (PF6-6322)			

Decembries	Releas		se
Description	8.5	9.0	9.1
An error occurs when closing a tab by depressing the mouse scroll wheel			
and then attempting to reopen the tab through the left navigation pane. The			
error will be a User Interface Stack Trace at	X	X	>
OneStreamDesktop.MainPageWPF.ConstructXFPageDerivedInstance	^	^	Χ
(Guid pageContainerInstanceID, DocumentGroup docGroup, XFPageType			
xfPageType, String[] args) (PF6-7207)			
Dynamic Extensible Documents			
If you have an Extensible Document with a large number of Cube Views			
and you click the Refresh Document button, it will display the embedded	X	_	X
content. If you click the Refresh Document button a second time to	^	X	^
reprocess the document, it will take longer to reprocess. (PF6-5088)			
In the OneStream Windows Application, the Save All Files button			
component action removes unsaved edits when data is added through a		V	V
spreadsheet component with a Cube View connection, without notifying you		X	X
of unsaved edits when navigating away from the page. (PF6-7436)			
If you copy and paste an advanced chart image within Text Editor, the chart			
image will not refresh if you are using Alt Text to update data for the image.			V
The image will refresh when the Alt Text is embedded or when it is copied		X	Χ
and pasted outside the application. (PF6-7357)			
If you are working in Text Editor in the Modern Browser Experience and			
have used a dashboard button to Save As File In OneStream File System,			
the second selection of that dashboard button will not save additional edits.		Х	X
The Save New File Option window will display again, and you are prompted			
to save another new file. To save new changes to the initial new file,			

Decerintian	Release		
Description	8.5	9.0	9.1
navigate to the previously created file, add and remove a space from the			
title, and save to overwrite the file. (PF6-7554)			
Dynamic Dashboards			
The GetDynamicCubeViewForDynamicComponent function was added to			
the IWsasDynamicDashboardsV800 interface. Dynamic Dashboard		V	V
Service types written in VB.net will not compile until this new method is		X	Χ
added. (PF6-7499)			
Workspace Assemblies			
When calling Business Rules that reference the			
GetCubeViewItemUsingName and GetCubeViewItem methods, the		X	X
methods need to be updated to include this parameter: bool		^	^
executeDynamicCubeViewService. (MP3-6784)			
ClickOnce Shortcut			
ClickOnce shortcuts may not show the OneStream logo on the shortcut.			
This is typically caused by a Microsoft update to group policy settings			
preventing the use of remote paths for file shortcut icons. Contact your IT	Х		
administrator. Desktop .msi and .exe shortcut icons are not affected. (PF7-			
9630)			
The download size of ClickOnce deployments has increased to provide new			
features and enhanced security. You may experience slightly longer		Χ	
download times. (PF7-8026)			
Menu Component			
Menu Components cannot have more than 250 total items, and the parent menu	Х	Х	
items cannot have more than four nested child levels. (PF6-7006)	^	^	

Decembrish	Release		e .
Description	8.5	9.0	9.1
Smart Integration Connector			
Multiple redundant Local Gateway Servers do not support queries over 1 million			
rows or the use of Smart Integration Connector Functions that query for long-	Χ		
running jobs. (PF7-8499)			
Error log entries with strings greater than 32 characters (for example, server		V	
names and field names) are redacted. (PF79985)		Х	
Spreadsheet and Excel Add-In			
OneStream Excel Add-In Client Installer fails to install by ending prematurely in			
Windows 11 24H2 for all platform versions of the Excel Add-In Client Installer.	Χ	Χ	
(PF8-1841)			
When the Windows Region format uses a list separator other than a comma, the			
Excel Add-In Parameter list separator will not work. Create a Member List where		Χ	Χ
the filters are comma-separated, and add the parameter to Excel. (PF8-2465)			
When Preserve Excel Format is enabled on Quick Views or Cube Views in the			
Excel Add-In, changing the POV may revert text color to gray. This issue is specific		Χ	
to the Excel Add-In and is not present is the Spreadsheet component. (PF8-2530)			
Attempting to add In-Sheet actions buttons to a worksheet will produce an error			
stating that the object cannot be inserted. To work around this, navigate to File >			
Options > Trust Center > Trust Center Settings > ActiveX Settings and select			~
Prompt me before enabling Unsafe for Initialization (UFI) controls with additional			X
restrictions and Safe for Initialization (SFI) controls with minimal restrictions. This			
will allow In-Sheet actions to be added without causing an error. (PF8-2909)	ļ		
Dashboards			
Embedded Top Level and Embedded Top Level Without Parameter Prompts		V	V
dashboard types should not be used with Smart Links. (PF10-347)		Χ	X

Description -	Release		
Description	8.5	9.0	9.1
Miscellaneous			
When a Data Management job (initiated by an API call) is running on a BAT (Data			
Management) server, a 500 error is returned if the INT (General) server recycles		Χ	
the IIS while the job is running. (PF7-9810)			