



Financial Close Guide

Copyright © 2025 OneStream Software LLC. All rights reserved.

Any warranty with respect to the software or its functionality will be expressly given in the Subscription License Agreement or Software License and Services Agreement between OneStream and the warrantee. This document does not itself constitute a representation or warranty with respect to the software or any related matter.

OneStream Software, OneStream, Extensible Dimensionality, and the OneStream logo are trademarks of OneStream Software LLC in the United States and other countries. Microsoft, Microsoft Azure, Microsoft Office, Windows, Windows Server, Excel, Internet Information Services, Windows Communication Foundation and SQL Server are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. DevExpress is a registered trademark of Developer Express, Inc. Cisco is a registered trademark of Cisco Systems, Inc. Intel is a trademark of Intel Corporation. AMD64 is a trademark of Advanced Micro Devices, Inc. Other names may be trademarks of their respective owners.

Table of Contents

Overview	1
Setup and Installation	2
Dependencies	2
Select the Financial Close Location and Create a Development Application	3
Configure Application Server Settings	4
Install Financial Close	5
Set up OneStream Software Financial Close	6
Create Tables	6
Turning Off Dashboards	7
Review the Package Contents	8
Account Reconciliations	8
Transaction Matching	11
Edit the Transformation Event Handler Business Rule	12
Account Reconciliations	14
Settings	14
Global Setup	15
Control Lists	24
Column Settings	29

Table of Contents

Templates	31
Access Control	36
Certifications	43
Uninstall	44
Reconciliation Administration	45
Reconciliation Definition	45
Reconciliation Inventory	50
Account Groups	64
Tracking	74
BalCheck	75
AutoRec	77
Notifications	81
Security	84
Reconciliations Global Admin, OneStreamAdmin and Local Admin Permissions	85
Workflow Profile Security	88
Access Groups and Reconciliation Inventory Security	89
Workflow and Reconciliation Filtering	89
Roles	89
Segregation of Duties	98
Dashboard Security	98

Using Account Reconciliations	99
Workflow Actions	99
Reconciliations Page	102
Reconciliation Workspace	110
Analysis and Reporting	139
Scorecard	139
Analysis	140
Reports	143
Multi-Currency Calculation Examples	146
Data Loaded into Stage	146
Multi-currency Account Groups	147
Transaction Matching	149
Settings	149
Global Options	149
User Preferences	150
Access Control	151
Match Sets	154
Uninstall	156
Load Transaction Data	157
Match Set Administration	158

Table of Contents

Data Sets	158
Match Set Rules	163
Options	174
Access	178
Matches	180
Rule Processing	183
Complete or Revert Workflow	184
Export	185
Comments and Attachments	186
Match Actions	187
Unmatch Matches	189
Multi-Match Actions	190
Transactions	190
Transaction Matching Limits	191
Transaction Status	191
Data Filters	198
Edit Transactions	204
Transaction Details	205
Export Transactions	207
Scorecard	209
Match Set Scorecard	210

Table of Contents

Analysis	211
Data Splitting	213
Data Splitting Setup	213
Filters	215
Orphaned	218
Prepare External Files	219
Integration	224
Enable Integration	224
Assign Match Sets	225
Map Detail Item Information	226
Create Detail Items	228
From Transaction Matching	228
From Account Reconciliations	233
Detail Item Integration Addendum	238
Mapping	238
Selections	240
Scheduling Data Management Jobs	243
Help and Miscellaneous Information	246
Set Optimal Display Settings	246
Package Contents and Naming Conventions	246

Solution Database Migration Advice	247
MarketPlace Solution Modification Considerations	247
Date Grouping Tolerances Appendix	249
No Date Tolerances	249
Post-aggregate Date Tolerances	250
Pre-aggregate Date Tolerances	251
Set Up Date Tolerances	252
Post-aggregate Date Tolerances	252
Pre-aggregate Date Tolerances	253

Overview

OneStream Financial Close is a set of solutions encompassing the financial close process. Solutions included are:

- Account Reconciliations
- Transaction Matching

All solutions are installed and configured as part of OneStream Financial Close resulting in a single creation of solution tables.

The functionality in OneStream Financial Close is fully integrated, providing the ability to use Transaction Matching detail to support detail items in Account Reconciliations.

Integration between solutions is optional allowing each solution to be used independently. Solutions included in OneStream Financial Close require the same minimum Platform version.

Setup and Installation

The following sections contain important information about installing and configuring Financial Close. See:

- [Dependencies](#)
- [Select a Location and Create a Development Application](#)
- [Configure Application Server Settings](#)
- [Installation](#)
- [Setup](#)
- [Review the Package Contents](#)
- [Edit the Transform Event Handler Business Rule](#)

Dependencies

Ensure that you have the following components installed:

Component	Description
OneStream 7.1.0 or later	Minimum OneStream Platform version required to install this version of OneStream Financial Close.
Account Reconciliations Transaction Matching	If you have the solutions already installed, you must be on these versions before installing OneStream Financial Close. • Account Reconciliations PV 440 SV 200 or later • Transaction Matching PV 530 SV 201
Microsoft SQL Server	One of these versions of Microsoft SQL Server is required: • Standard Edition 2016 SP1 or later • Enterprise Edition 2012 or later

Select the Financial Close Location and Create a Development Application

Before beginning the installation, decide if you want to build the solution in the Production OneStream application or in a separate Development OneStream application. This section provides some key considerations for each option.

Production OneStream Application: If you build the solution in a Production application, you will not have to migrate the resulting work from a Development application. However, there are intrinsic risks when making design changes to an application used in Production, so this option is not advised.

NOTE: OneStream strongly recommends that you implement the solution in the Development environment with a fresh copy of the Production application before starting work.

Development OneStream Application: As a best practice, use the Development OneStream application to build the solution.

To create the Development application:

1. Ensure all the OneStream artifacts relating to OneStream Financial Close such as **Workflow Profiles** and **Entities** are in the Production application.

2. Create new Scenarios as necessary for the individual solutions, to be used with OneStream Financial Close.

NOTE: Scenarios for both actuals and OneStream Financial Close solutions must be set to monthly for this to work properly.

3. Copy your Production OneStream application to your Development environment and rename it. This Development version will be used for your OneStream Financial Close project.

Configure Application Server Settings

You may need to edit the OneStream Application Server Configuration so users can create and change data in the additional database tables. If other MarketPlace solutions (such as Specialty Planning) are already in the application, these adjustments may already exist.


Ensure that the security group settings include the users who will use and set up the solution before proceeding.

NOTE: Group settings are applicable to all MarketPlace solutions; so keep group names generic.

1. Start the OneStream Server Configuration Utility as an Administrator.
2. Click **Open Application Server Configuration File > Database**.
3. Edit the following **OneStream Database Server** properties:
 - **Access Group for Ancillary Tables:** Select a group that includes those who will access records.

Setup and Installation

- **Can Create Ancillary Tables:** True
- **Can Edit Ancillary Table Data:** True
- **Maintenance Group for Ancillary Tables:** Select a group who will edit and maintain tables.
- **Table Creation Group for Ancillary Tables:** Select a group who can create tables.



4. Restart Internet Information Server.

Ensure these user group settings include the people who will be working on and setting up OneStream Financial Close tables.

Install Financial Close


1. On the OneStream MarketPlace Dashboard, click **MarketPlace > OneStream Financial Close**.
2. On the OneStream Financial Close Solution page, select the appropriate OneStream platform version from the **Minimum Platform Version** drop-down list.

3. Select the most recent version from the **Solution Version** drop-down list and then click **Download**.
4. Log in to OneStream.
5. On the **Application** tab, click **Tools > Load/Extract**.
6. On the **Load** tab, click the **Select File** icon, locate the solution package, and click **Open**.
7. Click the **Load** icon.
8. Click **Close** to complete the installation.

Set up OneStream Software Financial Close

The first time you run the solution, you are guided through the table setup process. You can perform the setup process from any of the solutions in OneStream Financial Close.

Click **OnePlace > Dashboards > Account Reconciliations > Account Reconciliations**.




Create Tables

1. Click **Step 1: Setup Tables**

This step may be necessary when upgrading even if tables already exist.

OneStream Financial Close does not drop any tables that already exist but modifies table structures and adds new ones if necessary.

NOTE: This step sets up tables for all solutions in OneStream Financial Close regardless of which dashboard you are in.




XFW_RCM_AccessGroupMembers
XFW_RCM_AccessGroups
XFW_RCM_AuditLog
XFW_RCM_AutoRecRules
XFW_RCM_BalanceCheckLevels
XFW_RCM_Certifications
XFW_RCM_ControlListAging
XFW_RCM_ControlListCloseDates
XFW_RCM_ControlLists
XFW_RCM_EntityTrackingLevel
XFW_RCM_Recon
XFW_RCM_ReconBalance
XFW_RCM_ReconCommentary
XFW_RCM_ReconDefinition
XFW_RCM_ReconItems
XFW_RCM_ReconItemTransactions
XFW_RCM_ReconMatchSets
XFW_RCM_ReconStateLog
XFW_RCM_ReconSupport
XFW_RCM_ReconTemplates
XFW_RCM_TrackingLevels

2. When setup is complete, click **Step 2: Launch Solution** to open the solution.

Turning Off Dashboards

If you are not using a one of the solutions, you can turn off the dashboard for the solution.

1. Go to **Application > Dashboards**.
2. From **Dashboard Profiles**, select the dashboard that you want to turn off.
3. Change **Visibility** to **Never** and click **Save**.



Review the Package Contents

This section describes the Account Reconciliations and Transaction Matching packages.

Account Reconciliations

The **Account Reconciliations Dashboard** is the user interface for settings and performing reconciliations. The following **Business Rules** are included:

- **RCM_FormulaHelper** is a Finance Business Rule. Dynamic Member Formulas that use SQL Queries to generate reconciliation status percentages and reconciliation item type values for use in Cube View data cells.
- **RCM_HelperQueries** is a Dashboard Data Set Business Rule. This rule can look up lists of email addresses, lists of Accounts, return reconciliation information for reporting, drill from a report to a reconciliation, and calculate statistical reconciliation data like counts, balances and statuses.
- **RCM_ReportHelperQueries** is a Dashboard Data Set Business Rule. This rule gathers and calculates the information needed for all reports and charts displayed in Account Reconciliations.

- **RCM_ImportExportHelper** is a Dashboard Extender Business Rule. Account Group and Access Group Import/Export Helper Functions.
- **RCM_SetupHelper** is a Dashboard Extender Business Rule. This rule handles initial installation or upgrades from prior versions of Account Reconciliations.
- **RCM_SolutionHelper** is a Dashboard Extender Business Rule. The calculations here go hand in hand with the RCM_DynamicCalcs UD8 Dimension. Other Business Rules help with importing templates, changing status, user notification, etc.
- **RCM_ParamHelper** is a Dashboard XFBR String Business Rule. This rule contains dynamic logic that will change a string in a rule or on a label in the Account Reconciliations Dashboard.
- **RCM_DataMgmtAllAuditPackages** is an Extensibility Business Rule used with a Data Management Sequence to create Audit Packages of compressed files for sharing with additional parties.
- **RCM_DataMgmtDiscover** is an Extensibility Business Rule used with a Data Management Sequence to run the Discover process often if not on a schedule (typically during the extended close process) via the Data Management process. Review the section on *Data Management Sequences* in the *Design and Reference Guide* for running a Data Management Sequence on a schedule via Microsoft PowerShell. You can also schedule the Discover process to run. For more information see *Task Scheduler* in the *Design and Reference Guide*. Any notification related to the manually run Discover process, such as if a new Reconciliation Inventory is found, will be executed via this Data Management Sequence.
- **RCM_DataMgmtMassActions** is an Extensibility Business Rules used with a Data Management Sequence to update the state of multiple reconciliations in one

process.

- **RCM_DataMgmtProcess** is an Extensibility Business Rule used with a Data Management Sequence to run the Process Reconciliations process when needed to ensure that Reconciliation balances are up to date and notify Account Reconciliation administrators if balances change.

UD8 Reporting Dimension (RCM_DynamicCalcs) and its Members is created in the application and does not need to be added to a Cube to use its members on reports.


These are all DynamicCalc members that are typically shown as columns on a report where the rows are Accounts. They are used to look up values and perform calculations to show the Reconciliation status of a particular Account/Entity/Scenario/Time Period.

- **RCM:** Reconciliation Manager Statistics - This is a member used to group the other RCM members.
- **RCM_PctComplete_Ent:** Entity % of Recons Completed - Gets the percent complete for all reconciliations associated with this Entity, Scenario, and Time.
- **RCM_PctComplete_EntAcct:** Entity-Acct % of Recons Completed - Gets the percent complete for all reconciliations associated with this Entity, Scenario, Time, and Account.
- **RCM_ISC_EntAcct:** IS Correction (Entity Account) - Gets the IS Correction Value for all reconciliations associated with this Entity, Scenario, Time, and Account.
- **RCM_BSC_EntAcct:** BS Correction (Entity Account) - Gets the IS Correction Value for all reconciliations associated with this Entity, Scenario, Time, and Account.
- **RCM_ISC_Ent:** IS Correction (Entity) - Gets the IS Correction Value for all reconciliations associated with this Entity, Scenario, and Time.

Setup and Installation

- **RCM_BSC_Ent:** BS Correction (Entity) - Get the BS Correction Value for all reconciliations associated with this Entity, Scenario, and Time.

The following **Data Management Sequences and Steps** are created and can be used with their related Business Rules. Running these processes through a Data Management Sequence allows them to run in the background while the user continues their work.



Transaction Matching

The Dashboard Maintenance Unit provides the user interface for Transaction Matching and includes the required Dashboard Groups, Components, Data Adapters, Parameters and files.

The following Business Rules are included:

- TXM_HelperQueries
- TXM_EventHandler


- TXM_SolutionHelper
- TXM_ParamHelper
- TXM_DataMgmtProcess
- TXM_DataMgmtCreateReconItems
- TXM_SetupHelper

Edit the Transformation Event Handler Business Rule

The Transaction Matching solution requires changes to the Transformation Event Handler Business Rule Formula and Referenced Assemblies for the solution to work properly.


1. Add the following code to the **Formula** tab:

```
Dim txmHelper As New DashboardExtender.TXM_SolutionHelper.MainClass  
  
txmHelper.ProcessImportOrClear(si, globals, args)
```



2. On the **Properties** tab, add the following code to the **Referenced Assemblies** row:

```
BR\TXM_SolutionHelper
```



Account Reconciliations

See these topics:

- [Settings](#)
- [Reconciliation Administration](#)
- [Security](#)
- [Using Account Reconciliations](#)
- [Analysis and Reporting](#)

Settings

To access the **Settings** page, click the toolbar button:



Use the **Settings** page to configure options for:

- [Global Setup](#)
- [Control Lists](#)
- [Column Settings](#)
- [Templates](#)
- [Access Control](#)
- [Certifications](#)
- [Uninstall](#)

Account Reconciliations

Only OneStream Administrators or Account Reconciliations Administrators can access this page. This security access is configured in Global Options. With security access, you can see and make changes to any Global Settings page and any Reconciliation configuration. The Account Reconciliations Administrators are referenced in this document as **Reconciliations Global Admin**.

Global Setup

The Global Setup page consists of settings for Global Options and Global Defaults.

Global Options

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

SETTINGS (Houston, ActualAR, 2022M2)

Global Setup

Control Lists

Column Settings

Templates

Access Control

Certifications

Uninstall

Global Options

Global Defaults

Security Role [Manage Reconciliation Setup]: Administrators

Security Role [Reconciliation View Only]: Administrators

Security Role [Auditor]: Nobody

All Reconciliations Require R-Doc:

Allow Approver Attachments:

Enable Mass Actions: Prepare Approve

Default Reconciliation ID to (Group):

Transaction Matching Integration: Enabled

Process Reconciliations On Complete Workflow:

Source Scenario: Actual

Reconciliation Scenario: ActualAR

Reconciliation Account Dimension: CorpAccounts

Reconciliation Account Member Filter: A#[Balance Sheet].Base.Options(Cube=[GolfStream], ScenarioType=Actual).A#[Balance Sheet].Base.Options(Cube=[Houston], ScenarioType=Actual)

Auto Create Reconciliation Definition:

Source Account Description Dimension: Label

Email Connection: OneStreamEmail

Reconciliation Definition Email Notification Types: New OneStream Account(s) New Reconciliation(s) Discovered Balance Changed

Multi-Currency Reconciliations: Enabled

FX Rate Type: ClosingRate

FX Reporting Currency: USD

Audit Files Use Target Name Only:

Save

Security Role [Manage Reconciliation Setup]: Anyone assigned to this OneStream User Group is considered a super user who can configure any aspect of Account Reconciliations and also prepare, approve, comment, or view any reconciliation. This role is

also referred to as the Reconciliations Global Admin. The default setting is the standard Administrators User Group.

NOTE: Anyone in the Administrators User Group is a OneStream System Administrator and, by default, can perform any of the same duties as a Reconciliations Global Admin.

Different from the OneStream System Administrator, this can be someone in the Administer Application Security Role User Group, which is configured under the Application tab and then in Security Roles. This User Group could be different from a System Administrator if the Administrators User Group is not assigned. If it is desired for anyone with this OneStream application's Administer Application Security Role to also play the role of Reconciliations Global Admin, include that same User Group as a member of the User Group assigned to Security Role [Manage Reconciliation Setup].

Security Role [Reconciliation View Only]: This group can see reconciliations but cannot make any changes or log any reconciliation line items. This group must also have Access Group privileges to the workflow profiles where reconciliations are managed.

Security Role [Auditor]: This group can see Fully Approved reconciliations only and can add comments to Fully Approved reconciliations.

All Reconciliations Require R-Doc: If selected, each reconciliation that is not auto reconciled must have an R-Doc attached in order to click the Prepare button.

Allow Approver Attachments: If selected, allows approvers to add attachments to prepared reconciliations.

Enable Mass Actions: By default, these check boxes are clear. If selected, users can set multiple reconciliations to the same status at one time. If clear, the buttons for mass actions do not display on the reconciliation workspace.

Account Reconciliations

- **Prepare:** Preparer can complete or recall multiple reconciliations.
- **Approve:** Approver can approve, unapprove, or reject multiple reconciliations.

Default Reconciliation ID to (Group):

- If selected, when you create an I-Item for an account group, the Reconciliation ID field will be **(Group)** by default. You can change the reconciliation ID before you save it.
- If clear (default), when you create an I-Item for an account group, the Reconciliation ID field will be blank by default. You will have to select an option from the drop-down menu for this required field.

IMPORTANT: After you select a reconciliation ID and save the item, it cannot be edited. To update the reconciliation ID, delete the item and then add it with the correct reconciliation ID.

Transaction Matching Integration: Select to enable integration with the Transaction Matching solution.

IMPORTANT: After you enable integration with Transaction Matching and save the settings, you cannot disable the integration.

Process Reconciliations on Complete Workflow: If selected, initiates Process Reconciliations before marking the workflow as completed. If balances have changed, then the workflow cannot be completed.

NOTE: The Process Reconciliations action performed as part of the Complete workflow step is an in-line action. Running Process at the Base Input or Review level are Data Management jobs.

Account Reconciliations

Source Scenario: Typically the Actual scenario. When Discover is performed during reconciliation, this is the scenario queried for balances.

Reconciliation Scenario: Set this up as a scenario separate from Actual. In this example, we are using a scenario called ActualAR. This is a mirror of Actual but assigned a different scenario type, so a different workflow profile can be used with it. Therefore, it can have separate workflow locking from the Actual scenario type scenarios.

Reconciliation Account Dimension: Select the Account dimension containing the accounts to be reconciled.

Reconciliation Account Member Filter: Enter an account-based member filter used to query a list of accounts to reconcile. For example:

A#[Balance Sheet].Base, A#1000, A#2000.Base

If Extensible Dimensionality is being used on the Account dimension in this application, this member filter must be adjusted to query accounts differently across each cube. This is because an account could be a base member in one Account dimension and a parent in another. Here is an example of this syntax:

A#[Balance Sheet].Base.Options(Cube=[GolfStream], ScenarioType=Actual),A#[Balance Sheet].Base.Options(Cube=[Houston], ScenarioType=Actual)

Auto Create Reconciliation Definition: If selected (default), when a user clicks Discover on the Reconciliation's Definition, a Reconciliation Definition is added for any account in the Account List that does not yet have one.

Source Account Description Dimension: Select the field (Label, Text Value, or Attributes 1-20) to populate the S.Account Desc. column in grids and the description in the detailed reconciliation header and reports for individual reconciliations. Default value is (Unsigned).

NOTE: If you have more than one source account description associated with a single source account, the S.Account Desc. field will only be populated with one. In this scenario, you cannot select a specific source account description, so if a specific value is required, ensure the source import data being mapped to the account is consistent.

IMPORTANT: After you update the Source Account Description Dimension, you must save the change and then run Discover.

Email Connection: The named email connection used for notifications. The name of the connections in this drop-down list derives from the initial server configuration.

Reconciliation Definition Email Notification Types: By default, these check boxes are clear. If selected, an email is sent to those in the main Security Group (Manage Reconciliation Setup) under Global Options when these events happen.

- **New OneStream Account(s):** New account is included in the Account List after running Discover.
- **New Reconciliation(s) Discovered:** New Reconciliation Inventory items are found after running Discover.
- **Balance Changed:** A reconciled balance was changed either after it was marked Complete or set to In Process and is different from the original value.

Multi-Currency Reconciliations: Enables the multi-currency features in the solution.

NOTE: After you click this button and save the settings, multi-currency cannot be disabled. It is strongly recommended that this feature be tested in a

development application because you cannot revert to single currency reconciliations.

The impact of multi-currency is discussed throughout the guide. Enabling multi-currency allows you to have a currency type set at the Source Account level (GL Account). The Account currency type for each reconciliation item is maintained within the Reconciliation Inventory. This differs from the Local currency (maintained on the Entity dimension) and Reporting currency (maintained at the Cube level). Therefore, each reconciliation item may have a different Account currency.

Reconciliations with a common Target Entity will have the same Local currency, and all reconciliations within an application will have a single Reporting currency. In addition, for reconciliations where multi-currency is enabled, Account, Local, and Reporting currencies all display in the Account Reconciliations user interface.

Detail items may also be created using any currency type maintained in OneStream and are automatically translated to Account, Local, and Reporting currencies upon save. Also, Account Groups may be created for accounts or entities that have different currency types, allowing child reconciliations to be translated and aggregated to a single reconciling currency type, for each currency level, at the Account Group level.

FX Rate Type

Single Currency Solutions: The FX Rate Type that is being used to calculate the reconciliation balances on specific reports. Examples include `ClosingRate` or `AverageRate`. If this is not populated, no translated values are available in reports. This must be set even if multi-currency is enabled because some reconciliations within the Reconciliation Inventory may remain single Currency.

Multi-currency Solutions: The FX Rate Type that is being used to translate reconciliation balances from Local currency to Account currency and from Local currency to Reporting

Account Reconciliations

currency. Translation from one currency level to another only occurs if the account or reporting balances are not loaded into Stage. Local currency is the base-level currency and is the level that is reconciled for single currency applications. Therefore, local balances are required for multi-currency reconciliations. This is also the rate type that is used to translate detail items from the detail currency type to the Account, Local, and Reporting currency types. If this is not populated, translations do not occur.

FX Reporting Currency

Single Currency Solutions: The currency type used as the target currency for reports that translate values. If this is not populated, no translated values will be available on these reports.

Note on translation in certain reports: Account Reconciliations provides a translated value in certain reports for the convenience and analysis of the administrator or end user. This translated value is not stored but is calculated based on settings in Global Setup as the report is being processed. This is a simple translation being run that assumes a calculation similar to the Direct translation method of multiplying what is expected to be a Year to Date value by the FX Rate Type specified in Global Setup; however, these are not the same translation algorithms being processed, and no custom translation methods (that is, Business Rules) are supported. These reports note that they are translated by listing this FX Reporting Currency in the right side of the report's header section.

Reconciliation

Reconciliation Scenario: ActualAR

Time: 2018M3

Currency Level: Translated

Currency Type: USD

10000 - Petty Cash

GL Account	OneStream Entity	GL Entity	Tracking Detail		
10030	Augusta	54			
Risk Level: Low	Proper Sign: (Unassigned)	Due Date: 6/11/2020	Days Until Due: 0	Days Past Due: 41	
Balance: 1,001,256.31		Status: Inprocess		Approval: Unapproved	
Explained: 0.00		Status By: Admin		Approval Level: 0 of 1	
Unexplained: 1,001,256.31		Status Date:		Approval By:	
Activity: 20,025.13				Approval Date:	

NOTE: To see the reports within the Reports and Analysis in different currency types, enable multi-currency.

Audit Files Use Target Name Only: Controls the naming convention for Audit Package files. If selected, audit files that are created will only use the Target Account and Entity in the file name. If clear, the audit files are created with the Source and Target Account and Entity in the file name. The default is set to clear.

NOTE: The check box should be selected if there is the possibility of the file name length exceeding the Windows limit of 260-character file names. If the file name exceeds 260-characters, the Audit Package file will not be generated. Windows 10 does enable users to change the 260-character limit by changing the Windows Group Policy.

Account Reconciliations

Global Defaults

Global Options

Global Defaults

Default Reconciliation Definition

Reconciled	Tracking Level	Default Template (XLSX)
☒	Entity IC 2	BasicTemplate.xlsx

1 RowsPage 1 of 1

Default Reconciliation Attributes

Preparer	Approver 1	Approver 2	Approver 3	Approver 4	Access Group	Notification Method
AugustaPreparer	AugustaApprover1	(Unassigned)	(Unassigned)	(Unassigned)	(Unassigned)	(Unassigned)

1 RowsPage 1 of 1

Default Reconciliation Time-based Attributes

Required	Account Currency	MC Enabled	Reconciling Currency Level	Approvals	Risk Level	Proper Sign
☒	USD	☐	Local	1	Low	(Unassigned)

1 RowsPage 1 of 1

Default Reconciliation Definition: Default attributes for all new Reconciliation Definitions created during the Discover process. See [Reconciliation Definition](#) for details on configuration. This only occurs if the Auto Create Reconciliation Definition property of Global Options is selected.

Default Reconciliation Attributes: Default attributes for Security Roles (Preparer, Approvers 1-4, and Access Group) and Notification Method. Note that the same user cannot be assigned to more than one security role.

These settings apply to all new Reconciliation Inventory items created during the Discover process. See [Reconciliation Inventory](#) for details on configuration.

Default Reconciliation Time-based Attributes: Default attributes for time-based attributes. These settings apply to all new Reconciliation Inventory items created during the Discover process.

Control Lists

You can set up control lists for:

- [Item Types](#)
- [Reason Codes](#)
- [Close Dates](#)
- [Aging Periods](#)
- [Attribute Columns](#)

Item Types

When a Preparer creates Reconciliation Detail Items, these are the types of items that can be created. You can add new Item Types.

NOTE: An Item Type cannot be deleted.

Account Reconciliations

☒ Item Types ☐ Reason Codes ☐ Close Dates ☐ Aging Periods

Item Types			
Stored Value ▼	Display Value ▼	Description ▼	Active ▼
Balance Check	Balance Check	Explained	☒
Calculation	Calculation	Explained	☒
Correction (BS)	Correction (BS)	Correction (BS)	☒
Correction (IS)	Correction (IS)	Correction (IS)	☒
Explained Item	Explained Item	Explained	☒
Intransit Item	Intransit Item	Explained	☒
Investigating	Investigating	Explained	☒
Matching_DS1	Matching_DS1	Explained	☒
Matching_DS2	Matching_DS2	Explained	☒
Matching_DS3	Matching_DS3	Explained	☒
Reversing Item	Reversing Item	Explained	☒
Stmt Balance	Stmt Balance	Statement	☒
Sub-System Balance	Sub-System Balance	Statement	☒
Timing Items	Timing Items	Explained	☒

Stored Value: Text written to the *Account Reconciliations* tables when an item is added. The user does not see this.

Display Value: *Item Type* text that displays to the user when reconciling.

Description: Type of item added to a reconciliation.

- **Correction (BS) or Correction (IS):** These items indicate an issue with the current balance in the GL and requiring a correction.
- **Explained:** A manually entered item.
- **Statement:** An item supported with an attached statement such as a cash account statement.

Active: By default, this is set to *True*. If *False*, these Item Types do not display when creating items.

Account Reconciliations

Reason Codes

When you click **Reject** or **Unapprove**, you are prompted to provide a Reason Code for the change. You can edit the reason codes or add new ones.

Reason Codes		
Stored Value	Display Value	Active
Invalid Documentation	Invalid Documentation	☐
Missing Documentation	Missing Documentation	☐
More Detail Required	More Detail Required	☐
Must Clear Old Item(s)	Must Clear Old Item(s)	☐
Other	Other	☐

Stored Value: Text written to the Account Reconciliations tables when a reason is added. The user does not see this.

Display Value: *Reason Code* text that displays to the user when entering a reason.

Active: By default, this is set to *True*. If *False*, these *Reason Codes* do not display when rejecting or unapproving.

Close Dates

Close Dates associate a Workflow Time Period with a specific day and time. The purpose of this is to pivot from this date and time to determine if someone is late with their assignments, regardless of their location.

Close Dates			
WF Time	Close Date Local (Day 0)	Close Hour (0 Hour)	Close Date UTC (Day 0, Hour 0)
2022M3	03-24-2021	12	03-24-2021 16:00:00

NOTE: If the Close Dates are not set up for a given period, then the date is 1900/01/01 on the Reconciliations page.

Account Reconciliations

WF Time: Workflow Time Period. Click the + button to add one record for each Workflow Time Period related to the *Source Scenario*.

NOTE: The list of Workflow Time periods is for the currently selected Workflow Year plus the following year. This includes all frequencies of time (half years, quarters, months). The Input Frequency properties of each scenario (for example, Monthly) must match.

Close Date Local (Day 0): Set to the date when the financial close starts for this Workflow Time Period.

Close Hour (0 Hour): Set to the hour of day for what local time the close starts. For instance, if this is 5:00 PM, set this as 17. Local time is determined by the time zone where your OneStream server is located.

Close Date UTC (Day 0, Hour 0): No entry is required because saving the record calculates the value. The *Close Date Local (Day 0)* and *Close Hour (0 Hour)* are converted to the UTC (Coordinated Universal Time, aka GMT/Greenwich Mean Time) equivalent for the purposes of comparing the current local time for when a Reconciliation Inventory item is due.

Aging Periods

Aging periods are used to review your detail item aging, in total, so you can determine which balances need to be written off. The aging period is automatically assigned to an item upon Save based on the calculated aging and the periods created. Aging periods are used in the Aging Pivot analysis report. Each start date must be unique.

Account Reconciliations

Aging Periods	
Period Start	
0	
31	
61	
91	

Period Start Date: Click the + button to add aging periods. For example, if you enter 16 for a new period start date, the first period is 0-15 days and the next period is 16-30 days.

The default period start dates are:

- 0: 0 to 30 days
- 31: 31 to 60 days
- 61: 61 to 90 days
- 91: 91+ days

Attribute Columns

You can create up to three custom attribute columns to display in the Account Reconciliations page for users. They can be free-form text boxes or have a drop-down menu of values. These customized attribute columns will also display in the Inventory page and the Edit Reconciliation Attributes dialog box.

Account Reconciliations

Attribute Columns				
Stored Name	Display Name	Active	Dropdown	
Attribute 1	Key Account	☒	☒	
Attribute 2	Tax Code	☒	☐	
Attribute 3	US GAAP / IFRS	☒	☒	

3 RowsPage 1 of 1

Dropdown Values	
☐ Value	
☐ IFRS	
☐ US GAAP	

To add an attribute, first enter a display name and then select the Active check box for the attribute.

Display Name: Enter a name for the attribute to display on the Account Reconciliations page. This name must be unique.

Active: Select this check box to make the attribute visible on the Account Reconciliations page.

Dropdown: Select this check box to add a menu of values for users to select from.

Value: After you select the Dropdown check box for an attribute and save, the **Dropdown Values** section displays. Enter each value to display for users in a drop-down menu. Each value must be unique within that attribute.

IMPORTANT: Editing or removing active values that are in use may affect work in progress.

Column Settings

Administrators can select which columns are visible for users on the Account Reconciliations page and in the Scorecard grids.

Account Reconciliations

Reconciliation Grid Column Settings			
Column	Order	Active	
Account Group	1	☒	
State	10	☒	
State Text	20	☒	
Approval Level	30	☒	
T.Account	40	☒	
S.Account	50	☒	
S.Account Desc.	55	☒	
T.Entity	60	☒	
S.Entity	70	☒	
Tracking Detail	80	☒	
Acct. Balance *	90	☒	
Acct. Cur. *	100	☒	
Acct. Explained *	110	☒	
Acct. Unexplained *	120	☒	
Acct. Activity *	130	☒	
Local Balance	140	☒	
Local Cur. *	150	☒	
Local Explained	160	☒	

Column: Name of each column on the Account Reconciliations page and the Scorecard grids.

Order: Update the numbers to reorder the display of columns.

TIP: Leave a gap between numbers when you set the order (for example, 10, 20, 30) to avoid having to renumber each subsequent item when you edit the order.

Active: Select this check box to display the column in the Reconciliation page and the Scorecard grids. Clear this check box to hide the column.

Account Reconciliations

them after you upgrade. If you upgrade using Uninstall UI, custom templates are retained.

Upload: Add a new Excel template to this solution.

View: Opens a read-only copy of the selected template.

Delete: Deletes a template if it is not assigned to any reconciliations.

Replace: To change the template assigned to any existing Reconciliation Definition, select the Original Template and the New Template, and then click **Replace**. This change occurs in all Reconciliation Definitions. When viewing the Basic Template that comes with Account Reconciliations, there are Substitution Variables replaced with values from the reconciliation being processed. The following example is the design view.

NOTE: In this template, the rows typically hidden are shown along with the Excel Named Range being imported.

	A	B	C	D	E	F	G	H
1								
2								
3	Account Reconciliations							
4	Basic Template							11/17/2023 11:50
5								
6	!NameAndDescription!							!AccountType!
7								
8		Account	Entity					
9	Consolidation Account:	!AcT!	!Text!					
10	GL Account:	!Ac!	!Text!					
11								
12	GL Balance:							!Balance!
13								
14	Reconciliation Detail:							
15	Reconciliation ID	Item Type	Item Name	Item Comment	Transaction Date	Reference 1	Reference 2	Amount
16	Application							
17	XFW_RCM_ReconItems							
18	Merge							
19	xfGUID:[FKReconID]:(Group)	xfText#:[ItemName]	xfText#:[ItemName]	xfText#:[ItemComment]	xfDateTime#:[Transa xfText#:[Reference1]	xfText#:[Reference2]	xfDec#:[ItemAmount]	
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31	Explained Balance:							
32								
33	Unexplained Difference:							#VALUE!
34								
35								

Account Reconciliations

The references to Substitution Variables in the top part of the Excel template relate to Substitution Variables available in Account Reconciliations. These settings are replaced when you download the template at runtime to substitute with values from Account Reconciliations. Other Substitution Variables can be used here, making templates flexible.

Design View	Basic Template	9/17/2016 10:49		
	!!NameAndDescription!!			!!AccountType!!
	Consolidation Account:	Account	Entity	
	GL Account:	!!AcT!!	!!Ext!!	
		!!AcI!!	!!ExtI!!	
End User View	GL Balance:	!!Balance!!		
	Basic Template	9/17/2016 10:54		
	10000 - Petty Cash			Asset
	Consolidation Account:	Account	Entity	
	GL Account:	10000	Houston Heights	
		11080	Heights	
	GL Balance:	2,003,260.00		

For details on designing this type of Excel template to load into OneStream, see Data Collections in the *Design and Reference Guide*.

The following examples are the MultiPeriodTemplate.xlsx and MultiCurrencyMultiPeriodTemplate.xlsx. Note that the Named Range of xftRecon is selected and rows are shown that are typically hidden (rows 16-19 in the MultiPeriod template and rows 19-22 in the MultiCurrencyMultiPeriod template). This Named Range would need to be extended if additional rows are needed for import. The top left cell of such a Named Range must be the cell with the word Application in it and the bottom right cell of the range should be the last column of the last row to be imported. It is acceptable to include additional empty rows in this range. OneStream can read in multiple xft Named Ranges on one or more sheets of the same Excel workbook. Save this file in Excel .xlsx format.

MultiPeriod Template

Account Reconciliations

1	A	B	C	D	E	F	G	H	I	J	K	L	M	
2														
3	Account Reconciliations													
4	Basic Amortization Schedule											12/15/2023 11:17		
5														
6	!NameAndDescription!											!AccountType!		
7														
8														
9	Consolidation Account:	!Acct!	!Text!											
10	GL Account:	!Acct!	!Text!											
11														
12	GL Balance:												!Balance!	
13														
14	Amortization Detail:													
15	Reconciliation ID	Item Type	Item Name	Item Comment	Transaction Date	Reference 1	Reference 2	Amortization Period	Amortization Amount	Amount				
16	Application													
17	KFW_RCM_ReconItems													
18	Merge													
19	xfGuid#FKReconID:(Group)	xfText#(ItemName)	xfText#(ItemComment)	xfText#(ItemTransactionDate)	xfText#(ItemReference1)	xfText#(ItemReference2)	xfText#(ItemAmortizationPeriod)	xfText#(ItemAmortizationAmount)	xfText#(ItemAmount)	xfText#(ItemCurrencyType)	xfText#(ItemAmortizationAccount)	xfText#(ItemAmortizationLocalAmount)	xfText#(ItemAmortizationTimestamp)	
20														
21														
22														
23	Total Amortization:													
24	Unamortized Balance:	#VALUE!												
25														

MultiCurrencyMultiPeriod Template

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

OneStream™

Account Reconciliations

Multi-Currency Amortization Schedule

||NameAndDescription||

Consolidation Account:

GL Account:

GL Balance:

Amortization Detail:

Reconciliation ID	Item Type	Item Name	Item Comment	Transaction Date	Reference 1	Reference 2	Amortization Period	Amortization Amount	Currency Type	Amortization Account Amount	Amortization Local Amount	
Application												
KFW_RCM_ReconItems												
Merge												
xGuid#FKReconID	xText#(ItemName)	xText#(ItemComment)	xText#(ItemTransactionDate)	xText#(ItemReference1)	xText#(ItemReference2)	xText#(ItemAmortizationPeriod)	xText#(ItemAmortizationAmount)	xText#(ItemAmountMultiCurrency):0	xText#(ItemAmountMultiCurrencyType)			
Total Amortization:												
Unamortized Balance:											#VALUE!	#VALUE!

Reconciliation

Child Reconciliations

Note the following information for the highlighted items:

Reconciliation ID: A Reconciliation ID column with a drop-down menu is included in the following templates: Basic, MultiCurrencyMultiPeriod, MultiCurrency, and MultiPeriod. For account groups, the drop-down menu displays the related child reconciliations associated with the group as well as (Group); for individual reconciliations, the drop-down menu is blank. When you import an item with the template, the Reconciliation ID from the template will display in the Detail Items grid on the Reconciliations page.

Child Reconciliations tab: The Basic, MultiCurrency, MultiPeriod, and MultiCurrencyMultiPeriod templates include a Child Reconciliations tab that displays related balances for each child reconciliation in an account group.

Wtk: Workflow Time Key. These OneStream time periods contain an exclamation point as the first character (for example, !2018M1). This helps OneStream look up the time key for this period and store that value in the database when imported. Include as many rows as periods of data are necessary, even if spanning years.

BookedPeriod: The |WFTIME| Substitution Variable is used, which means that every row imported lists the period it was booked as the same period that was processed at the time.

TimeStamp: The date and time this template was imported, which will be the same for each time period.

NOTE: If a template is used to create a supporting Detail Item, that support type, either T-Doc or S-Doc, must be attached to the reconciliation or the reconciliations may not be completed.

Item Amounts (Multi-currency Solutions): These columns are automatically translated within the template. The template is pulling FX rates for the period in order to translate the Detail Amount balances. The translated amounts are for display purposes only, because translation of the Detail Amounts takes place when imported into OneStream. Further, only current period balances will be translated on the template.

Multi-currency Solutions: Templates that support multiple currencies are included for solutions that have multi-currency enabled. In the MultiCurrency template and MultiCurrencyMultiPeriod template, columns are included to allow for Detail Amount, Detail Currency Type, Account Balance, and Reporting Balance.

Account Reconciliations

For single currency reconciliations, only Local balances are loaded and as such, if a reconciliation is set to single currency, the templates that do not include multi-currency functionality must be used. The currency type for each currency level appears within the template and FX rates are automatically pulled in order to show the conversion that will occur on import. Note that OneStream still uses the translation functionality within the system to translate Detail Amounts.

The translated balances of Account, Local, and Reporting for the Detail Items are for informational purposes only. However, if an override is necessary for any of the levels, OneStream accepts the overridden amount upon upload of the template if overrides are permitted on the reconciliation. To identify balances that were overridden within the template, amounts overridden display bold and the override alert appears on the face of the reconciliation.

For MultiPeriod templates, informational translated balances only display for the current month because future rates are not available at the time of template creation.

Access Control

Access Groups can be created under *Access Control* by OneStream Administrators or Reconciliation Global Admins. Access Groups are used only by the Account Reconciliations solution and are different than User Groups used in other parts of OneStream.

Access Groups can be initially set up to support the concept of backup people in the case of vacation or other reasons where the person assigned to a primary role cannot perform their duties in a given month. It can contain many users of each role. For example, an Access Groups may contain more than one user for the *Preparers* role. By adding more than one user per role in this way, the main person's backup is already granted access.

Another way that backups are built in is where a person in a superior role can act in place of a person in a lesser role for a given month. For example, if a user in a *Preparers* role is

Account Reconciliations

on vacation, a person in the *Approvers 1* role can act as a Preparer that month, but cannot approve the reconciliation because of enforced Segregation of Duties requirements. Someone else must approve for this particular month.

See [Security](#) for more information including the concepts of Local Admin and [Segregation of Duties](#).

To manage access groups:

- Click **+** to add a row.
- Select the boxes next to one or more items in the list and click **-** to delete. As a best practice, export your access groups before making a mass update. See [Access Groups \(Mass Updates\)](#).
- Click **Save** to save changes.
- Click **Cancel All Changes Since Last Save** to cancel unsaved changes.

Access Groups (Editor)

Access Groups		Access Groups (Mass Updates)	
Access Groups		Security User Members	
☐	Name	Description	
☐	All_APTrade	AP Trade for all entities	
☐	APTradeUpdated	APTradeUpdated	
☐	Eagle	Eagle	
☐	Frankfurt	Frankfurt	
☐	Frankfurt_GA	Frankfurt_GA	
☒	Houston	Houston	
☐	Houston_GA	Houston_GA	
☐	Houston_Rec	Houston Receivables	
☐	HoustonAPTrade	HoustonAPTrade	
☐	NewEagle	NewEagle	
☐	Quebec	Quebec	
☐	SharedServices	Shared Services	
☐	SouthHouston	SouthHouston	
		Security User Members	
☐	Security User	Role	Notify Local Admin
☐	RCM_Approver1	Approvers 1	☐
☐	RCM_Approver2	Approvers 2	☐
☐	Houston_LocalAdmin	Viewers	☒
		Security Group Members	
☐	Security Group	Role	Notify Local Admin
☐	RCM_Commenters	Commenters	☐
☐	RCM_Viewers	Viewers	☐

Account Reconciliations

Name: Name of the Access Group. It is recommended to use a common naming configuration since there could be many of these. For instance, starting the Name with R_ is a good way to signify that this Access Group is meant to be assigned to an individual Reconciliation Inventory item. Starting with G_ would mean that this Access Group is meant to be assigned to an Account Group. Whatever standard is set by your project team, it is recommended that this is documented and followed by all Account Reconciliation Admins.

Description: A more detailed description of this Access Group.

Security User Members

Security User: Select a user from a list of all users within the OneStream Framework. A user can only be added to an Access Group once.

Role: Select a role for this user:

- **Preparers** - Can see assigned reconciliations and perform preparation duties through clicking the Prepare button.
- **Approvers 1 through Approvers 4** - Choose up to four levels of approvers. You should assign at least as many Approvers as there are approval levels on the reconciliation that this Access Group is assigned to. For example, if the reconciliation has Approvals set at 3, there must be at least a user assigned to the related Access Group at Preparer, Approval 1, Approval 2, and Approval 3 to be able to prepare, and approve the reconciliation.
- **Commenters** - Optional. This user can see the data and activity but can only make comments related to this reconciliation.
- **Viewers** - Optional. This user can see the data and activity but cannot make comments related to this reconciliation.

Account Reconciliations

Notify: Select this box to send email notifications to this user (as configured under the Notifications tab on the Administration page).

Local Admin: Select this box if this person acts as the Local Admin for this Access Group. See [Local Admin Permissions](#) for more information.

Security Group Members

Security Group: Select a group from Platform Security Groups. A group can only be added to an Access Group once.

Role: Select a role for this group:

- **Preparers-** Can see assigned reconciliations and perform preparation duties by clicking the Prepare button.
- **Approvers 1 through Approver 4** - Choose up to four levels of approvers. You should have an Approver for each approval level on the reconciliation that this Access Group is assigned to. For example, if the reconciliation has Approvals set at 3, there must be at least a group assigned to the related Access Group at Preparer, Approval 1, Approval 2, and Approval 3 to be able to prepare, complete, and approve the reconciliation.
- **Commenters-** Optional. This group can see the data and activity but can only make comments related to this reconciliation.
- **Viewers-** Optional. This group can see the data and activity but cannot make comments related to this reconciliation.

Notify: Select this box to send email notifications to this group (as configured under the Notifications tab on the Administration page).

Access Groups		Access Groups (Mass Updates)				
Security User Members						
☐	Group Name	Security User	Role	Notify	Local Admin	
☐	APTradeUpdated	RCM_Preparer	Preparers	☐	☐	
☐	APTradeUpdated	RCM_Approver1	Approvers 1	☒	☐	
☐	Houston	RCM_Approver1	Approvers 1	☐	☐	
☐	Houston	RCM_Approver2	Approvers 2	☐	☐	
☐	Houston	Houston_LocalAdmin	Viewers	☐	☒	
1 5 Rows Page 1 of 1						
Security Group Members						
☐	Group Name	Security Group	Role	Notify	Local Admin	
☐	Houston	RCM_Commenters	Commenters	☐	☐	
☐	Houston	RCM_Viewers	Viewers	☐	☐	
1 2 Rows Page 1 of 1						
Import / Export Copy Access Group Clone Access Replace Access Remove Access Table Type Access Groups Import Export Template						

Account Reconciliations

	A	B
1	Access Groups	
2		
3	Group Name [String]	Group Description [String]
4		
5	Application	
6	XFW_RCM_AccessGroups	
7	Merge	
8	xfText#:[GroupName]	xfText#:[GroupDesc]
9	AP_Other	AP Other Group
10	Fixed_Assets	Fixed Assets Group
11	Payroll	Accrued Payroll
12	W_Houston	Houston Workflow Reconciliations

Template: Opens a pre-fixed Excel template for loading *Access Groups* or *Access Group Members* depending on the *Table Type* selection.

	A	B
1		
2		
3		
4	Access Groups	
5		
6	Group Name [String] (Required)	Group Description [String]
12	YourGroup	YourDescription
13		
14		
15		
16		
18	(Insert new rows between the blue bars)	

Import: Opens a dialog to select an Excel or CSV file that contains *Access Groups* or *Access Group Members* to merge changes or add new records.

CAUTION: When you import, make sure that the source file is not open on your computer otherwise an error occurs.

Copy Access Group

Import / Export	Copy Access Group	Clone Access	Replace Access	Remove Access
Source Access Group		Target Access Group		 Copy
Frankfurt		Frankfurt_2025		

Account Reconciliations

Select a *Source Access Group* as the model group, enter a name for the *Target Access Group*, and then click **Copy**. The Users and User Settings in the *Source Access Group* are added to the newly created *Target Access Group*.

Clone Access

Import / Export	Copy Access Group	Clone Access	Replace Access	Remove Access	
Source Security User	Target Security User		Source Security Group	Target Security Group	
ACM_Requestor	ACM_Approver	Clone	(Unassigned)	(Unassigned)	Clone

Select a *Source Security User* as the model user and a *Target Security User*, and then click **Clone**. The *Target Security User* is added into every Access Group that the *Source Security User* is in. If the *Target Security User* was previously in an Access Group that the *Source Security User* is not in, the *Target Security User* is removed from that group. The *Target Security User* and *Source Security User* will have the same access.

You can use the same procedure to clone security group access.

Replace Access

Import / Export	Copy Access Group	Clone Access	Replace Access	Remove Access	
Source Security User	Target Security User		Source Security Group	Target Security Group	
ACM_Requestor	ACM_Approver	Replace	(Unassigned)	(Unassigned)	Replace

Select a *Source Security User* who will be replaced in every *Access Group* with the *Target Security User* and then click **Replace**.

You can use the same procedure to replace security groups.

Account Reconciliations

Remove Access

Import / Export	Copy Access Group	Clone Access	Replace Access	Remove Access
Source Security User ACM_Requestor		Source Security Group (Unassigned)		
Remove		Remove		

Removes the selected security user or group from every Access Group.

Certifications

Certifications are customizable text that are presented to users with the Preparer or Approver roles when a reconciliation is completed and approved.

Certifications					
Role	Message	Active	Comment Required	Time Stamp	User
Preparer	I have prepared the account reconciliation and attest to the following: 1) The reconciliation has been completed in accordance with the company policy 2) All support has been properly attached 3) All items have been accurately identified and classified	☒	☐	5/22/2020 3:35:15 PM	Admin
Approver	I reviewed the reconciliation and attest to the following: 1) The reconciliation was completed in accordance with the company policy 2) All support was properly attached 3) All items have been accurately identified and classified	☒	☐	5/22/2020 3:35:15 PM	Admin

Role: The role of Preparer or Approver for the certification.

NOTE: The Approver Certification is presented for all approval levels.

Message: The certification message presented to the Preparer or Approver when completing or approving reconciliations.

Active: By default, this is set to *True*. If *False*, the certification is not displayed when completing or approving reconciliations.

Comment Required: By default, this is set to *True*. If *False*, comments are not required, but can optionally be added when completing or approving reconciliations. Comments are displayed in the *Status and Approval History - Detail* section.

Time Stamp: The date and time the certification settings were created or modified.

User: The ID of the user who created or modified the certification settings.

Uninstall

The Uninstall feature allows you to uninstall the user interface or all solutions within OneStream Financial Close. If performed as part of an upgrade, any modifications that were made to standard solution objects are removed.

IMPORTANT: The Uninstall option uninstalls all solutions integrated in the OneStream Financial Close.

The uninstall options are:

1. **Uninstall UI - OneStream Financial Close** removes all solutions integrated into the OneStream Financial Close, including related dashboards and business rules but leaves the databases and related tables.

IMPORTANT: This procedure resets the Workspace Dashboard Name to (Unassigned). An Administrator must manually reassign the Workspace Dashboard Name after performing an Uninstall UI.

2. **Uninstall Full - OneStream Financial Close** removes all the related data tables, data, dashboards, and business rules from all solutions integrated into OneStream Financial Close. Select this option to completely remove the solutions or to perform an upgrade that is so significant in its changes to the data tables that this method is required.

CAUTION: Uninstall procedures are irreversible.

Reconciliation Administration

Click  to open the Administration page. This page is accessible by OneStream Admins, Reconciliations Global Admins and Local Admins (in limited scope).

The Administration page is where you configure:

- [Definition](#)
- [Inventory](#)
- [Groups](#)
- [Tracking](#)
- [BalCheck](#)
- [AutoRec](#)
- [Notifications](#)

Reconciliation Definition

IMPORTANT: If you have reconciliations that have a frequency other than monthly and migrate to OneStream Financial Close Release PV710 SV201 or later, you may need to mark the reconciliations as required in the current period and then run Discover for the current period.

The **Reconciliation Definition** page is where high-level properties are set for all Reconciliation Inventory items that are found through the **Discover** process. Reconciliation Definitions tell OneStream that these Account dimension members need to be reconciled. Reconciliation Inventory items are detailed Account data rows and Account Groups found in the OneStream Stage that were imported from the General Ledger. This page is not accessible by Local Administrators.

Account Reconciliations

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

ADMINISTRATION - Definition (Clubs, ActualAR, 2022M1)

Definition Inventory Groups Tracking BalCheck AutoRec Notifications

Account List

Drag a column header and drop it here to group by that column

Account	Description	Reconciled	Type
10000	Petty Cash	True	Asset
10100	Cash Deposits	True	Asset
10200	Other Cash Equivalents	True	Asset
10300	Marketable Securities	True	Asset
10400	Restricted Cash	True	Asset
10500	Cash in transit	False	Asset
11000	Trade Receivables	True	Asset
11100	Other Receivables	True	Asset
11200	IC Receivables	True	Asset
11300	Allowance for Doubtful Accounts	True	Liability
11400	Dividend receivables	True	Asset
11500	IC Delta Receivables	False	Asset
12000	Raw Materials Inventory	True	Asset
12100	Work in Progress Inventory	True	Asset

Reconciliation Definition

Reconciled	Tracking Level	Default Template (XLSX)	Reference Document
☒	(Entity)	BasicTemplate.xlsx	Work Instructions.doc

1 Rows Page 1 of 1

Upload View Delete

Entity Tracking Level Override

Entity	Tracking Level
--------	----------------

Page 1 of 1

Account List

The initial Account List is generated based on the solution's Reconciliation Account Dimension and Reconciliation Account Member Filter settings in Global Options. These accounts are from the OneStream Cube, not from the General Ledger. This lists each of these accounts along with their account type. If an account has a related Reconciliation Definition, then it displays a value of Reconciled = True.

Reconciliation Definition

Click **Discover** to add a Reconciliation Definition to each account. Only one Reconciliation Definition can be added per account in the Account List. You can also click the + button to add a Reconciliation Definition to an account.

Reconciled: Determines whether an account is reconciled. If selected, this is set to **True** in the Account List on the left and the account is reconciled. If cleared, this is set to **False** in the Account List on the left and it and any of its related detailed imported Stage rows are not reconciled.

Tracking Level: Derived from the **Tracking Levels** settings page and determines the granularity of the reconciliation. It is used during the **Discover** process.

Default Template (XLSX): Derived from the Templates page and determines the template used by the preparer. This can be overridden at the Reconciliation Inventory level.

Reference Document: The document to display to the user at runtime for this account.

See [Reference Document Options](#).

Entity Tracking Level Override

There are times when an account needs to be tracked in the Reconciliation Inventory at a level that is an exception for certain entities beyond the setting for that account in general as set in the Reconciliation Definition. In these cases, click + to add an exception per entity that requires one for this Reconciliation Definition. For instance, account 10000 has a Tracking Level of (Entity), which means by Entity and Account. But for that same account and an entity called ABC, they may need to track this account by Entity, Account, and Flow.

Discover

Click **Discover** to process the Reconciliation Definitions and create the Reconciliation Inventory as a background process. Discover runs for the current and future workflow periods. Prior periods are not affected by the discovery process.

Time-based attributes are copied in the Discover process if they do not exist in the current period:

- For reconciliations that do not have attributes for the current period, Discover copies the time-based attributes from the previous period to the current period.
- For reconciliations that do not have attributes for the current period and were not created from the prior period, Discover copies the time-based attributes from the

next period to the current period.

NOTE: The time-based attributes will only be copied from the next period not any further future periods.


In Global Options, if the Auto Create Reconciliation Definition property is selected, it adds a Reconciliation Definition for each row in the Account List that does not already have one.

This process also builds out the Reconciliation Inventory entries by searching the current and future time periods for the Source Scenario in the Stage for any instance of a row of source data that was mapped to an account that has an active Reconciliation Definition.


IMPORTANT: Clicking **Discover** searches for every entity associated with the currently selected Workflow Profile, so running Discover at a higher level in the Workflow Profile structure at a Review level Workflow Profile will generate considerably more Reconciliation Definitions.

You can run Discover on multiple workflows simultaneously as long as the workflows do not have a parent/child relationship. For example, you can run Discover on the Frankfurt and Houston workflows at the same time. But you cannot run Discover on Frankfurt and Clubs at the same time, because Clubs is a parent of Frankfurt.

Account Reconciliations



Click the Task Activity icon  to show the results of the Discover process and how many new Reconciliation Inventory Items were discovered.



NOTE: You can manually run the Discover process from the Data Management Sequence called DiscoverRecons_RCM. For scheduled Discover jobs, you must pass in these parameters: ProfileKey, SourceScenarioId, ReconScenarioId, TimeKey.

Reference Document Options

A Reference Document is a set of instructions used to explain how to perform a reconciliation. This can be presented to the user as they prepare the reconciliation.

Upload: Load a document to the Reconciliation Definition.

Account Reconciliations

View: Download a copy of the document from the Reconciliation Definition.

Delete: Delete the document from the Reconciliation Definition.

Reconciliation Inventory

This is where you configure reconciliations. The Reconciliation Definition is based on the target accounts being reconciled. After you click **Discover**, the Reconciliation Inventory is generated. The Reconciliation Inventory is based on the Source Accounts (from the GL) related to the Target Accounts (accounts in the OneStream Cube) that have active Reconciliation Definitions for a specific Workflow Profile.

TIP: The state of each reconciliation inventory item is visible. This helps you to understand which items are already prepared when selecting reconciliations to make edits to.

ADMINISTRATION - Inventory (Houston, ActualAR, 2022M2)							
							Assigned Match Sets: (Full Inventory)
Definition Inventory Groups Tracking BalCheck AutoRec Notifications							
Drag a column header and drop it here to group by that column							
☐	State	State Text	WF Profile	Recon Scenario	S.Account	S.Account Desc.	T.Account
☐		In Process	Houston.Import	ActualAR	11080	Petty Cash	10000 - Petty Cash
☐		Fully Approved (1 of 1)	Houston.Import	ActualAR	10001	Cash - Operating Chase	10100 - Cash Deposits
☐		Fully Approved (1 of 1)	Houston.Import	ActualAR	10002	Cash - Operating Wells Fargo	10100 - Cash Deposits
☒		In Process	Houston.Import	ActualAR	10003	Cash Disbursements - Chase Bank	10100 - Cash Deposits
☐		In Process	Houston.Import	ActualAR	10004	Cash Disbursements - Wells Fargo	10100 - Cash Deposits
☐		In Process	Houston.Import	ActualAR	11234	Deposits	10100 - Cash Deposits
☐		Auto Approved (1 of 1)	Houston.Import	ActualAR	11238	Deposits on Trade Receivables	10100 - Cash Deposits
☐		In Process	Houston.Import	ActualAR	11085	Marketable Securities	10300 - Marketable Securities
☐		In Process	Houston.Import	ActualAR	11090	Restricted Cash	10400 - Restricted Cash
☐		In Process	Houston.Import	ActualAR	11200	Trade Receivables - Third Party	11000 - Trade Receivables
☐		In Process	Houston.Import	ActualAR	11201	Accounts Receivable Trade	11000 - Trade Receivables
Edit	Delete	Access	Match Set	Import	Export		

Assigned Match Sets: Select an option to filter the inventory to view where Match Sets are assigned. Select one or more match sets or select one of these options:

Account Reconciliations

- **(Full Inventory)**: All reconciliations.
- **(All)**: Reconciliations that have a match set assigned.
- **(None)**: Reconciliations that do not have a match set assigned.

Edit: Edit the attributes for the selected reconciliation. You can select multiple reconciliations and make changes that apply to all. For example, you can select multiple reconciliations and change the Risk Level from Medium to High.

Delete: Deletes the selected Reconciliation Inventory item.

NOTE: If the Discover process results in more Reconciliation Inventory items than desired, delete those that are not intended for future processing.

Access: Edit the access group for the selected reconciliation.

Match Set: Manage the assigned match set for the selected reconciliation.

NOTE: Match Set cannot be used to update the assigned match set for a child reconciliation because it is associated with a group. You can manage the match set for child reconciliations in Groups. See [Account Group Actions](#).

Import: Opens a dialog box to select an Excel .xlsx formatted file to import that contains Reconciliation Inventory Items to merge changes. The import will not create new Reconciliation Inventory Items nor allow the [NewGuid] argument. You must close this file before importing it. This button is not accessible by Local Admins.

Export: Exports all reconciliations in the Reconciliation Inventory, except for Account Group type items, as a CSV file that can be opened in Excel. You must add a Named Range starting with the letters xft covering appropriate rows starting with the cell with the word Application in the top left cell. This file should then be saved in Excel .xlsx format.

Account Reconciliations

You must close this file before importing. Instructions are included in the exported file.

This button is not accessible by Local Admins.

NOTE: The headers at the top indicate the global default value that will be used.

	A	B	C	D	E	F
1	General Instructions:					
2	Save the CSV file as an Excel XLSX file.					
3	Select the range of cells starting with 'Application' to the last row in the last column of data.					
4	Create a Named Range that starts with the letters 'xft', such as xftRecons.					
5	Importing will handle the merging of changes to existing Reconciliations and will not create new items.					
6						
7	The following column values are editable (changes to all other columns will be overridden):					
8	Currency, CurrencyAccount, MCEnabled, ReconcilingCurrencyLevel, GroupID, Preparer, Approver1,					
9	Approver2, Approver3, Approver4, FKAccessGroupName, ApprovalLevels, RiskLevel, ProperSign, UnexplainedLimit,					
10	PrepareRule, FKAutoRecRuleID, AutoRecLimit, FKBalanceCheckLevelID, BalanceCheckWfk, CanOverrideDetail,					
11	RequireSupportForOverride, AllowAutoPullForward, PreparerWorkdayDue, ApproverWorkdayDue, Frequency, FKTemplateID, Required					
12	Attribute1 (if active), Attribute2 (if active), Attribute3 (if active)					
13						
14	The following columns can have values entered as either Guids or reference names (names must be prefixed with a '!'):					
15	GroupID, FKAutoRecRuleID, FKBalanceCheckLevelID, BalanceCheckWfk, FKTemplateID, FKNotificationMethodID					
16						
17	The following columns can have values entered as either Integers or reference names (names must be prefixed with a '!'):					
18	ReconcilingCurrencyLevel, RiskLevel, ProperSign					
19						
20						
21	Reconciliations					
22						
23	ReconID [Guid]	WF Profile [Guid or !ProfileName]	Recon Scenario [Int32]	WF Period [Int32]	S.Account (Display Name) [String]	S.Account Description [String]
24						
25	Application					
26	XFW_RCM_Recon					
27	Merge					
28	xftGuid#:[ReconID]	xftGuid#:[Wfk]	xftInt#:[Wsk]	xftInt#:[Wtk]	xftText#:[Ac]	xftText#:[SourceAccountDesc]
29	c8321f1f-8b52-4395-8415-5b2837036b35	!Eagle Drivers.Import	!ActualAR	!2022M2	10030	
30	4e717905-fb93-4844-a1e2-7c45f7c29cda	!Eagle Drivers.Import	!ActualAR	!2022M2	10030	
31	2c9a905d-860d-473d-9a31-2f6b81561007	!Frankfurt.Import	!ActualAR	!2022M2	11080	
32	ae79ad22-12bd-4fdb-a9d3-b5b65d648062	!Houston.Import	!ActualAR	!2022M2	11080	Petty Cash
33	459a2636-ec72-4e17-8a4a-db0abf7a3ccb	!Quebec.Import	!ActualAR	!2022M2	11080	
34	8c54363f-b620-4d82-80f1-dfe2eadb065d	!Quebec.Import	!ActualAR	!2022M2	11080	

Reconciliation Inventory Item Attributes

Attributes must be configured for every Reconciliation Inventory Item not assigned to an account group. For items assigned to an account group, these attributes are configured at the account group level.

Reconciliation attributes are pulled forward from month to month using Discover.

Changes made to reconciliation attributes are reflected in all subsequent periods and do not apply to prior periods.

Account Reconciliations

Editing Reconciliation Attributes

To edit reconciliation attributes:

1. Select a reconciliation from the inventory list and then click **Edit**. If multiple reconciliations are selected, the attributes of the first reconciliation selected (from the Inventory page, not the validation grid below) will appear in the dialog box.

Edit Reconciliation Attributes

Info

☐ Required: Yes
☐ MC Enabled: Yes
☐ Account Currency: USD
☐ Reconciling Currency Level: Local
☐ Account Group: GRPPettyCash
☐ Key Account:
☐ Tax Code:
☐ US GAAP / IFRS:

Role

☐ *Preparer: (Unassigned)
☐ *Approver 1: (Unassigned)
☐ *Approver 2: (Unassigned)
☐ *Approver 3: (Unassigned)
☐ *Approver 4: (Unassigned)
☐ *Access Group: (Unassigned)
☐ Approval Levels: 1
☐ *Notification Method: (Unassigned)

Action

☐ Risk Level: Low
☐ Proper Sign: (Unassigned)
☐ Unexplained Limit: 0.000000000
☐ Allow Override: No
☐ Override Support Required: No
☐ AutoRec Rule: (Unassigned)
☐ Activity Limit: 0.000000000
☐ BalCheck Level: (Unassigned)
☐ BalCheck WF Profile: (Unassigned)
☐ Allow Auto Pull Forward: No
☐ Prepare Rule:
Substitution Variable Selector: [Balance]
Ctrl-C To Copy: [Balance]

Other

☐ Preparer Workday Due: 0
☐ Approver Workday Due: 0
☐ Frequency: 1-12
☐ Template (XLSX): MultiCurrencyTemplate.xlsx

Status	Message	WF Profile	Recon Scenario	S.Account	S.Account Desc.	T.Account	S.Entity	T.Entity	S.Flow	T.Flow
●		Houston.Import	ActualAR	11080	Petty Cash	10000 - Petty Cash	Heights	Houston Heights		

* Non Time-based Attribute (Applies to all Workflow Periods)

Close

2. Make changes to attributes.

IMPORTANT: When you edit reconciliation attributes, you must select the check box above the attribute for the change to be applied when you click **Save**. The Save button displays after a check box is selected.

Account Reconciliations

☒ Allow Override	☐ Override Support Required
Yes ▼	No ▼

3. Click **Save**.

When editing reconciliation inventory attributes, Security Roles and Notification Methods can be edited at any time. Other attributes can be edited only if the reconciliation has not been prepared.

Required: If clear, this will not be required to be reconciled.

MC Enabled (Multi-currency Solutions): Indicates if Multi-currency is enabled for the reconciliation.

Within the Reconciliations page, Account and Reporting currency types will appear as a dash and balances will be zero for a reconciliation until the established MC Enabled period.

While Account currency may not be used or required, being able to see Reporting within the Reconciliations page may be helpful. In this instance, where only two currency levels exist (for example, Local and Reporting), it is recommended that Multi-currency be enabled, the Account currency default set to Local, and the MC Enabled setting enabled for each reconciliation.

Performance considerations must also be considered when using Multi-currency for the entire Reconciliation Inventory. Specifically, if the entire inventory enables Multi-currency, forcing a translation on Reconciliation Balances and Detail Items may cause processing times to increase. As such, it is recommended only reconciliations where Multi-currency is necessary be enabled or a translation on demand is run during non-critical business hours. See [FX Translation Warning](#) for more information.

Account Currency (Multi-currency Solutions): Currency type for the Account level balance. This will be a drop-down menu of all currency types within the Currency Filter in the

Account Reconciliations

Application Properties. The default currency type will be set to Local and will therefore be the T. Entity's currency type. This may be changed by selecting a different currency from the drop-down menu.

Reconciling Currency Level (Multi-currency Solutions): Determines the currency level, either Account, Local, or Reporting, to be used for the reconciliation. The default is Local, as this is the level that was previously reconciled prior to Multi-currency was enabled.

This reconciling level applies to the Unexplained Limit, Prepare Rules, AutoRec, Balance Change, and Balance Checks. For example, if the Unexplained Limit for a reconciliation is set to 0, the Reconciling Currency Level is set to Account, and the Unexplained Limit is 0 for the Account level but 100 for the Local, the reconciliation could be prepared.

However, if the Reconciling Currency is set to Local in the example above, the reconciliation could not be prepared.

The Reconciling Currency level is easily identified as it is the level in larger, bold font.

	Balance:	Explained:	Unexplained:	Activity:
Account (GBP)	260,526.54	199,191.89	61,334.65	5,601.11
Local (EUR)	308,543.64	235,904.53	72,639.11	6,170.87
Reporting (USD)	416,842.46	318,707.02	98,135.43	46,435.81

Account Group: Shows whether this Reconciliation Inventory Item is related to an account group or (No Group) if it is reconciled individually. If the user is a Local Admin, the list of account groups is limited to only those they manage. The Local Admin can change the assignment of a Reconciliation Inventory Item to a different account group, but once assigned they are unable to set as (No Group).

Custom Attributes: If custom attribute fields were added, this is where they will display in the dialog box. See [Attribute Columns](#).

Preparer: Assign the user or group. The same user or group cannot be added to multiple roles. You can update security roles at any time.

Account Reconciliations

Approver 1-4: Assign the user or group. The same user or group cannot be added to multiple roles. You can update security roles at any time.

Access Group: Assign an Access Group to each Reconciliation Inventory Item that is not assigned to an account group or set to (Unassigned). If user is a Local Admin, list of Access Groups is limited to only those they manage.

Approval Levels: Choose levels of approval required for each Reconciliation Inventory Item from 1 through 4. Ensure that the Access Group assigned has people configured at the appropriate levels of approval. See [Access Control](#).

Notification Method: Select a method for notification created on the Notifications page or set to (Unassigned) .

Risk Level: Options are Low, Medium, or High Risk for this Reconciliation Definition. This is for reporting and other filtering.

Proper Sign: Options are Positive and Negative. Assign a value for the proper signage expected on a reconciled number that is to be imported into the Stage.

Unexplained Limit: This will determine whether a Reconciliation can be prepared if the explained value is within a certain absolute value threshold. By default, a reconciliation is not considered prepared unless the balance is explained to the penny. If the Unexplained Limit is set to 1000 and the currency is USD, then the reconciliation can be prepared if the difference is explained within \$1000 USD.

Allow Override (Multi-currency Solutions): When set to **Yes**, the ability exists to override translated Account, Local, and Reporting amounts for Detail Items. If FX Rates exist for the current period, upon Save (creation) of a Detail Item, OneStream will automatically translate the Account, Local, and Reporting amounts. If Allow Override is enabled, the ability exists to manually input amounts for any of the currency levels. If only one level is overridden, the other translated balances will remain. Similarly, if FX Rates have not

been entered for the current period and a level is overridden, the override balance will appear and the amounts to be translated will appear as zero. Amounts that are overridden will hold period over period if a Detail Item is pulled forward.

NOTE: When an amount is overridden using zero, OneStream automatically retranslates the amount using the rates in FX Rates table. If showing a zero balance for a currency level is required, a new Detail Item must be created with a detail amount of zero and enter the opposite balance for the currency level that needs to be set to zero (that is, offset balance).

Override Support Required: When set to **Yes**, supporting documentation, either an I-Doc or R-Doc, is required for all detail items with translated amounts that were manually overridden. Note that an S-Doc will also satisfy this requirement.

AutoRec Rule: This is a drop-down list populated from the list of rules created in the AutoRec page. The default is set to (Unassigned), meaning the reconciliation does not have an AutoRec Rule applied.

A second item, (Legacy), will exist in all solutions which first checks the Balance to see if it is zero and if so, will automatically reconcile that reconciliation. Otherwise, it checks the activity in this reconciliation since the last period and compares to the absolute value of the Activity Limit.

Activity Limit: If an AutoRec rule is created that has Activity selected, the rule will check the activity (differences in Balance) in this reconciliation since the last period and compares to the absolute value of this number. For instance, if the balance was explained last month at \$1000, the new balance is \$100, and the Activity Limit is \$500. This reconciliation would not automatically reconcile.

BalCheck Level: Detailed calculation and testing of details from the GL. This is typically used to ensure the value in total matches a summary value as expected. This type of

reconciliation is pointed to a Workflow Profile to retrieve data from the Stage as a point of reference for a given reconciliation. The Workflow Profile assigned to check this Balance can be set up in an account group or in a single Reconciliation Inventory Item. The default is set to (Unassigned), which means the reconciliation is a standard reconciliation that does not use Balance Check. When you select (Tracking Level) for a child reconciliation, Balance Check is performed at the tracking level of the child reconciliation and the BalCheck WF Profile selection is used. When you select (Tracking Level) for an account group, the BalCheck WF Profile selection of the account group is ignored and will be used from the child reconciliation.


BalCheck WF Profile: This is required if using a Reconciliation Type of Bal-Check. Details from the GL are loaded to Stage in a separate Workflow Profile and tested by some form of Transformation Rule such as mapping many detail lines to one summarized value or even using complex Transformation Event Handler logic to calculate a check figure. For example, the Transformation Rule might add all of the detailed transactions that make up a Trade Receivables Account and compare it to the amount imported from the Trial Balance. If that matches when the number is brought into the Reconciliation as an explained amount, it may reconcile or not based on the amount. This field is where the Workflow Profile containing that detailed data load is specified. After a Workflow Profile is assigned here for a Balance Check-type reconciliation, Account Reconciliations checks to see if that Transformation Rule passed or failed to determine whether this reconciliation is complete.

NOTE: The reconciliation balance for RCM is based on the source value loaded. Although the source value may be transformed to flip signs for consolidation purposes, the flip sign will not apply when the reconciliation is created in RCM. Contrary to this, when uploading Balance Check information in the reconciliation workflow, the flip sign is available to transform the source

Account Reconciliations

Balance Check values. This may be needed to ensure that the sign aligns with the reconciliation balance.

Multi-currency Solutions: Loading in Detail Amounts, Detail Currency Types, Account level, and Reporting level balances requires identifying the columns related to these items within the Data Source. Note that Detail Amount represents the transaction amount, which could be in a currency type that is different than any reconciliation currency level and is different than what is loaded for Single Currency solutions since they just load Local currency balances. Detail Amounts, Account Amounts, and Reporting Amounts need to be set to the Data Type of Attribute Value and Detail Currency needs to be set to the Data Type of Attribute. Local amounts must exist for BalCheck to properly translate and calculate. If null, values will not translate. As such, ensure null values are replaced with zero.



Account Reconciliations

Allow Auto Pull Forward: When set to **Yes**, the reconciliation automatically pulls forward I-Items and T-Items with the related I-Docs during processing when the account balance is first created. T-Items are also converted into I-Items.

Prepare Rule: Overrides the Unexplained Limit. Rule logic can include any item from the Substitution Variable Selector. See [Expression Rule Syntax](#).

Example 1:

`|Balance| < 1000`

Example 2:

`|BalanceAccount| < 1000`

Example 3:

This logic will set a global unexplained limit based on currency by retrieving the closing FX rate for the individual reconciliation's currency relative to USD.

`|UnexplainedBalance| < XFBR(MyCustomBusinessRule,UnexplainedLimitHelper,Currency=|Currency|,Time=|Wtk|)`

Substitution Variable Selector: A list of Substitution Variables used in Prepare Rule as an input to an expression. Select one of these Substitution Variables and click the blue field next to it. Type Ctrl-C and it will copy that text to the Windows clipboard for convenient pasting later. The options are either variables from Account Reconciliations or fields in the Stage tables. For example, `|Ac|` is the Account field from Stage while `|AcT|` is the post translated Account from that same table.

Preparer Workday Due: Enter + or - and a 1-2 digit number for the days. For example, if you enter -10 and the close date is 1/31/22, then the preparer due is 1/21/22.

Approver Workday Due: Indicates the due date for the final approver. Enter + or - and a 1-2 digit number for the days. For example, if you enter +2 and the close date is 1/31/22, then the approver due date is 2/2/22.

IMPORTANT: The Approver date cannot be before Preparer date.

Frequency: Determines how often the completion of this Reconciliation Definition is required. The default is 1-12, which indicates months 1-12. This can be 3, 6, 9, 12 if required quarterly, or you can enter another type of frequency expression.

NOTE: If the Frequency is changed on the Reconciliation Definition, some reconciliations may be Prepared or still In Process. This would normally stop the user from preparing them due to this new Frequency. In these cases, the reconciliations will be marked with a Status of Frequency Changed, which will not prevent the preparer from preparing. This status is ignored in all status counts except for the Scorecard Preparation Status chart.

Template (XLSX): The Reconciliation Definition sets the default Excel Reconciliation Template for any related Reconciliation Inventory Items, but a single Reconciliation Inventory Item can override this template assignment with this field.

WF Profile: This is the Workflow Profile that was discovered for this Source Account and is a Base Input Child Import Workflow Profile.

Recon Scenario: This will default to the Recon Scenario set in Global Options.

T.Account: Target Account in the Cube and this comes from the Reconciliation Definition.

S.Account: Source Account. This comes from the related Stage area from the Source Scenario. The Source Accounts are derived from that Workflow Profile's Transformation Rules and are based on the Target Account in the Reconciliation Definition.

S.Account Desc.: Source Account Description. This is based on the option selected in the Source Account Description Dimension field in Settings > Global Setup > Global Options.

Account Reconciliations

T.Entity: Target Entity in the Cube. There will be an entry here for each Entity that has relevant data in the Stage in any time period in the application from the Source Scenario.

S.Entity: Source Entity from the Stage.


Currency (Single Currency Solutions): Currency is the Target Entity currency per the Entity dimension.

Local Currency (Multi-currency Solutions): Currency type for the Local level balance. This is the same as the Currency column in Single Currency Solutions. It is not editable within Account Reconciliations as it is maintained within the Entity dimension.

Reporting Currency (Multi-currency Solutions): Currency type for the Reporting level balance. This is not editable as it is derived from the Cube currency. Only a single Reporting currency is allowed per Cube.

Discovery Time: The date and time when an account group was created or when a Reconciliation Inventory Item was first discovered.

NOTE: The filter on this column can be used to find newly discovered Reconciliation Inventory Items by, for instance, setting the filter properties to be Is Greater Than and a date that is before Discovery is done for a given month, such as the first day.



The screenshot shows a filter dialog box for the 'Discovery Date' column. The dialog has a title bar with 'Discovery Date' and a close button. Below the title bar, there is a section 'Show rows with value that' with a dropdown menu set to 'Is greater than'. Below this, there is a text input field containing '4/1/2018' and a calendar icon. Below the input field, there is a dropdown menu set to 'And'. Below this, there is another dropdown menu set to 'Is equal to'. Below the second dropdown, there is a text input field with the placeholder 'Enter date' and a calendar icon. At the bottom of the dialog, there are two buttons: 'Filter' and 'Clear Filter'.

Expression Rule Syntax

The fields for Prepare Rule and AutoRec Rule use the same expression syntax.

OneStream uses an ADO.NET data table calculated column to interpret expressions, so there is no OneStream parser logic involved. Choices from the Substitution Variable Selectors can be used to make these more dynamic. The expression evaluator supports the following operators and more:

- And, Not, In, Between, Like, Null, Or, Trim
- Open bracket '(' and close bracket ')'
- <, >, <=, >=, <>, =
- + (addition)
- - (subtraction)
- * (multiplication)
- / (division)
- % (modulus)
- Conditional 'if'
- Substring


Example:

`|BalanceChange| > 1000 And |BalanceLocal| = 0`

XFBR String Business Rules can also be used to determine the expression to be placed here at run time. For XFBR String rule syntax, refer to the Dashboard XFBRString section of the *Design and Reference Guide*.

Account Groups

Groups of Source Accounts can be reconciled collectively instead of individually. Each Account Group becomes a single reconciliation for the aggregate of the Source Accounts. Local Admins can only save new Account Groups if they assign an Access Group that they manage.



State	State Text	WF Profile	Recon Scenario	Group Name	Child Count	S.Account
Balance Changed		Houston.Import	ActualAR	GRPAPTrade	5	GRP - AP Trade
In Process		Houston.Import	ActualAR	GRPAPTrade	5	GRP - AP Trade
In Process		Houston.Import	ActualAR	Test	1	Machinery & Equipment
Balance Changed		Houston.Sales Detail	ActualAR	GRPMachineryEquipment	5	Prepaid
In Process		Houston.Sales Detail	ActualAR	GRPMachineryEquipment	5	Prepaid
Balance Changed		Clubs	ActualAR	GRPICHousCarls	2	GRP - IC Houston_Carlsbad

Single Currency Solutions

Account Groups should be created in a single currency because, by an Account Group's nature, the untranslated source data will be aggregated together for analysis. For example, if someone reconciles all the Fixed Asset accounts for USD, create an Account Group for each local currency to be reconciled and then add accounts to each of these from the Reconciliation Inventory.

Multi-currency Solutions

Account Groups may be created using any currencies included in the *Application Properties* and maintained in the FX Rates grid. The Account Group will be a single reconciliation for the translated aggregate of the Source Account, Local, and Reporting currencies. For example, if a company reconciles all intercompany accounts at a

Account Reconciliations

consolidated level and the Local currencies are different, a Multi-currency Account Group may be created to reconcile the related accounts in a single, consolidated currency.

First, each currency level is translated to the Account Group currency and then aggregated. When creating a new Multi-currency Account Group, both Account and Local currency must be selected for the group, as well as the MC Enabled option. After the Account and Local currencies are selected, Multi-currency Account Groups are reconciled the same as Single Currency, in that detail items are used to support the aggregate balance of all child reconciliations.

See [Multi-currency Account Groups](#).

When a reconciliation is added to an Account Group, it can no longer be prepared individually and can only be prepared at the group level. Therefore, the Prepare button is not visible for reconciliations that are part of an Account Group.

Child Reconciliations

Select one or more Account Groups to view the child reconciliations assigned to the groups.

Account Reconciliations

ADMINISTRATION - Groups (Houston, ActualAR, 2022M2)

Definition

Inventory

Groups

Tracking

BalCheck

AutoRec

Notifications

Drag a column header and drop it here to group by that column

☐	State	State Text	WF Profile	Recon Scenario	Account Group	Child Count	S.Account	T.Account	S.Entity	T.Entity
☐		In Process	Houston.Import	ActualAR	GRPAccruedPayroll	0	Accrued Payroll	21000 - Accrued Payroll	Houston	Houston
☐		Balance Changed	Houston.Import	ActualAR	GRPAPTrade	4	GRP - AP Trade	20000 - Trade Accounts Payable	Houston	Houston
☒		In Process	Houston.Import	ActualAR	GRPMachineryEquipment	4	GRP - Machinery & Equipment	16000 - Machinery & Equipment at cost	Houston	Houston
☒		In Process	Houston.Import	ActualAR	GRPPettyCash	2	Petty Cash	10000 - Petty Cash	Houston	Houston

Create

Edit

Delete

Import

Export

Template

Match Set

Child Reconciliations

Drag a column header and drop it here to group by that column

WF Profile	Recon Scenario	Account Group	S.Account	S.Account Desc.	T.Account	S.Entity	T.Entity	S.Flow	T.Flow	S.IC
Houston.Import	ActualAR	GRPMachineryEquipment	12340	Office Equip	16000 - Machinery & Equipment at cost	Heights	Houston Heights			
Houston.Import	ActualAR	GRPMachineryEquipment	12360	Shop Equipment	16000 - Machinery & Equipment at cost	Heights	Houston Heights			
Houston.Import	ActualAR	GRPMachineryEquipment	12340	Office Equip	16000 - Machinery & Equipment at cost	South	South Houston			
Houston.Import	ActualAR	GRPMachineryEquipment	12360	Shop Equipment	16000 - Machinery & Equipment at cost	South	South Houston			
Houston.Import	ActualAR	GRPPettyCash	11080	Petty Cash	10000 - Petty Cash	Heights	Houston Heights			
Houston.Import	ActualAR	GRPPettyCash	11080	Petty Cash	10000 - Petty Cash	South	South Houston			

After a Reconciliation Inventory item is assigned to an Account Group, it becomes a child reconciliation of the group. After adding the child to an Account Group, most of the child's attributes take on the values assigned for the Account Group. Additionally, if attributes are changed for an Account Group, the child reconciliations' attributes within the group will be updated to be in line with the Account Group attributes upon Save. This is helpful because detailed configuration of individual items is not necessary.

For example, if you change the Risk Level for an Account Group from Low to High, the risk level of the child reconciliations changes from Low to High.

Only these attributes are changed at the child reconciliation level:

- Account Currency
- BalCheck WF Profile

Account Reconciliations

NOTE: When you select (*Tracking Level*) for the BalCheck Level of an account group, the BalCheck WF Profile selection of the account group is ignored and will be used from the child reconciliation.

NOTE: The Administrator can change the account group from Multi-currency to single currency only if the child reconciliations of the group all use the same local currency.

These attributes, set at the group level, do not flow through to the child reconciliations:

- T Account
- S Account
- T Entity
- S Entity
- WF Profile
- Local Currency
- Account Currency
- BalCheck WF

Account Reconciliations

ADMINISTRATION - Groups (Clubs, ActualAR, 2022M3)							
Definition	Inventory	Groups	Tracking	BalCheck	AutoRec	Notifications	
Drag a column header and drop it here to group by that column							
	State	State Text	WF Profile	Recon Scenario	Group Name	Child Count	S.Account
	Balance Changed		Houston.Import	ActualAR	GRPAPTrade	5	GRP - AP Trade
	In Process		Houston.Import	ActualAR	GRPAPTrade	5	GRP - AP Trade
	In Process		Houston.Import	ActualAR	Test	1	Machinery & Equipment
	Balance Changed		Houston.Sales Detail	ActualAR	GRPMachineryEquipment	5	Prepaid
	In Process		Houston.Sales Detail	ActualAR	GRPMachineryEquipment	5	Prepaid
	Balance Changed		Clubs	ActualAR	GRPICHousCarls	2	GRP - IC Houston_Carlsbad
Create	Import	Export	Template				

State and State Text: Indicates state of Account Group.

WF Profile: Workflow Profile where this Account Group will be shown for reconciling. This can be either a Review level or Base Input Import-level Workflow Profile.

Recon Scenario: Defaults to the Recon Scenario set in Global Options.

Group Name: Account Group name set up by the Reconciliations Global Admin.

Child Count: Number of reconciliations assigned to the group.

T.Account: Target Account in the Cube. Choose this from the list. This will help filter results and guide the drill down process.

S.Account : Source Account. Indicate something that will notify the user as to what type of Account Group this will be.

T.Entity: Target Entity in the Cube. Specify an Entity, however the Entities to which this Account Group are applied are more related to the Source Accounts from the Reconciliation Inventory. Depending on the Reconciliation Inventory items added to this Account Group, there could be many target entities. This will help filter results and guide the drill down process

Account Reconciliations

S.Entity: Source Entity. Indicate something that will notify the user as to what type of entity this will be. The entities seen when preparing reconciliations are those related to the Workflow Profile.

Currency (Single Currency Solutions): Untranslated source Local currency data is aggregated in the Account Group, requiring it to be one currency. If needed, create a similar Account Group for each currency to be reconciled.

Account Currency (Multi-currency Solutions): Currency type for the Account level balance. Account balances for each Source Account within an Account Group will be translated to the Group's Account currency and then aggregated to the total Reconciliation Balance.

Local Currency (Multi-currency Solutions): Currency type for the Local level balance. Local balances for each Source Account within an Account Group will be translated to the Group's Local currency and then aggregated to the total Reconciliation Balance.

Reporting Currency (Multi-currency Solutions): Currency type for the Reporting level balance. This is not editable as it is derived from the Cube currency. Only a single Reporting currency is allowed per Cube.

Other attributes: See [Reconciliation Inventory Item Attributes](#). The attributes set at the Account Group level override what is set for the included Source Accounts. These attributes set at the group level do not flow through to the child reconciliations:

- T Account
- S Account
- T Entity
- S Entity
- WF Profile

Account Reconciliations

- Local Currency
- Account Currency
- BalCheck WF

NOTE: Changing an Account Group composition will change its status. If an Account is moved out of an Account Group, the Account Group's status is copied to the individual reconciliation.

Assign Account Groups to a Review-level Workflow Profile when a group of Accounts is being reconciled across many entities by several people. That Review Workflow Profile should be high enough in the Workflow Profile structure to encompass the required entities. The entities are included in Base Input Workflow Profiles and are dependents of this Review-level Workflow Profile.

Account Group Actions

For descriptions of the fields in the create, edit, and clone dialog boxes described below, see [Reconciliation Inventory Item Attributes](#).

You can perform the following actions on Account Groups:

Create: Create a new Account Group. Keep in mind:

- Group Name must be unique and cannot include special characters (including spaces).
- Local Admins can only see the Access Groups that they are members of.

Account Reconciliations

Create Account Group

Info

Group Name

Required

Yes

MC Enabled

No

Local Currency

USD

Account Currency

USD

Reconciling Currency Level

Local

*Workflow Profile

*T. Account

*S. Account (Display Name)

*T. Entity

None

*S. Entity (Display Name)

Role

*Preparer

(Unassigned)

*Approver 1

(Unassigned)

*Approver 2

(Unassigned)

*Approver 3

(Unassigned)

*Approver 4

(Unassigned)

*Access Group

(Unassigned)

Approval Levels

1

*Notification Method

(Unassigned)

Action

Risk Level

Low

Proper Sign

(Unassigned)

Unexplained Limit

0.000000000

Can Override Detail

No

Require Override Support

No

AutoRec Rule

(Unassigned)

Activity Limit

0.000000000

BalCheck Level

(Unassigned)

BalCheck WF

(Unassigned)

Allow Auto Pull Forward

No

Prepare Rule

Substitution Variable Selector:

[Balance]

Ctrl-C To Copy:

[Balance]

Other

Preparer Workday Due

0

Approver Workday Due

0

Frequency

1-12

Template

(Unassigned)

* Non Time-based Attribute (Applies to all Workflow Periods)

Create

Cancel

Clone: Clone the attributes of the selected Account Group to create a new group. Keep in mind:

- Group Name must be unique and cannot include special characters (including spaces).
- To assign an Access Group to an Account Group, you must be Local Admin of the selected Access Group.

Edit: Edit the attributes of the selected Account Group. Keep in mind:

- The Local Currency of a single currency Account Group must match the currency of the child reconciliations.

Account Reconciliations

- The Local Admin can only edit account groups if they are within part of the Access Group assigned to the Account Group.
- To assign an Access Group to an Account Group, you must be a Local Admin, RCM Admin, or a OneStream Admin. Local Admins can only assign the access groups that they are a part of.
- T. Account, S. Account, T. Entity, and S. Entity are assigned at the group level and are not time based. The child reconciliations do not take on these attributes.
- No changes are saved if errors are found.

IMPORTANT: When you edit Account Group attributes, you must select the check box above the attribute for the change to be applied when you click **Save** . The Save button only displays after a check box is selected.

Role	
☒ *Preparer	☐ *Approver 1
HoustonPreparer ▾	(Unassigned) ▾

Delete: Select one or more Account Groups to delete. Keep in mind:


- Local Admins can delete Account Groups that they are assigned to. RCM and OneStream Admins can delete any Account Group.
- Only Account Groups that have not been prepared in any period (current or prior) can be deleted.
- All child reconciliations must be removed from an Account Group before it can be deleted.

Account Reconciliations

Import: Select an Excel .xlsx file to import that contains Account Groups to merge changes or add new records. You must close this file before importing it. This button is not accessible to Local Admins.

Export: Exports all Account Groups as a CSV file that is opened in Excel and used to edit or update group information. To import these updates, the user must add a Named Range starting with the letters xft covering appropriate rows starting with the cell with the word Application in the top left cell. This file should then be saved in Excel .xlsx format. See [Templates](#) for more information. This button is not accessible to Local Admins.

	A	B	C	D	E
20					
21	Account Groups				
22					
23	Group Name [String]	WF Profile [Guid or !ProfileName]	Recon Scenario [Int32]	WF Period [Int32]	S.Account (Display Name) [String]
24					
25	Application				
26	XFW_RCM_Recon				
27	Merge				
28	xftText#:[GroupName]	xfGuid#:[Wfk]	xfInt#:[Wsk]	xfInt#:[Wtk]	xfText#:[Ac]
29	GRPPettyCash	!Houston.Import	!ActualAR	!2022M2	Petty Cash
30	GRPTtIAR	!Clubs	!ActualAR	!2022M2	GRP - Global AR
31	GRPICSHousMont	!Clubs	!ActualAR	!2022M2	GRP - IC SouthHouston_Montreal
32	GRPICHousCarls	!Clubs	!ActualAR	!2022M2	GRP - IC Houston_Carlsbad
33	GRPICHousMont	!Clubs	!ActualAR	!2022M2	GRP - IC Houston_Montreal
34	GRPMachineryEquipment	!Houston.Import	!ActualAR	!2022M2	GRP - Machinery & Equipment
35	MachineryEquipment1	!Houston.Import	!	!2022M2	Machinery & Equipment1
36	GRPAPTrade	!Houston.Import	!ActualAR	!2022M2	GRP - AP Trade
37	APTrade1	!Houston.Import	!	!2022M2	AP Trade1
38	GRPAccruedPayroll	!Houston.Import	!ActualAR	!2022M2	Accrued Payroll
39					



Template: Opens a pre-filled Excel Template to load Account Groups. Note that some field entries (such as WF Profile and Recon Scenario) must start with “!” because the import process replaces those text values with a long numeric key. The How To tab contains further instructions on using the template. This button is not accessible to Local Admins.

Account Reconciliations

	A	B	C	D	E	F	G	H	I
1	OneStream								
2									
3									
4	Account Groups								
5									
6	Group Name [String]	WF Profile [Guid or IProfileName]	Recon Scenario [Int32]	WF Period [Int32]	S.Account (Display Name) [String]	T.Account [String]	S.Entity (Display Name) [String]	T.Entity [String]	Local Currency [String]
11									
12	YourGroupName	YourWFProfile			SourceAccountName	ValidTargetAccount	SourceEntityName	ValidTargetEntity	USD
13									
14									
15									
16									
17									
18	(Insert new rows between the blue bars)								
19									

Access: Edit the access group for the selected Account Group.

Match Set: Manage the assigned match sets for the selected account group.

Tracking

Tracking Levels											
Name	Entity Active	Flow Active	IC Active	UD1 Active	UD2 Active	UD3 Active	UD4 Active	UD5 Active	UD6 Active	UD7 Active	UD8 Active
(Entity)	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Entity Flow	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐

This determines the granularity of reconciliations. The default entry is (*Entity*) which means each reconciliation will be done by entity and then account. There may be instances where dimensions need to be added to this combination. For example, an account such as Property, Plant and Equipment needs to be reconciled by Entity and Account, but also by the Flow dimension. The more dimensions you include will result in more reconciliations. Adding entries here allows for assignment later in the *Reconciliation Definition* screen. This page cannot be accessed by Local Admins.

IMPORTANT: If you plan to assign Tracking Levels to *Reconciliation Definitions*, do so before clicking the **Discover** button for the first time. After you run Discover, the records are added to the Inventory and cannot be removed.

BalCheck

This determines the reconciliation's balance check granularity. Balance check levels can be created for any single dimension or combination of dimensions. This allows balances being pulled from a single source file to be split to the corresponding reconciliations at the same granularity of detail as provided within Tracking Levels or BalCheck Levels, whichever is more granular. These levels are used to populate the BalCheck Level within the Inventory. Any dimensions included that are not part of the Tracking Level will be used to sum the Balance Check items. This page is not accessible by Local Admins.

Balance Check Levels																	
Name	T. Entity	S. Entity	T. Account	S. Account	T. Flow	S. Flow	T. IC	S. IC	T. UD1	S. UD1	T. UD2	S. UD2	T. UD3	S. UD3	T. UD4	S. UD4	T. UD5
All Entities & Accounts	☒	☒	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
S. Account	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
S. Entity	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
S. Entity & S. Account	☐	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
S. Entity & T. Account	☐	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
T. Account	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
T. Entity	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
T. Entity & S. Account	☒	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
T. Entity & T. Account	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

There are several types of Balance Checks that are pre-populated within the solution:

- **All Entities & Accounts:** As long as the Transformation Rules assigned pass their test, then there is included functionality to pull that Balance Check figure into the Reconciliation as an Explanation.
- **S.Account:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the Source Account of the selected Reconciliation that is referencing the Balance Check workflow stage data.
- **S.Entity:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the Source Entity of the selected Reconciliation that is referencing the Balance Check workflow stage data.

- **S.Entity & S.Account:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the combination of Source Entity and Source Account of the selected Reconciliation that is referencing the Balance Check workflow stage data.
- **S.Entity & T.Account:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the combination of Source Entity and Target Account of the selected Reconciliation that is referencing the Balance Check workflow stage data.
- **T.Account:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the Target Account of the selected Reconciliation that is referencing the Balance Check workflow stage data.
- **T.Entity:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the Target Entity of the selected Reconciliation that is referencing the Balance Check workflow stage data.
- **T.Entity & S.Account:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the combination of Target Entity and Source Account of the selected Reconciliation that is referencing the Balance Check workflow stage data.
- **T.Entity & T.Account:** Works by filtering the Balance Check items loaded to the Stage to just the values that match the combination of Target Entity and Target Account of the selected Reconciliation that is referencing the Balance Check workflow stage data.

AutoRec

AutoRec rules can be created and maintained by Reconciliation Global Admins and OneStream Admins. If an option is selected, that qualifier will allow for a reconciliation to automatically be reconciled. When creating new rules, selecting multiple item type criteria within one rule will permit any of the selected items to enable a reconciliation to automatically reconcile. If Zero Balance and Activity are both selected, both criteria must be satisfied to automatically reconcile. This page is also used to create an Expression and name the Expression on the AutoRec page. Changing the Expression on this page updates the rule throughout the Reconciliation Inventory if it is applied to multiple reconciliations. This page is not accessible by Local Admins.

To use AutoRec rules, at least one of the following criteria must be met:

- Zero Balance check box is selected.
- Activity check box is selected.
- Expression is included in the text box.

IMPORTANT: If an AutoRec rule is used to Prepare or Fully Approve a reconciliation, it cannot be modified or deleted.

ADMINISTRATION - AutoRec Rules (Clubs, ActualAR, 2022M1)

Definition

Inventory

Groups

Tracking

BalCheck

AutoRec

Notifications

Substitution Variable Selector:

[Balance]

Ctrl-C To Copy:

[Balance]

AutoRec Rules

Prepare Only	Name	B-Items	I-Items	S-Items	X-Items	Pulled Items	Zero Balance	Activity	Expression
☐	Balance Check Only	☒	☐	☐	☐	☐	☐	☐	[UnexplainedBalance] > -1 and [Unexpl
☐	Immaterial Balance	☐	☐	☐	☐	☐	☐	☐	[Balance]<3000 and [Balance]>-3000
☐	Immaterial I Item	☐	☒	☐	☐	☐	☐	☐	[Balance]<100 and [Balance]>-100
☐	Prepaid Amortization	☐	☐	☒	☐	☐	☐	☐	[UnexplainedBalance] =0
☐	Pulled Items and No Activity	☐	☐	☐	☐	☒	☐	☒	[UnexplainedBalance] =0
☐	Transaction Matching Items Check	☐	☐	☐	☒	☐	☐	☐	[UnexplainedBalance] > -1 and [Unexpl
☐	Zero Balance No Activity Low Risk	☐	☐	☐	☐	☐	☒	☒	[RiskLevel] = 10

- **Prepare Only:** If selected, the reconciliation is auto reconciled to the Prepared status (Auto Prepared). The reconciliation still requires approval. If not selected, the reconciliation is auto reconciled to the Fully Approved status (Auto Fully Approved). The reconciliation will not require any approvals.
- **B-Items:** (Balance Items) Balance Check items allow a reconciliation to auto reconcile if they agree to the reconciling currency balance. For Balance Check reconciliations, if only Balance Items should be allowed for AutoRec, only this option should be selected, and the rule created should be applied to reconciliations that have a BalCheck Level.
- **I-Items:** Individually created items created in the *current* period will allow for AutoRec if the aggregate of the items agrees to the reconciling currency balance.
- **S-Items:** Multi-period templates that support and agree to the reconciling currency balance allow a reconciliation to automatically reconcile. The booked period for the S-Item must be *prior* to the current period. If S-Items are created in the current period, auto reconciliation is prohibited.
- **X-Items:** Items created from Transaction Matching transactions allow a reconciliation to auto reconcile. (X-Items are used with integrated solutions only.)
- **Pulled Items:** Detail items pulled from the prior period will allow AutoRec. This logic will apply to all Detail T-Items and I-Items. If Allow Auto Pull Forward is set to Yes, Pulled Items must be selected for the AutoRec Rule to run successfully. See [Reconciliation Inventory](#).
- **Zero Balance:** Will auto reconcile all reconciliations with a zero balance (for the reconciling currency, if Multi-currency is enabled).

- **Activity:** Will auto reconcile if reconciliation activity for the reconciling currency has not changed or if the activity for the reconciliation is within the *Activity Limit* threshold established in the *Reconciliation Inventory*.
- **Expression:** This is a text box that allows for user defined text. Rule logic can include any item from the *Substitution Variable Selector* above the property grid.

Example:

|BalanceAccount| < 1000 and |RiskLevel| = 'Low'


To clarify, if an item type is selected, a reconciliation can automatically reconcile if that item type exists. If the item type is not selected and it exists within the reconciliation, the reconciliation will not automatically reconcile. If a qualifier (Zero Balance, Activity, or Expression) is selected, all of the selected criteria must be met in order to automatically reconcile. For example, if Zero Balance is selected and an Expression exists, the reconciliation must have a balance of zero **and** meet the Expression criteria.

IMPORTANT: AutoRec rules cannot be run for Account Groups until FX rates have been entered for the period. This is because the source currencies need to translate to the Account Group currencies before reconciliation, and thereby automatic reconciliations can take place.


Auto-prepared and Auto-approved Reconciliation States

These diagrams show how auto-prepared and auto-approved reconciliations move between states.

Auto-prepared reconciliations follow this flow:



Fully approved auto reconciliations follow this flow:



Notifications

You can send email notifications to users when a reconciliation:

- Changes state such as when it gets prepared, rejected, or approved.
- Is approaching its Preparer or Approver due date.
- Is past its Preparer or Approver due date.

ADMINISTRATION (Clubs, ActualAR, 2022M1)										
Definition	Inventory	Groups	Tracking	BalCheck	AutoRec	Notifications				
+ - ↺ ↻ ⌂ 🗑️ 📄 Defer Refresh ↺										
Notification Methods										
☐ Name	Prepared	Auto Prepared	Rejected	Approved	Unapproved	Comment	Balance Changed	Preparer Warning	Preparer Warning Days	Preparer Past Due
☐ Access Group Only	Access Group	Access Group	Access Group	Access Group	Access Group	Access Group	Access Group	Primary		5 Primary
☐ Accruals	All	None	All	All	All	None	All	Access Group		2 Access Group
☐ All Notifications	All	None	All	All	All	All	All	All		3 All
☐ Comment Primary	None	None	None	None	None	Primary	None	None		0 None

To set up users in access groups to receive notifications:

1. Set up as recipients on the **Notifications** tab as described below.
2. Select the **Notify** check box for the user in Access Control. See [Access Groups \(Editor\)](#).

Notification Methods

RCM and OneStream Administrators can set up which users get notified about reconciliation state changes.

NOTE: Only RCM and OneStream Administrators can create and edit notification methods. Local Admins cannot access the Notifications page but can apply notification methods to reconciliations that they are assigned to.

To create a new notification method:

1. Click **+** and enter a name for the new method in the **Name** column. Names must be unique and cannot contain special characters.

NOTE: The first six columns notify you of state changes that have already occurred. The Preparer and Approver columns are for pending reconciliations that are nearing or past their due date.

- **Prepared:** Email is sent to the assigned Primary Approver 1 and Assigned Approvers 1 in Access Group.
- **Auto Prepared:** Email is sent to the assigned Primary Approver 1 and Assigned Approvers 1 in Access Group.
- **Rejected:** Email is sent to the assigned Primary Preparer and assigned Preparers in Access Group.
- **Approved:** Email is sent to the next assigned Approver (Primary Approver 2-4 and Approvers 2-4 in Access Group). If there is only one level of approval, then no additional notification is sent.
- **Unapproved:** Email is sent to the next assigned Approver (Primary Approver 1-4 and Approvers 1-4 in Access Group).
- **Comment:** Email is sent to all assigned roles.
- **Balance Changed:** Email is sent to the assigned Primary Preparer and assigned Preparers in Access Group.
- **Preparer Warning:** Email is sent to notify that the reconciliation is approaching the Preparer due date.

- **Preparer Warning Days:** Enter the number of days (absolute value) before the Preparer due date that you want recipients to start receiving email notifications. For example, if you enter 5 days and the Preparer due date is 6/10/22, recipients would start receiving warning emails on 6/5/22 and stop receiving warning emails on 6/10/22.
- **Preparer Past Due:** Email is sent to notify that the reconciliation is past the Preparer due date.
- **Preparer Past Due Days:** Enter the number of days (absolute value) after the Preparer due date you want the recipients to stop receiving email notifications. For example, if you enter 5 days and the Preparer due date was 6/10/22, the recipients would start receiving past due emails on 6/10/22 and stop receiving past due emails on 6/15/22.
- **Approver Warning:** Email is sent to notify that the reconciliation is approaching the Approver due date.
- **Approver Warning Days:** Enter the number of days (absolute value) before the Approver due date you want recipients to start receiving email notifications.
- **Approver Past Due:** Email is sent to notify that the reconciliation is past the Approver due date.
- **Approver Past Due Days:** Enter the number of days (absolute value) after the Approver due date you want recipients to stop receiving email notifications.

NOTE: For multiple levels of approval, all approvers (Approver 1-4) get notifications until the reconciliation is fully approved. For example, if a

reconciliation is approved at level one but not at level 4, approvers continue to get notifications.

2. For each type of notification, select who gets notified:

- **All:** Notifications are sent to the applicable role for the primary and assigned to that role within the access group. For example, if the notification is for preparers it will go to anyone who is a primary preparer and a preparer assigned within the access group.
- **None:** No notifications are sent.
- **Primary:** Notifications are sent to users who are directly assigned as primaries on the reconciliation.
- **Access Group:** Notifications sent to users in the access group.

Task Scheduler

In Task Scheduler under Reconciliation Manager, a new task ProcessNotifications_RCM is added which is used to run the notification methods setup in Account Reconciliations. An administrator should only need to set up the Task Scheduler job once, and then any edits would be done on the Notification Methods tab.

Security

Security in Account Reconciliations is split into:

- Design
 - Reconciliations Global Admin vs. OneStream Admin vs. Local Admin
 - Workflow Profile Security

- Access Groups and Reconciliation Inventory Security
- Runtime
 - Workflow and Reconciliation Filtering
 - Roles
 - Segregation of Duties
- Dashboard Security

Reconciliations Global Admin, OneStreamAdmin and Local Admin Permissions

There is a difference in permissions granted to the Reconciliations Global Admin, OneStream Administrator and a Local Admin both from a configuration and end user standpoint.

Reconciliations Global Admin and OneStream Admin Permissions

Within Account Reconciliations Settings and Reconciliation Administration pages, any user in the *Security Role [Manage Recon Setup]* user group can change anything. This includes changing any Reconciliation Definition, Reconciliation Inventory, Account Groups, AutoRec, BalCheck, Mass Update, Tracking Levels and running *Discover* and *Process Reconciliations* from a Review-level Workflow Profile. This includes creating Access Groups and assigning the *Local Admin* flag to one or more members who can then continue managing related Reconciliation Inventory items and Account Groups.

On the *Reconciliations* page, these users can step in to prepare, approve, comment or view any reconciliation. These same rights apply to any OneStream System Administrator (anyone in the *Administrators Security Group*).

Account Reconciliations

The Reconciliations Global Admin applies Access Groups to any Account Groups and newly discovered Reconciliation Inventory Items. By doing so, if the Access Group has at least one member that is marked as a Local Admin, they are making these items visible and editable by these Local Admins. If the Reconciliations Global Admin wishes the Local Admin to assign Reconciliation Inventory Items to Account Groups, they must first assign an Access Group to each Account Group and Reconciliation Inventory Item in order for these to be visible to the Local Admin. However, a Local Admin is able to create their own Account Groups if they assign a valid Access Group to it that is an Access Group that they manage.

Local Admin Permissions

An Account Reconciliations user becomes a Local Admin when the Reconciliations Global Admin assigns them to an Access Group with the *Local Admin* flag designation and then assigns that Access Group to Reconciliation Inventory Items or Account Groups.

The Local Admin has certain abilities that are shared with a Reconciliations Global Admin, but which are limited in these areas:

Account Groups

- Can create, view and edit only those Account Groups which an Access Group is assigned which they manage as Local Admin.
- Cannot delete, export or import Account Groups or use the Account Group Template.

Account Reconciliations

Administration

- Can navigate to the Reconciliation Administration page.
- Cannot see the Account Reconciliations Settings icon, which prevents them from making any changes to *Reconciliation Definitions*, *Tracking Levels* or seeing the *Settings* page to make changes, such as *Global Options*, *Control Lists* or *Certifications*. They cannot run *Discover*.

Reconciliation Inventory Items

- Can view, edit and delete Reconciliation Inventory Items where the Access Group property is set to one that they manage. Can assign Reconciliation Inventory Items to Account Groups and other Access Groups that they manage.
- Cannot change the properties of any Reconciliation Inventory Item that they do not manage either manually or through the Reconciliation Inventory page or Mass Updates. Cannot assign a Reconciliation Inventory Item or Account Group to an Access Group they do not manage or to (Unassigned). Cannot assign a Reconciliation Inventory Item to an Account Group they do not manage or assign to (No Group) once already assigned to an Account Group.

Reconciliation Inventory Mass Update

- Can perform Mass Updates to Reconciliation Inventory Items they manage.
- Cannot assign a Reconciliation Inventory Item to an Access Group they do not manage or to (Unassigned). Cannot assign a Reconciliation Inventory Item to an Account Group they do not manage or assign to (No Group) once already assigned to an Account Group.

Account Reconciliations

Access Groups

- Can create, modify and delete the members of the Access Groups that they manage.
- Cannot create, delete, export, import or perform Mass Updates on Access Groups. Cannot change the Local Admin property on any Access Group user or create new Access Group members of the type Local Admin. They cannot delete their own record.

Preparer and Approver Workflow page

- Can perform activities in the *Preparer* and *Approver Workflow* page as any end user would, restricted to their assigned Access Group Role.
- Cannot click the *Process Reconciliations* button on Review-level Workflow Profiles, which is reserved for the Reconciliations Global Admin.

Analysis and Reporting page

- Can review any report with the same filters applied to any end user, yet the Reconciliation Access Groups Report will be filtered to only the Access Groups they manage.

Workflow Profile Security

The primary access to reconciliations rests in access to the related Workflow Profiles. If a user is only present in an Access Group in the Workflow Profile, they may be able to see certain reconciliations. Only Account Reconciliations Administrators can Complete a Workflow Profile.

Access Groups and Reconciliation Inventory Security

Once a user has access to enter the Account Reconciliations interface via the Workflow Profile, they now have a chance to see certain Reconciliations due to their inclusion in an Access Group that is assigned to each Reconciliation Inventory Item or Account Group. Visibility is granted by assigning these Access Groups to Reconciliation Inventory Items.

Workflow and Reconciliation Filtering

The Workflow Profiles that the user can see is directly related to whether they are in the Access Group of a given Workflow Profile.

The Reconciliations that the user can see is directly related to this user's inclusion in an Account Reconciliations Access Group or if they are in a User Group that is assigned to the *Security Role [Recon View Only]* option under *Global Options*. The Reconciliation Inventory Items and Reconciliation Inventory Account Groups the user sees when entering a Workflow Profile is directly related to the Workflow Profile listed on each as assigned during design under the *Reconciliation Inventory*.

Roles

The following tables describe the assigned roles and the actions that can be performed at different stages in the Account Reconciliations workflow. All permissions are allocated to the individual who has completed the action. The user that prepared a reconciliation is not necessarily the assigned Preparer. Also, if Approver 2 approved at approval level 1, their rights would be viewed as the reconciliation being in the Fully Approved state, because they have already signed off on the reconciliation.

Account Reconciliations

Assigned Role: Preparer

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
View	View Reconciliation	X	X	X	X
Comment	Add Comments	X			
	Edit Their Own Comments	X			
	Copy Any Comments	X			
	Pull Forward Their Own Comments	X			
	Delete Their Own Comments	X			
Actions	Prepare	X			
	Recall		X		
	Reject				
	Approve				
	Unapprove				
Edit	Reconciliation Attributes				
	Access Groups				
	FX Rates				

Account Reconciliations

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
Run	Process	X			
	Discover				

Assigned Role: Auditor

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
View	View Reconciliation				X
Comment	Add Comments				X
	Edit Their Own Comments				X
	Copy Any Comments				
	Pull Forward Their Own Comments				
	Delete Their Own Comments				X

Account Reconciliations

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
Actions	Prepare				
	Recall				
	Reject				
	Approve				
	Unapprove				
Edit	Reconciliation Attributes				
	Access Groups				
	FX Rates				
Run	Process				
	Discover				

Assigned Roles: Approvers 1-4

Once an approver has signed off on a reconciliation that is in Partially Approved state, they can no longer edit their own comments. Only approvers at the current level of approval and higher can edit their own comments.

Only approvers at the highest level of approval for a reconciliation or above can reject or unapprove. For example, if there are 3 levels of approval, both Approver 3 and Approver 4 could reject or unapprove a reconciliation in the Fully Approved state.

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
View	View Reconciliation	X	X	X	X

Account Reconciliations

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
Comment	Add Comments	X	X	X	
	Edit Their Own Comments	X	X	X	
	Copy Any Comments	X	X	X	
	Pull Forward Their Own Comments	X	X	X	
	Delete Their Own Comments	X	X	X	
Actions	Prepare	X			
	Recall		X		
	Reject		X	X	X
	Approve		X	X	
	Unapprove			X	X
Edit	Reconciliation Attributes				
	Access Groups				
	FX Rates				
Run	Process	X			
	Discover				

Account Reconciliations

Assigned Role: Commenter

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
View	View Reconciliation	X	X	X	X
Comment	Add Comments	X	X	X	X
	Edit Their Own Comments	X	X	X	X
	Copy Any Comments				
	Pull Forward Their Own Comments				
	Delete Their Own Comments	X	X	X	X
Actions	Prepare				
	Recall				
	Reject				
	Approve				
	Unapprove				
Edit	Reconciliation Attributes				
	Access Groups				
	FX Rates				

Account Reconciliations

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
Run	Process	X			
	Discover				

Assigned Roles: Reconciliations Global Administrator and OneStream Administrator

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
View	View Reconciliation	X	X	X	X
Comment	Add Comments	X	X	X	X
	Edit Their Own Comments	X	X	X	X
	Copy Any Comments	X	X	X	X
	Pull Forward Their Own Comments	X	X	X	X
	Delete Their Own Comments	X	X	X	X
	Delete Any Comments	X			

Account Reconciliations

Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
Actions	Prepare	X			
	Recall		X		
	Reject		X	X	X
	Approve		X	X	
	Unapprove			X	X
Edit	Reconciliation Attributes	X			
	Access Groups	X			
	FX Rates	Only OneStream Admin			
Run	Process	X			
	Discover	X			
	Full Uninstall	Only OneStream Admin			
	UI Uninstall	Only OneStream Admin			

Assigned Roles: Local Administrator and Viewer

Local Admins can only edit the attributes of reconciliations for which they are assigned the role of Local Admin in the Access Group.

Account Reconciliations


Actions		Reconciliation State			
		In Process	Prepared	Partially Approved	Fully Approved
View	View Reconciliation	X	X	X	X
Comment	Add Comments				
	Edit Their Own Comments				
	Copy Any Comments				
	Pull Forward Their Own Comments				
	Delete Their Own Comments				
Actions	Prepare				
	Recall				
	Reject				
	Approve				
	Unapprove				
Edit	Reconciliation Attributes	Only Local Admin			
	Access Groups				
	FX Rates				
Run	Process	X			
	Discover				

Segregation of Duties

Account Reconciliations honors strict Segregation of Duties. You may not perform more than one security role on a reconciliation in a specific time period. For example, if you act as a Preparer for a reconciliation, you cannot perform any level of approval for the same reconciliation. If you approve a reconciliation at Level 1, you cannot approve at any higher level. After you change the state of a reconciliation in a given month, you cannot move that reconciliation forward in the process beyond that point.

An Approver 2 or above can unapprove a reconciliation more than once. You can always send a reconciliation back down the chain of approval as long as you have the assigned role or higher to do so. But if you have already moved it up the approval chain you cannot move it forward again.

Sample Segregation of Duties error message:



Dashboard Security

Default Maintenance Group security on the Account Reconciliations Dashboard Maintenance Unit is set to Administrators. This should remain at Administrators or another restrictive User Group to prevent unauthorized access.

Using Account Reconciliations

Typically, you start the reconciliation process by importing the current month's general ledger data into the Actual scenario in OneStream ("Actuals"). Then you can prepare reconciliations.

Click  to open the *Reconciliations* page.

Workflow Actions

Process

This is the first step that you take when working with reconciliations. Click **Process** to update balances for all reconciliations. The Process action has certain requirements to run and has different behavior based on the type of workflow profile association:

- **Base Input Workflow Profile** (used to load data): Anyone included in the access group of the workflow profile can click this button to retrieve and update the balances of this workflow profile's reconciliations. You cannot proceed with the reconciliation until Process Reconciliations is finished.
- **Review level Workflow Profile** (reviews data and makes no inputs): Anyone in the Security Role (Manage Reconciliation Setup) user group under Account Reconciliations Global Options can click this button.

Account Reconciliations

Click the Task Activity icon  to show the Process Reconciliations process results:

Task Activity				
   % ☐ Show Tasks for all Users 				
	Task Type	Description	Duration	Task Status
	 Data Management	WP#Clubs:S#Actual:T#2022M3 - Reconciliation Mass Action	0.00:00:00.390	Completed
	 Data Management	Calculate Nominal Scenarios	0.00:00:00.314	Completed
	 Process Cube	Cb#GolfStream:E#Clubs:S#Actual:T#2022M3 (Multiple Data	0.00:00:13.783	Completed

NOTE: When Process Reconciliations is complete, view updated balances by clicking **Show Reconciliations Page**  .

IMPORTANT: If you run Process in a prior period, you need to run Process in all periods from that period to the current period to ensure the balance activity is updated. For example, if you run Process in M3 and then M2, you need to run Process again in M3 to ensure the balance activity is updated for M3.

FX Translation Warning (Multi-currency Implementations)

You can create detail items before entering FX Rates. This allows you to prepare reconciliations before the close of the period and possibly before the availability of FX Rates. Create a detail item by entering the value and selecting the currency type. If not specified, the detail item currency type defaults to the account currency type. However, the values for Account, Local, and Reporting display as zero (unless the translation is one to one) after saving. Additionally, if OneStream is used to translate either Account or Reporting reconciliation balances from Local, these balances display as zero until FX Rates are entered. The following warning symbols may display:

Account Reconciliations

- **Red FX:** FX Rates are not entered for the period.
- **Yellow FX:** FX Rates are missing. Hover over the icon to view the missing rates.
- **Yellow FX!:** FX Rates are updated, but a Process is necessary.

If necessary, the administrator must run Process to translate all reconciliation balances and detail items for the entire Reconciliation Inventory. An administrator running Process within any reconciliation meets this requirement.

NOTE: It is strongly recommended that an administrator run Process after entering FX Rates. This ensures that all balances are translated and consistent throughout the solution.

If an administrator enters the FX Rates and does not run Process, end users can still see translated Account and Reporting balances and translated values for detail items, but translation is only performed on reconciliations to which they have access.


All Audit

Only the administrator or users in the Security Role (Manage Reconciliation Setup) user group can run this option. When you click **All Audit**, a Data Management Sequence called CreateAuditPackage_RCM runs. It generates and exports all reconciliation audit packages for the current workflow view.

This creates multiple compressed folders under a single folder that each contain a reconciliation report and supporting file attachments, as well as a consolidated reconciliation report for all reconciliations.

This Data Management Sequence places its output under the OneStream File Share under Applications/<APPLICATIONNAME>/DataManagement/Export/ as shown here:

Account Reconciliations



Complete Workflow

If you have the appropriate security level and all reconciliations are approved, you can click **Complete WF**. If you later need to set the workflow in process, you can click **Revert Workflow**.

Reconciliations Page

On the **Reconciliations** page, you can:

- View and filter the list of reconciliations. The list can be filtered by target account, role, preparation status, and other categories.
- View statistics for the filtered list of reconciliations including percent complete, number rejected, and number fully approved.
- Reorder columns and search the list of reconciliations.
- View and update reconciliation details, including properties, comments, supporting documents, and so on.
- Perform actions such as Prepare or Approve for single or multiple reconciliations.

Filters

You can use filters to limit the content in the reconciliation grid. The filters can be used together to create a list of reconciliations that are specific to the circumstances you want to view. For example, you can filter to see in process reconciliations that are past due for a specific target account.

Role: Select a role to filter the list of reconciliations:

- **Administrator:** All reconciliations regardless of assigned role.
- **Any User Role:** Reconciliations where you are assigned as a Commenter, Viewer, Primary Preparer, Primary Approver, Preparer, or Approver via an access group.
- **Primary Preparer:** Reconciliations where you are assigned as Primary Preparer on the Reconciliation Inventory.
- **Primary Approver:** Reconciliations where you are assigned as Primary Approver on the Reconciliation Inventory.
- **Primary Preparer/Approver:** Reconciliations where you are assigned as Primary Preparer or Primary Approver on the Reconciliation Inventory.
- **AG Preparer:** Reconciliations where you are assigned as Preparer via an Access Group.
- **AG Approver:** Reconciliations where you are assigned as Approver via an Access Group.
- **AG Preparer/Approver:** Reconciliations where you are assigned as Preparer or Approver via an Access Group.
- **Any Preparer/Approver:** Reconciliations where you are assigned as Primary Preparer or Approver on the Reconciliation Inventory or a Preparer or Approver from an

Account Reconciliations

Access Group.

- **Viewer:** Reconciliations where you are assigned as Viewer. You can view reconciliations in any state such as In Process, Prepared, and Fully Approved.
- **Commenter:** Reconciliations where you are assigned as Commenter.
- **Auditor:** This option only displays for a user in the Auditor role.

The default role is *Administrator* for Admins and *Any User Role* for other users. To set a different default role, change the value of the *SelectedFilterBarRole_RCM* parameter under *Dashboards*.

NOTE: If you change the default role, you must reset the parameter value when you upgrade Account Reconciliations because the upgrade sets the default role back to *Preparer*.

T. Account: List of target accounts for reconciliations assigned to the workflow profile. Target accounts are defined in the reconciliation definition. Select **All** or select a target account.

State: Select **All** or select one or more state options.

- **In Process:** Reconciliations that are not yet prepared.
- **Prepared:** Reconciliations in a prepared state. Does not include reconciliations that are partially or fully approved but were previously in the Prepared state. This does not include auto prepared.
- **Partially Approved:** Reconciliations that have at least one level of approval and require additional approvals.

Account Reconciliations

- **Fully Approved:** Reconciliations that have received all manual approvals. This does not include auto approved.
- **Rejected:** Reconciliations that have been rejected by the approver.
- **Balance Changed:** Reconciliations where the balance was changed.
- **Auto Prepared:** Reconciliations that were auto prepared.
- **Auto Approved:** Reconciliations that were auto approved.

Miscellaneous: Select **None** or select one or more options.

- **Failed Auto Rec:** Reconciliations that did not meet the auto reconciliation rules applied in the inventory.
- **Frequency Changed:** Frequency for the reconciliation was changed in the workflow period. Reconciliations with this status are hidden by default and not included in the total. Use this filter to see these reconciliations.
- **High Risk:** Marked as high risk in the inventory.
- **Improper Sign:** Balances for the period are not aligned with the sign as set in the reconciliation inventory.
- **Past Due:** Past due date or were completed after the due date.

Status Bar

The status bar displays statistics for the reconciliations displayed in the grid. When you change filter selections, the status bar refreshes to show the statistics for the updated list.

Total: 206	In Process: 185	Prepared: 0
% Done: 8 %	Balance Changed: 5	Partially Approved: 0
	Rejected: 0	Fully Approved: 16

Account Reconciliations

Total: The total number of reconciliations displayed in the grid and that are to be completed for the period.

Percent Done: The percentage of reconciliations that have been fully approved or were auto approved . Only reconciliations currently displayed in the grid are used to generate this number. If you change filters to change the reconciliations list, this number changes accordingly.

In Process: Number of reconciliations that are in process.

Balance Changed: Number of reconciliations that were loaded in one state, but the balance changed either after it was marked *Prepared* or while the item was set to *In Process*.

NOTE: The reconciliation balance for RCM is based on the source value loaded. Although the source value may be transformed to flip signs for consolidation purposes, the flip sign will not apply in RCM. Therefore, this will not cause a Balance Changed status.


Rejected: Number of reconciliations rejected by an approver.

Prepared: Number of reconciliations prepared by a preparer or auto prepared, where not yet approved.

Partially Approved : Number of reconciliations that have received some level of approval, but not all.

Fully Approved: Number of reconciliations that have received all approvals, including auto approved reconciliations.

This diagram shows how reconciliations move from state to state:



Grid Columns

To show, hide, and order columns in the grid, right click on the grid and select **Column Settings**. Move columns between the Hidden and Visible columns using the left and right arrow buttons. Order the columns by moving them up or down the **Visible Columns** list. You can also drag and drop column headers within the grid. Rearranged column order is retained when you change to a different page or window.

The grid columns are determined by the reconciliation inventory. In addition to the columns from the reconciliation inventory, these columns also display. See [Reconciliation Inventory](#).

State and State Text: Displays reconciliation states:

- In Process
- Balance Changed
- Rejected
- Prepared
- Partially Approved
- Fully Approved
- Auto Prepared
- Auto -Approved

Tracking Detail: Additional dimensional detail if tracking levels are set beyond entity and account.

Multi-currency Solutions: If Multi-currency is enabled, all three currency levels are displayed on the grid for the entire reconciliation inventory, including single currency reconciliations. You can sort by currency type for any of the currency levels.

Account Reconciliations

AutoRec Rule: Assigned AutoRec rule or, if the reconciliation does not have one, (Unassigned).

Type: Account type such as Asset.

Preparer Due Date: Due date the preparer needs to prepare the reconciliation by. Calculated off of the close date and Preparer Workday Due set up in the Inventory Page.

Preparer Due-In: Number of days if the due date minus today's date is a positive number. This is based on the Preparer Due Date.

Preparer Past Due: Number of days if today's date minus the due date is a positive number. This is based on the Preparer Due Date.

Approver Due Date : Due date the approver needs to approve the reconciliation by. Calculated off of the close date and the Approver Workday Due set up in the Inventory Page.

Approver Due-In: Number of days if the due date minus today's date is a positive number. This is based on the Approver Due Date.

Approver Past Due: Number of days if today's date minus the due date is a positive number. This is based on the Approver Due Date.

Process User : Last user to run Process.

Process Time: Last time Process was run that checks for a balance change even if the reconciliation was previously fully approved.

Update User: The user who last took action on the reconciliation.

Update Date: The date and time the last user took action on the reconciliation.

Approval Level: Displays the current approval level of the reconciliation.

Balance: Balance for the selected reconciliation.

Currency Type: Currency type, such as EUR or USD.

Account Reconciliations

Explained: The amount of balance explained.

Unexplained: Amount of the balance not yet explained.

Activity: Calculates to the prior reconciliation period, not the last period based on the reconciliation frequency.

NOTE: Multi-currency implementations display Balance, Currency Type, Explained, Unexplained, and Activity for all three currency levels.

Reconciliation Workspace

When you select a reconciliation from the list, details display below the list.

IMPORTANT: Unless otherwise noted, fields are editable for the current booked period.

Detail Items

This is a grid of explanations of reconciliations.

O (Multi-currency Solutions): Identifies which translated currency levels were overridden for the detail item.

- **A:** Individual or group account currency value is overridden.
- **A*:** Group and child account currency values are overridden.
- **L:** Individual or group local currency value is overridden.
- **L*:** Group and child local currency values are overridden.
- **R:** Reporting currency value is overridden.

NOTE: You can filter on column “O” to show only detail items with overrides.

Account Reconciliations

R Identifies the type of reconciliation detail item.

- **S:** Item imported via a multi-period template as a schedule.
- **I:** Individually explained detail item.
- **T:** The item was imported via a template.
- **B:** The explanation is for a balance check reconciliation. The value is pulled from the related workflow profile that loaded and checked the detail with transformation rules.
- **X:** The item was created from Transaction Matching. Used with integrated solutions only.

NOTE: After B-Items and X-Items are created, Item Type, Item Name, Reference 1 and Reference 2 cannot be changed. Only the Item Comment field can be edited. A new detail item must be created if the Preparer wants to modify an imported item.

Amount: The amount explained.

Currency (Multi-currency Solutions): Currency type for the explained amount.

Account (Multi-currency Solutions): Account currency explained amount.

For existing detail items, if you update the Account currency or (for account group reconciliations) Local currency attributes and the associated reconciliation or account group reconciliation already has detail items, the values associated with the Account currency or Local currency attributes do not retranslate based on the change in currency. Therefore, it is recommended to make any changes in currency before adding detail items to the reconciliation. If the currency was changed after detail items were added to the reconciliation:

Account Reconciliations

- You can change the currency type to another currency type related to the amount for the detail item, which will force the detail item to retranslate the Account, Local, and Reporting values. You can then change the currency type back to the original currency for the detail item, which will force the detail item to recalculate the Account, Local, and Reporting values.
- You can remove all detail items and then add them back. For example, for pulled forward items, you can delete them and then pull forward again.

Local: Local currency explained amount.

Reporting (Multi-currency Solutions): Reporting currency explained amount.

Reconciliation ID (Account Groups): Drop-down menu of options, including (Group) and the list of child reconciliations associated with the account group. For B-Items and X-Items, this field displays the child reconciliation ID.

IMPORTANT: After you select a reconciliation ID and save the item, it cannot be edited. To update the reconciliation ID, delete the item and then add it with the correct reconciliation ID.

Item Type: Type of reconciliation detail (from *Control Lists*) that drives later reporting. For example, the status of *Correction (BS)* because that is a status that may draw a level of review.

Item Name: Description of item. Item Name cannot be blank.

NOTE: For account groups and individual reconciliations with a BalCheck Level set to (Tracking Level), the BalCheck Workflow Profile related to the item will display as the Item Name. For account groups and individual reconciliations with a BalCheck Level set to any value other than (Tracking Level),

Account Reconciliations

the BalCheck Level together with the BalCheck Workflow Profile related to the item will display as the Item Name.

Item Comment: Additional comments. The Item Comment field is always editable.

Booked Period: Period related to this explanation based off workflow time and is not editable.

Transaction Date: Date of the transaction. When creating a detail item, the transaction date defaults to the last day of the current workflow period. You can change the date to be any date from the current workflow period or a prior period. After you save the detail item, you cannot change the transaction date.

Aging: Calculated upon Save based on the period end date minus the transaction date. For example, if the transaction date is January 15 and the period end date is January 31, the aging is 16 days.

Reference: Text input fields used for additional references.

User/Time Stamp (UTC): The user who made the explanation and when it happened.

Adding Detail Items

To add detail items, click  , enter detail information, and then click  .

NOTE: Item Name cannot be blank.

Deleting Detail Items

To delete detail items:

Account Reconciliations


1. Take an action:

- To delete specific items, select the check box next to each item.
- To delete all items, select the check box at the top of the column.

2. Click .

NOTE: Items and their associated documentation are deleted. If multiple items are selected, R-docs are not deleted.

Standard Explanation Actions



Prior Items: Gives you the option to copy or pull forward detail items or comments from the prior period. For a group reconciliation, I-Items and T-Items related to the group will display. Either option will allow you to save time by not having to re-explain the same reconciliation. Copy is intended to allow detail items or comments from prior periods to be used as a template, where changes can be made, and pull is intended to carry the specific item and documentation or comment into the next period without edits. You can select individual or multiple items or comments to copy or pull forward.

You can copy any comments, but you can only pull forward your own comments. Permission to copy and pull forward comments is based on your role and the step you are completing in the workflow. See [Roles](#).

Account Reconciliations

Copy or Pull Forward Reconciliation Items

Detail Items

☐	R	Local (USD)	Item Type	Item Name	Item Comment	Booked Period	Trans
☒	I	59,367.66	Correction (IS)	Reclass Adjustment		2022M1	1/31/

Comments

☐	Internal Only	Comment	Booked Period	User	Time Stamp (UTC)
--------------------------	---------------	---------	---------------	------	------------------

Copy Items

Pull Items

Cancel

When you copy a detail item from an account group, you can overwrite the reconciliation ID by selecting an option from the drop-down menu, which includes the related child reconciliations and (Group).

Copy or Pull Forward Reconciliation Items

Detail Items

☐	R	Local (USD)	Reconciliation ID	Item Type	Item Name	Item Comment
☒	I	15,500.00	(Group)	Explained Item	Forklifts	Invoices and POs
☐	I	20,000.00	12340,Heights	Explained Item	Machine Press	Invoices and POs
☐	I	20,000.00	(Group)	Explained Item	Machine Press	Invoices and POs
☐	I	500.00	12340,South	Explained Item	Tooling	Invoices and POs

☒ Overwrite Reconciliation ID

(Group)

12340,Heights

12340,South

12360,Heights

12360,South

Copy Items

Cancel

NOTE: The Overwrite Reconciliation ID option is only available when you copy items.

Pull replicates the selected detail items that cannot be edited in the current period. Associated documents are pulled forward. The booked period will always be the period that the item was initially created. When a detail item is pulled forward, the transaction date remains the initial transaction date when the item was created. Aging is recalculated for the current workflow period end date, and changes can be made to the Item Comment field only.

Copy replicates the selected detail items that can be edited in the current period. Associated documents are not copied. When detail items are copied, the booked period for the newly created item becomes the current period and the transaction date defaults to the last day of the current period. You can edit the transaction date so that it properly reflects the actual date the transaction took place.

NOTE: You can pull forward a detail item with a blank Item Name, but if you change any field on the item, you must add an Item Name to be able to save it.

I-Items that have been pulled forward and used to create detail items in subsequent periods cannot be deleted. When a detail item is pulled forward into the current period, the supporting I-Docs cannot be deleted or edited.

If a reconciliation has the Allow Auto Pull Forward option set to Yes, the related I-Items and T-Items in the previous period are pulled forward into the current period with (for I-items) the related I-Docs when the account balance is first created. See [Reconciliation Inventory](#). T-Items are also converted into I-Items.

You cannot pull forward X-Items (used with integrated solutions), B-Items, or S-Items.

Multi-currency Solutions: For items pulled forward, the detail amount and item currency type are pulled forward. All other currency values for the detail item are translated using the current month's FX rates unless a currency level has been overridden.

Account Reconciliations

When you pull forward an item from a previous period that contains an overridden value, the overridden balance remains and is pulled forward period over period, and the transaction date and booked period display the original date and time. Overrides on pulled forward Multi-currency items cannot be edited. When you pull forward an item from a previous period that does not contain an overridden value, the value, transaction date, and booked period display the original value, date, and time.

When you copy an item from a previous period that does or does not contain an overridden value, the value is recalculated using the current period FX rate, and the transaction date (the last day of the period) and booked period (the current period) are updated to the current date and time. If a Multi-currency item is copied into a current period that does not have FX rates, the Local, Account, and Reporting amounts will be translated to zero until FX rates are populated and Process is re-run.

T-Doc: Imports a template document that adds new reconciliation detail items.

NOTE: Detail Item Name cannot be blank.

This document is stored in the system and displayed under **Reconciliation Support** with a T symbol. Below is an example of the basic template being completed.

NOTE: The Consolidation Account, the GL Account, and the GL balance are brought into the template when launched.

S-Doc: Imports a template document that adds new reconciliation detail items for multiple

NOTE: Detail Item Name cannot be blank.

This document opens like the T-Doc example above, but there is an additional column in

Account Reconciliations

item should apply. The user should use the syntax of adding an exclamation point (for example, !2023M1) before the OneStream time period as in this example:

The screenshot displays the OneStream software interface for Account Reconciliations. It shows a 'Basic Amortization Schedule' for account 16000, 'Machinery And Equipment at cost'. The interface includes a 'Consolidation Account' section with 'GL Account' set to 'GRP - Machinery And Equipment' and 'Entity' set to 'Houston'. A 'GL Balance' of 24,407,700.00 is shown. Below this is an 'Amortization Detail' table with columns for Reconciliation ID, Item Type, Item Name, Item Comment, Transaction Date, Reference 1, Reference 2, Amortization Period, Amortization Amount, and Amount. The table lists 12 rows of amortization data for the period 1/1/2023 to 12/1/2023, with a total amortization of 24,407,700.00.

Reconciliation ID	Item Type	Item Name	Item Comment	Transaction Date	Reference 1	Reference 2	Amortization Period	Amortization Amount	Amount
12340, Heights	Sub-System Balance	Balance		1/1/2023			!2023M1	2,033,975	
12340, Heights	Sub-System Balance	Balance		2/1/2023			!2023M2	2,033,975	
12340, Heights	Sub-System Balance	Balance		3/1/2023			!2023M3	2,033,975	
12340, Heights	Sub-System Balance	Balance		4/1/2023			!2023M4	2,033,975	
12340, Heights	Sub-System Balance	Balance		5/1/2023			!2023M5	2,033,975	
12340, Heights	Sub-System Balance	Balance		6/1/2023			!2023M6	2,033,975	
12340, Heights	Sub-System Balance	Balance		7/1/2023			!2023M7	2,033,975	
12340, Heights	Sub-System Balance	Balance		8/1/2023			!2023M8	2,033,975	
12340, Heights	Sub-System Balance	Balance		9/1/2023			!2023M9	2,033,975	
12340, Heights	Sub-System Balance	Balance		10/1/2023			!2023M10	2,033,975	
12340, Heights	Sub-System Balance	Balance		11/1/2023			!2023M11	2,033,975	
12340, Heights	Sub-System Balance	Balance		12/1/2023			!2023M12	2,033,975	
Total Amortization:								24,407,700.00	

S-Items: View all S-Doc items associated with the selected reconciliation, regardless of the time period.

The screenshot shows the 'Reconciliation S-Doc Items' window. It contains a table with columns: Local (USD), Reconciliation ID, WF Time, Item Type, Item Name, Item Comment, Booked Period, User, and Time Stamp (UTC). The table lists four items, all with a 'Balance' item name and a '2022M1' booked period.

Local (USD)	Reconciliation ID	WF Time	Item Type	Item Name	Item Comment	Booked Period	User	Time Stamp (UTC)
9,476,249.16	12340, South	2022M1	Sub-System Balance	Balance		2022M1	Chris	9/5/2023 4:11:09 PM
206,831.28	12360, Heights	2022M1	Sub-System Balance	Balance		2022M1	Chris	9/5/2023 4:11:09 PM
310,246.92	12340, Heights	2022M1	Sub-System Balance	Balance		2022M1	Chris	9/5/2023 4:11:09 PM
14,214,373.76	12360, South	2022M1	Sub-System Balance	Balance		2022M1	Chris	9/5/2023 4:11:09 PM

Balance Check Explanation Actions

These actions display only for balance check reconciliations. For reconciliations that have a Bal-Check assigned, if this is also set with the AutoRec rule to *Legacy*, the AutoRec process automatically pulls the balance from the workflow profile assigned if the status of the related *BalCheck WF Profile* is Completed.

Detailed balance check of an *Account Group*:

Account Reconciliations

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

RECONCILIATIONS (Houston, ActualAR, 2022M2)

Process

Complete WF

Role:

Administrator

T.Account:

All

State:

All

Miscellaneous:

None

Total: 86

% Done: 9 %

In Process: 77

Balance Changed: 1

Rejected: 0

Prepared: 0

Partially Approved: 0

Fully Approved: 8

Refresh

Drag a column header and drop it here to group by that column

Account Group	State	State Text	Approval Level	T.Account	S.Account	S.Account Desc.	T.Entity	S.Entity	Tracking Detail	Acct. Balance
GRPAPTrade	Balance Change	0 of 1		20000 - Trade Accounts Payabl	GRP - AP Trade		Houston	Houston		0
GRPAPAccruedPayroll	In Process	0 of 1		21000 - Accrued Payroll	Accrued Payroll		Houston	Houston		0
	In Process	0 of 1		21000 - Accrued Payroll	21340	Accrued Payroll	Houston Heights	Heights		0
	In Process	0 of 1		21000 - Accrued Payroll	21340	Accrued Payroll	South Houston	South		0

Details

Attributes

Comments

History

Child Recs

Prepare

S.Entity: Houston

S.Account: GRP - AP Trade

S.Account Description: Houston

T.Account: 20000

Tracking Detail: Local (USD) -16,623,959.43 -18,323,070.13 1,699,110.70 -1,819,706.10

Balance: Explained: Unexplained: Activity: Preparation: Balance Changed

Approval: 0 of 1

Detail Items

Reconciliation Support

R	Local (USD)	Reconciliation ID	Item Type	Item Name	Item Comment	Booked Per	Ty	File Name	User	Time Stamp (UTC)	Booked Period
8	-18,323,070.13	21210,Heights	Balance Check	Houston.BC_APTrade - All		2022M2					

1 RowsPage 1 of 1

Prior Items

Pull B-Chk

Go To B-Chk

T-Doc

Template

Reports

Audit

View

Pull R-Docs

R-Doc

Delete

Pull B-Chk: This *Balance Check Explanation* value is pulled from the related Workflow Profile that has been loaded and successfully validated. The detail Item Name is automatically set to the name of the BalCheck Workflow Profile and Balance Check Level associated with the reconciliation.

NOTE: If this workflow profile is not in a prepared state or has failed, this balance will not be pulled and the user is notified.

- Multi-currency Solutions:** When performing balance checks for multi-currency reconciliations, the balance is loaded to the *Detail Amount* column in the detail items grid. Unless a currency type is identified within the data source, it is assumed that the currency type for the *Detail Amount* is the same as the account currency for the reconciliation.

If the transaction currency type is different and is not provided within the data source, it must be manually changed within OneStream after the balance has been pulled into the reconciliation. If multiple currency types exist within the source file, each currency type is aggregated and shown as a summary detail item within the reconciliation. The *Detail Amount* for each currency type is translated to the three

Account Reconciliations

reconciliation currency levels (Account, Local, and Reporting) upon pulling the balance.

An exception exists when Account, Local, or Reporting balances are provided within the BalCheck source file. If any line within the BalCheck file contains Account, Local, or Reporting balances, or any combination of the three, OneStream assumes an override has occurred and accepts those balances as the amount to be shown on the reconciliation.

It is recommended that either all or no lines contain the currency level balances, and overrides are performed within the system. Otherwise, balances may appear incorrect. Furthermore, if any level of currency is provided, the reconciliations need be set up to allow overrides within the inventory or the BalCheck pull will fail.

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

RECONCILIATIONS: (Houston, ActualAR, 2022M1)

Process Complete With

Role: Administrator

T.Account: All

State: All

Miscellaneous: None

Total: 85
% Done: 9 %

In Process: 72
Balance Changed: 1
Rejected: 2

Prepared: 2
Partially Approved: 0
Fully Approved: 8

Refresh

Drag a column header and drop it here to group by that column

Account Group	State	State Text	Approval Level	T.Account	S.Account	S.Account Desc.	T.Entity	S.Entity	Tracking Detail	Acct. Balance	Acct
GRPMachineryEqui	Rejected		0 of 1	16000 - Machinery & Equipme	GRP - Machinery &		Houston	Houston		0.00 ---	
GRPAPTrade	Balance Changed		0 of 1	20000 - Trade Accounts Payabl	GRP - AP Trade		Houston	Houston		-16,284,694.95 USD	
GRPAccruedPayroll	Auto Prepared		0 of 1	21000 - Accrued Payroll	Accrued Payroll		Houston	Houston		0.00 ---	
	In Process		0 of 1	10000 - Petty Cash	11080 Petty Cash		Houston Heights	Heights		0.00 ---	
	Rejected		0 of 1	10000 - Petty Cash	11080 Petty Cash		South Houston	South		0.00 ---	
	Prepared		0 of 1	10100 - Cash Deposits	10001 Cash - Operating Chase		Houston Heights	Heights		0.00 ---	
	In Process		0 of 1	10100 - Cash Deposits	10002 Cash - Operating Wells Fargo		Houston Heights	Heights		0.00 ---	
	In Process		0 of 1	10100 - Cash Deposits	10003 Cash Disbursements - Chase Bank		Houston Heights	Heights		0.00 ---	
	In Process		0 of 1	10100 - Cash Deposits	10004 Cash Disbursements - Wells Fargo		Houston Heights	Heights		0.00 ---	
	In Process		0 of 1	10100 - Cash Deposits	11234 Deposits		Houston Heights	Heights		0.00 ---	
	Auto Approved		1 of 1	10100 - Cash Deposits	11238 Deposits on Trade Receivables		Houston Heights	Heights		0.00 ---	
	In Process		0 of 1	10100 - Cash Deposits	10001 Cash - Operating Chase		South Houston	South		0.00 ---	

Details Attributes Comments History Prepare

S.Entity: Heights
T.Entity: Houston Heights

S.Account: 11080
T.Account: 10000

S.Account Description: Petty Cash

Tracking Details:

Balance: Local (USD) 1,923,129.60
Explained: 50,357.01
Unexplained: 1,872,772.59
Activity: 1,923,129.60

Preparation: In Process
Approval: 0 of 1

Defer Refresh

Detail Items

R	Local (USD)	Item Type	Item Name	Item Comment	Booked Period	Transaction Date	Aging
B	5,894.23	Balance Check	Houston.BC_APTrade - S.Entity=Heights, S.U01=ADVERTISING		2022M1	1/31/2022 12:00:00 AM	
B	5,328.18	Balance Check	Houston.BC_APTrade - S.Entity=Heights, S.U01=COURSEMG		2022M1	1/31/2022 12:00:00 AM	
B	5,929.60	Balance Check	Houston.BC_APTrade - S.Entity=Heights, S.U01=DRIVRANGE		2022M1	1/31/2022 12:00:00 AM	
B	5,079.13	Balance Check	Houston.BC_APTrade - S.Entity=Heights, S.U01=EQUIPMAINT		2022M1	1/31/2022 12:00:00 AM	

Reconciliation Support

Type	File Name	User	Time Stamp (UTC)	Booked Period
------	-----------	------	------------------	---------------

Prior Items Pull B-Chk Go To B-Chk T-Doc Template

Reports Audit Ref Doc View Pull R-Docs R-Doc Delete

Go To B-Chk: When selected the Base Input Child Import Workflow loads in a separate tab.


Account Reconciliations

Reports, Audit Packages, and Reference Documents

NOTE: Reports will automatically change to legal landscape format if needed to fit the columns.

Reports: Runs a standard or translated reconciliation or reconciliation history report. See information on the limitations of translated reports under [Global Options](#).

- *Single Currency Reconciliations:* You can run reports for local or translated currency.
 1. From **Report Type** select **Reconciliation** or **History**.
 2. From **Currency Level** select **Local** or **Translated to Reporting**.



The screenshot shows a dialog box titled "Reconciliation Report Selector" with a close button (X). It contains two dropdown menus: "Report Type" with "Reconciliation" selected, and "Currency Level" with "Local" selected. At the bottom are "Run" and "Cancel" buttons.

- *Multi-currency Reconciliations:* You can run reports for any or all currency levels for the reconciliation.
 1. From **Report Type** select **Reconciliation** or **History**.
 2. From **Currency Level** select **All**, **Account**, **Local**, or **Reporting**.

Account Reconciliations

Reconciliation Report Selector

Report Type:

Reconciliation

Currency Level:

All

RunCancel

Audit: Creates the audit package for one or more selected reconciliations, including a reconciliation report and related file attachments.


Reconciliation Audit Package Download

Audit Package File:

2018M3_10100_Houston Heights_19030973.ZIP

DownloadCancel

The audit package is stored in the OneStream File Share under the current user’s personal folder in a subfolder named Recon Audit Packages:



NOTE: If files with duplicate names exist, a timestamp field is added to supporting doc file names to ensure uniqueness.

Ref Doc: Displays only if the reconciliation has an attached reference document. Opens the reference document related to this reconciliation definition. This document typically contains instructions on how to complete this reconciliation.

Reconciliation Support

In the Reconciliation Support area, you can view or upload related documents for the selected reconciliation or individual reconciliation detail item. If you upload a document with the same name, you have the option to overwrite the existing attached document.

Documents are denoted by:

- T for T-Doc
- S for S-Doc
- R for R-Doc
- I for I-Doc

Pull R-Docs: Pulls the documents forward from the prior period depending on the frequency of reconciliation.

R-Doc: Upload a document associated with the entire reconciliation, not necessarily one detail line item.

NOTE: R-Docs will automatically carry forward into future periods for reconciliations associated with an AutoRec rule. Do not attach an R-Doc with a balance, because it will automatically carry forward and may not be valid in the next period.

Account Reconciliations

I-Doc: Upload a document associated with the selected detail line item. You can only upload I-Docs to reconciliations that are In Process. Not supported for items imported by a template.

NOTE: To attach an I-Doc, you must select a reconciliation detail item.

View: Opens the selected document.

Delete: Deletes the selected document.

If the Allow Approver Attachments option is selected in the Global Options tab, any user assigned to the Approver role or above can add I-Doc and R-Doc attachments after a reconciliation is prepared. See below for which documents the approver can add or delete depending on the state of the reconciliation.

Action	In Process	Prepared	Partially Approve	Fully Approved
Add I-Docs or R-Docs	Yes	Yes	Yes	No
Delete I-Docs or R-Docs added before preparation (by anyone)	Yes	No	No	No
Delete I-Docs or R-Docs added after preparation (by anyone)	N/A	Yes	Yes	No

Attributes

Any user can view reconciliation attributes. The Local Admin assigned to the reconciliation, OneStream Admin, or the RCM Admin can edit attributes.

Comments

Click the **Comments** icon to add, edit, or delete comments on a reconciliation. The icon displays in green if comments already exist.

Account Reconciliations

Comments					
☐ Internal Only	Comment	User	Booked Period	Time Stamp (UTC)	
☐	Ask for an updated bank statement from Treasury	Chris	2022M1	8/22/2023 8:55:55 PM	
1 Rows Page 1 of 1					
Prior Items					

The grid displays the comment, user, booked period (period the comment was created), and time stamp of each entry. After you save a comment, the user, booked period, and time stamp are not editable. These comments print on reconciliation reports but are not included in the audit export file.

A comment that was copied can be edited, but a comment that was pulled forward cannot be edited. You can delete a comment that was pulled forward, but you cannot delete the original comment. To delete the original comment, first delete each instance that was pulled forward. Then, delete the original comment.

TIP: Comments can be set to Internal Only. Internal Only comments are not visible to auditors and do not display on reports. Comment visibility can only be updated by OneStream administrators, Reconciliation Global administrators, or the user who added the comment.

Click the **Prior Items** icon to copy or pull forward comments from the prior period. Copy is intended to allow comments from prior periods to be used as a template, where changes can be made, and pull is intended to carry the specific comment into the next period without edits. You can select individual or multiple comments to copy or pull forward.

You can copy any comments, but you can only pull forward your own comments.

Permission to add, edit, delete, copy, and pull forward comments is based on your role and the step you are completing in the workflow. See [Roles](#).

Account Reconciliations

History

Displays reconciliation approval and document history.

State History

The history updates when the state of the reconciliation is changed by a user or the system.

State History 				
Action	State	Detail	User	Time Stamp (UTC)
Approved	Approved 1	Certified	CC	12/16/2020 12:29:38 AM
Prepared	Prepared	Certified	Frankfurt Controller	12/16/2020 12:20:21 AM

- **Action:** Tracked actions are: Prepared, Rejected, Recalled, Unapproved, Approved, and Balance Changed.
- **State:** State changes include In Process, Prepared, Rejected, Balance Changed, Auto Prepared, Partially Approved, Fully Approved, and Auto Approved.
- **Detail:** If an AutoRec rule was used to automate the preparation or approval of the reconciliation, the rule name is listed. Certification comments are also displayed.
- **User:** Name of the user who performed the action. State changes performed by the system include Auto Prepared, Auto Approved, and Balanced changed and display as "System".
- **Time Stamp:** Time that the action was taken.

Document History

Lists all documents attached to the reconciliation including documents pulled forward. To download a document, select a row and then click **View**.

Account Reconciliations

Document History					
Drag a column header and drop it here to group by that column					
Doc Type	WF Tir	Amount	File Name	Item Type	Item Name
Stmt Balance	2022M3	1,943,892.34	BankStatementHoustonHeights-	Stmt Balance	Cash Balan
Stmt Balance	2022M2	1,903,827.14	BankStatementHoustonHeights-	Stmt Balance	Cash Balan
Stmt Balance	2018M3	1,943,892.34	BankStatementHoustonHeights.x	Stmt Balance	Cash Balan
Stmt Balance	2018M2	1,903,827.14	BankStatementHoustonHeights.x	Stmt Balance	Cash Balan
View					

NOTE: S-Doc and T-Doc detail items display blank or 0.00 for the Amount, Item Type, Item Name, and Item Comment Note columns as they are not directly assigned to these items and can span across multiple reconciliations.

Child Recs

Only visible if the reconciliation is from an account group and lists the reconciliation inventory items associated with the account group.

NOTE: The Child Recs tab only displays detail items that are assigned to a child reconciliation level. The Detail Items grid displays detail items for both child reconciliations and account groups. Therefore, the Child Rec balances might not match the Detail Items summary balances.

Child Recs S.Entity: Houston S.Account: GRP - Machinery & Equipment S.Account Description: Balance: Expained: Unexplained: Activity: Preparation: Rejected T.Entity: Houston T.Account: 16000 Tracking Details: Local (USD) 24,207,701.12 24,207,701.12 0.00 24,207,701.12 Approval: 0 of 1										
Drag a column header and drop it here to group by that column										
T.Account	S.Account	S.Account Desc.	T.Entity	S.Entity	Tracking Detail	C.Local Bal.	C.Local Explained	C.Local Unexplained	C.Local Cur.	Account Group
16000	12340	Office Equip	South Houston	South		310,246.92	9,476,249.16	-9,166,002.24	USD	GRPMachineryEquipment
16000	12360	Shop Equipment	Houston Heights	Heights		9,476,249.16	206,831.28	9,269,417.88	USD	GRPMachineryEquipment
16000	12340	Office Equip	Houston Heights	Heights		206,831.28	310,246.92	-103,415.64	USD	GRPMachineryEquipment
16000	12360	Shop Equipment	South Houston	South		14,214,373.76	14,214,373.76	0.00	USD	GRPMachineryEquipment

Single Currency Solutions

The child balance displays.

</									
--	--	--	--	--	--	--	--	--	--

Account Reconciliations

Multi-currency Solutions

Select the balance type to view from the drop-down menu: All Currencies, Child Currency, or Group Currency.

Details Attributes Comments History Child Recs Prepare				S.Entity: Houston S.Account: GRP - AP Trade S.Account Description:		Balance: -16,284,694.95		Explained: 0.00		Unexplained: -16,284,694.95		Activity: -16,284,694.95		Preparation: Balance Changed	
Balance Type: Group Currency				T.Entity: Houston T.Account: 20000 Tracking Details:		Account (USD) -14,804,253.33		Local (EUR) 0.00		Reporting (USD) -14,804,253.33		Approval: 0 of 1			
All Currencies and drop it here to group by that column															
Child Currency															
Group Currency															
20000	21210	Vouchers Payable	South Houston	South		-681,245.00	0.00	-681,245.00	USD	-619,313.02	0.00	-619,313.02	EUR		
20000	21220	Accounts Payable	Houston Heights	Heights		-6,059,714.65	0.00	-6,059,714.65	USD	-5,508,825.99	0.00	-5,508,825.99	EUR		
20000	21210	Vouchers Payable	Houston Heights	Heights		-454,163.33	0.00	-454,163.33	USD	-412,875.34	0.00	-412,875.34	EUR		
20000	21220	Accounts Payable	South Houston	South		-9,089,571.97	0.00	-9,089,571.97	USD	-8,263,238.98	0.00	-8,263,238.98	EUR		

Preparer and Approver Actions

To perform status changes to reconciliations, select the check box next to the reconciliation and make changes to the bottom of the workspace.

If mass actions are enabled, you can select multiple reconciliations and apply a status change to the selected reconciliations. A summary dialog is displayed with explanations for any actions that were not successful.

Extensible Finance

2 of 19 - Successfully Approved

11 - Reconciliation cannot be Approved because it has already been fully approved to all required approval levels.
5 - Reconciliation Status must be set to Completed before it can be Approved.
1 - You do not have security rights to change reconciliation Approval.

OK


NOTE: Any comments or certifications apply to all marked reconciliations.

Prepare  : Marks a reconciliation as prepared, but all necessary balances must first be explained.

Recall  : Sets a prepared reconciliation back to *In Process*.

Account Reconciliations

Reject  : Approver status change. If the reconciliation is prepared, sets the status to *Rejected*. Auto-prepared reconciliations can be rejected by Approver 1-4/Approver 1-4 Backup or the RCM Admin. Fully Approved - auto reconciliations can only be rejected by the RCM Admin. If an auto-prepared or fully approved auto reconciliation is rejected, it returns to In Process and can be prepared again.



Approve  : If the reconciliation is prepared, sets the state to *Approved*. Due to segregation of duties, the user who approves the reconciliation cannot be the same user who prepared the reconciliation. There are no exceptions to segregation of duties. If there is more than one approval level, the approval level (for example, 1 of 3) updates after each approval.


Auto-prepared reconciliations can be approved by Approver 1-4/Approver 1-4 Backup or the RCM Admin.

Unapprove  : Removes one level of approval. If a reconciliation is manually unapproved, it goes back to Approved level one below the level it was previously approved. For example, if a reconciliation previously had 3 of 4 levels of approval completed and was unapproved by a level 3 approver, it would go to a state of Partially Approved 2 of 4. Fully approved auto reconciliations can be rejected or unapproved only by the RCM Admin. If rejected, the fully approved reconciliation goes to In Process and can be prepared again. If unapproved, the fully approved reconciliation goes to Auto Prepared

Account Reconciliations

with no approvals complete (for example, 0 of 3) regardless of how many approval levels there are. The reconciliation can then resume the normal manual approval process.

This diagram describes the flow of a reconciliation through the different states:




Account Reconciliations

Certification


If certification is required when preparing or approving a reconciliation, the certification dialog box displays. If you are preparing or approving multiple reconciliations, your certification comment applies to all selected reconciliations.

1. Enter a certification comment when preparing or approving a reconciliation. The comment may be required or optional.



The 'Completion Certification' dialog box features a blue header with a logo and window controls. Below the header is a text input field labeled 'Certification Comment (Required):'. At the bottom, there is a checkbox labeled '*I acknowledge I have read and accept the certification language.' and three buttons: 'View', 'Certify*', and 'Cancel'.

You can click **View** to display the certification text in a separate window.



The 'Certification' window has a blue header with a logo and window controls. Below the header is a 'Preview' tab. The main content area displays the text: 'I have prepared the account reconciliation and attest to the following' followed by a bulleted list: '1) The reconciliation has been completed in accordance with the company policy', '2) All support has been properly attached', and '3) All items have been accurately identified and classified'. At the bottom, there is a 'Page: 1 / 1' indicator, a '100%' zoom level, and a 'Close' button.

2. Click **Certify** to prepare the reconciliation.

Account Reconciliations

Reconciling and Changes to Account Groups

If an account group is being reconciled as opposed to a single reconciliation, the experience of adding explained items, attachments, completing, and approving is the same to the user. The only exception is the appearance of the **Child Recs** button on the screen, which shows the base reconciliations that are included in the account group.

Approval levels between account groups and the child reconciliations cannot be different. The child reconciliation inherits the number of approval levels assigned to the account group.

For example, see the GRPAPTrade account group and the reconciliations that belong to this account group. They each have 1 approval level.

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

ADMINISTRATION - Groups (Houston, ActualAR, 2022M1)

Definition Inventory Groups Tracking BalCheck AutoRec Notifications

Drag a column header and drop it here to group by that column

	State	State Text	WF Profile	Recon Scenario	Account Group	Child Count	Approval Levels	S.Account	T.Account	S.Entity	T.Entity
☐	Auto Prepared		Houston.Import	ActualAR	GRPAccruedPayroll	2	1	Accrued Payroll	21000 - Accrued Payroll	Houston	Houstor
☒	Balance Changed		Houston.Import	ActualAR	GRPAPTrade	4	1	GRP - AP Trade	20000 - Trade Accounts Payable	Houston	Houstor
☐	Rejected		Houston.Import	ActualAR	GRPMachineryEquipment	4	1	GRP - Machinery & Equipment	16000 - Machinery & Equipment at cost	Houston	Houstor

Create Clone Edit Delete Import Export Template Access Match Set

Child Reconciliations

Drag a column header and drop it here to group by that column

WF Profile	Recon Scenario	Account Group	Approval Levels	S.Account	S.Account Desc.	T.Account	S.Entity	T.Entity	S.Flow	T.Flow	S.IC	T.IC	S.U1
Houston.Import	ActualAR	GRPAPTrade	1	21210	Vouchers Payable	20000 - Trade Accounts Payable	Heights	Houston Heights					
Houston.Import	ActualAR	GRPAPTrade	1	21220	Accounts Payable	20000 - Trade Accounts Payable	Heights	Houston Heights					
Houston.Import	ActualAR	GRPAPTrade	1	21210	Vouchers Payable	20000 - Trade Accounts Payable	South	South Houston					
Houston.Import	ActualAR	GRPAPTrade	1	21220	Accounts Payable	20000 - Trade Accounts Payable	South	South Houston					

Reconciliation, Preparation and Approval of Account Groups

Whenever an account group is marked prepared or is approved at a certain level, the related child reconciliations are also marked that way. In the example above, here are some situations and their results when working with *AP Trade - Houston*:

Account Reconciliations

- If marked complete, all four child reconciliations are marked complete in the underlying tables.
- This account group needs two levels of approval. If marked approved at level 1, the child reconciliations are marked approved at level 1.
- If marked approved at level 2 (the final approval level), the three child reconciliations that have approvals of 1 would be marked approved at level 1. The reconciliation that has approvals of 3 would be marked approved at level 3, the final approval level.
- If the account group is fully approved and then Unapprove is clicked, all child reconciliations would be set to Unapproved (level 0).

Changes to Account Groups

Account groups and their related reconciliations can change over time. New reconciliations may be added and existing ones removed to be reconciled individually. Here are the effects.

IMPORTANT: If you make any changes to currency for an individual reconciliation or account group (for example, changing from single currency to multi-currency or changing the currency type) with existing detail items, the detail items may not be valid. You will need to delete the detail items and manually re-create them. To avoid this issue, make any changes to currency before adding detail items.


- **Balance**
 - If a reconciliation inventory item starts out being reconciled individually and then is added to an account group, the prior reconciliation inventory item can

be viewed in historical periods with its previous balance. The *Process* button pulls in balances and marks those balances internally as being for this reconciliation individually or as part of an account group.

- If a reconciliation inventory item is part of an account group and is removed from the account group, it will retrieve its balance and the *Balance Changed* field will take the previous balance into account for this reconciliation inventory item.
- If the items that add up to an account group change over time, the total balance amount previously stored for that account group will not change in historical periods if that account group is approved, even if *Process* is executed again in that period. The approved balance is essentially locked. If *Process* is executed again against an account group whose members have changed, the balance will be updated according to the current members of that account group.
- If a new account group is created and existing reconciliations that had history are added, the account group will not show any activity from the prior month since the account group did not exist. It does not add the sum of the prior month's activity for the reconciliations in the account group. As such, the *Balance Changed* field will be the full amount of the balance and it will need to be explained.
- If an account group has all of its children removed, it is recommended to change that account group to be Auto Reconciled because from that point forward it will retrieve a zero balance. If that account group had child reconciliations in the past that were reconciled, it is not advised to clear the Required property on this account group in order for those historical

reconciliations of the account group to be able to be audited. Note that in historical periods where this account group was fully approved, it will continue to appear in that way with the proper balance intact.

- Any new account group created after prior periods have been processed would show up in prior periods as not being completed yet.
- **Process Warning:** When a reconciliation account group is removed from a reconciliation in inventory a Process will need to be done by an Account Reconciliations Administrator or Application Administrator at the review-level workflow profile to ensure that all account groups and reconciliation balances are updated. When this occurs a warning icon will appear next to the Process button on the Workflow page. This warning icon will be removed for users after an Administrator processes the reconciliations and the workflow page is refreshed.



- **Approval Levels**

- *Removing Reconciliation Inventory Items from an Account Group:* For example, if the reconciliation inventory items in the AP Trade - Houston example above were removed from the account group that was not fully approved, the child reconciliations would show with their appropriate status. If the account group was fully processed, in historical periods it will not show the child reconciliation that was removed. These reconciliations would be processed and approved individually in future periods.

NOTE:

You cannot remove child reconciliations from an Account Group if

it has been prepared for the current period. If child reconciliations are removed they maintain the account group's attributes and do not revert back to their former settings.

- *Adding Reconciliation Inventory Items to an Account Group:* Reconciliation inventory items added will now fall under the same approval behavior from that point forward as they would have if they had been there all along. Their historical approvals and related explained items would still be visible in those periods.
- **Override Values in Detail Items**
 - When you remove a child reconciliation that has overridden values from an account group and run Process:
 - If the currencies between the account group and child reconciliation match, the overrides are added to the new individual reconciliation and its values equal the previous account group values.
 - If the currencies between the account group and child reconciliation do not match, the overrides are removed and the new individual reconciliation values are translated from the amount.
 - When you add a child reconciliation that has overridden values to an account group and run Process:
 - If the currencies between the account group and child reconciliation match, the overrides are added to the account group and its values equal the child reconciliation values.


- If the currencies between the account group and child reconciliation do not match, the overrides are added to the account group and the values are translated in the account group currency.

Analysis and Reporting

Review and monitor exceptions and unresolved items with this standard set of dashboards and reports.

Scorecard

The Scorecard is a dashboard that contains charts reflecting the current workflow period's reconciliation statuses by preparation, approval, due date, and unreconciled by entity.



Account Reconciliations

Selecting any data points in a chart will open a detailed drill down that can be exported for further analysis.

Drill Down

Drag a column header and drop it here to group by that column

Account Group	State	State Text	Approval Level	T.Account	S.Account	S.Account Desc.	T.Entity	S.Entity	Tracking Detail
	✓	Auto Approved	1 of 1	10100 - Cash Deposits	11238	Deposits on Trade Receivables	Houston Heights	Heights	
	✓	Auto Approved	1 of 1	10100 - Cash Deposits	11238	Deposits on Trade Receivables	South Houston	South	
	✓	Auto Approved	1 of 1	16600 - Furniture at cost	12350		Houston Heights	Houston Heights	S.Flow=Disposal, T.Flow=Disposals
	✓	Auto Approved	1 of 1	16600 - Furniture at cost	12350		Houston Heights	Houston Heights	S.Flow=Change, T.Flow=None
GRPAccruedPayroll	●	Auto Prepared	0 of 1	21000 - Accrued Payroll	Accrued Payroll		Houston	Houston	
	✓	Auto Approved	1 of 1	21475 - Current State Tax Liabi	21475		Houston Heights	Heights	
	✓	Auto Approved	1 of 1	21475 - Current State Tax Liabi	21475		South Houston	South	


Close

Analysis

Reconciliation Exposure

The Reconciliation Exposure dashboard contains a past due summary and charts reflecting past due reconciliations by days, entity, and unexplained balances. Like the score-card, selecting any data points in any chart opens a detailed drill down dialog box that you can export for further analysis.

Account Reconciliations



Aging Pivot

Provides a view into the aging of reconciliation detail items. The ranges for the Aging column are derived from the Aging Periods control list. If no data exists for a range, then the column for that range does not display. You can export the grid to Excel by right-clicking on the header of the pivot.

Any detail item attribute can be added or removed from the rows and columns by clicking and dragging them from the Hidden Fields section. The default rows are Entity, Currency, and Account. The default column is Aging. The default Data Area is Item Amount.

Account Reconciliations

ANALYSIS AND REPORTING (Houston, ActualAR, 2022M1)

Scorecard

Analysis

Reports

Time: 2022M3

Role: Any User Role

Reconciliation Exposure

Aging Pivot

Hidden Fields

Search fields...

AcT

AgingDays

Approver1

Approver2

Approver3

Filter Area

Column Area

AgingBucket

Row Area

Data Area

EtT

Currency

Ac

ItemAmount

Defer Layout Update

Update

Aging Pivot

0 - 30

Clubs	EUR	GRP - Global AR	0.00
EUR Total			0.00
Clubs Total			0.00
Frankfurt	EUR	10001	235,904.53
		10003	-8,917.81
		11080	810.00
		11420	4,925.45
		21220	-1,100,992.41
		31000	-52,577.30
EUR Total			-920,847.54
Frankfurt Total			-920,847.54
Houston	USD	GRP - AP Trade	1,714,610.70
	USD Total		1,714,610.70
Houston Total			1,714,610.70
Houston Hei...	USD	11085	4,849,355.20
		11090	4,451,355.60
		11220	-40,963.05
		11225	-1,272,139.25
		11315	649,737.64
		11325	80,133.60
		11330	2,652,411.15
		11342	-420,000.00
		11420	52,161.60
		11430	397,133.20
12300			26,136,177.60

Reports

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

ANALYSIS AND REPORTING (Houston, ActualAR, 2022M2)

Scorecard Analysis Reports

Time: 2022M2 Role: Any User Role State: All Currency Level: Local

Reconciliation State

Reconciliation Detail

Reconciliation by Acted Preparer

Reconciliation Risk Analysis

Reconciling Item Analysis

Reconciling Item Aging

Reconciliation Access Groups

Preview

Navigation

Enter text to search...

Document Map Pages Search Results

Reconciliation State

Auto Approved

OS Account	GA Account	OS Entity	GA Entity	Balance	Currency	Explained Balance	Unexplained Balance
Auto Prepared, KDarren, 12/15/2020 6:03:52 PM Auto Approved: 1 of 1, KDarren, 12/15/2020 6:03:52 PM							
10100	11238 - Deposits on Trade Receivables	Houston Heights	Heights	-1,782.04	USD	0.00	-1,782.04
Auto Prepared, KDarren, 12/15/2020 6:03:52 PM Auto Approved: 1 of 1, KDarren, 12/15/2020 6:03:52 PM							
10100	11238 - Deposits on Trade Receivables	South Houston	South	-2,673.06	USD	0.00	-2,673.06
Auto Prepared, System, 9/14/2023 9:47:24 AM Auto Approved: 1 of 1, System, 9/14/2023 9:47:24 AM							
13000	11420 - Prepaid Ins	Houston Heights	Heights	51,118.37	USD	51,118.37	0.00
Auto Prepared, CC, 12/16/2020 9:00:44 AM Auto Approved: 1 of 1, CC, 12/16/2020 9:00:44 AM							
16600	12350	Houston Heights	Houston Heights	0.00	USD	0.00	0.00
Auto Prepared, CC, 12/16/2020 9:00:44 AM Auto Approved: 1 of 1, CC, 12/16/2020 9:00:44 AM							
16600	12350	Houston Heights	Houston Heights	0.00	USD	0.00	0.00

Reconciliation State: Reconciliations by state with Account, Entity, and balance information.

Reconciliation Detail: Detailed Reconciliations with status information and other Explanation detail.

Reconciliation by Acted Preparer: Same as above but grouped by Preparer.

Reconciliation Risk Analysis: Reconciliation items by Risk Level with Account, Entity, and balance information.

Reconciling Item Analysis: Reconciliation items by Reconciliation Item Type with Account, Entity, and balance information.

Reconciliation Item Aging: Reconciliation items aged by period originally booked.

Reconciliation Access Groups: List of Security Access Groups and users assigned to each if the user running this report is a OneStream Administrator or Reconciliations Global Admin. Note that if a Local Admin runs this report, this listing will be limited to only show Access Groups to which this user manages. If any other user runs this report, the report’s contents will be empty.

Account Reconciliations

DynamicCalc UD8 Accounts

This dimension and these UD8 members are provided to convey Reconciliation status. They are designed to be assigned as columns on a Cube View and will run their logic against every row (typically Accounts).

These run extensive Business Rule logic, so if they are run across a lengthy list of Accounts, it may take some time to open this report. Also, they can run against a Review-level Workflow Profile, which will aggregate all of the Entity data that falls under all of the Base Input Workflow Profiles that are descendants of this Review level. If that results in numerous Entities being aggregated, then this could also result in some wait time for that Cube View to render its results. Note that this aggregation of Local currency values are not translated, so if the Entities that fall under the related Review level Workflow Profile are of mixed currencies, the aggregated amounts may be of little value to the reader of that report.

Examples of Reports with UD8 Dynamic Calcs and with Navigation Links for Drilling

The GolfStream_v37 reference application, available on the MarketPlace, has examples of the types of reports that can be built to take advantage of the included UD8 members and also has an example of using Navigation Links to drill from a financial report to its related Reconciliation details.

		Entity Capital (Risk Mgmt)				
2011M3		Reconciliation Statistics Origin: Import (GL Import)				
		Local				
	Assets	Liabilities	Equity	Recon % Comp	IS Correction	BS Correction
Montreal	3,033,049	9,646,583	-6,613,533	0	0	0
Quebec City	4,094,617	13,022,887	-8,928,270	0	0	0
Augusta	47,397,096	36,339,019	11,058,078	0	0	0
Carlsbad	40,585,020	28,664,365	11,920,655	0	0	0
Houston Heights	107,046,455	68,344,954	38,701,500	3	3,000	0
South Houston	160,566,682	128,321,738	32,244,944	2	0	4,890

Account Reconciliations

The example shown below has a Navigation Link, which launches a related Report to drill into Reconciliation details:

		Balance Sheet (Risk Mgmt)				
2011M3		Houston Reconciliation Statistics Origin: Import (GL Import)				
		Local				
		Imported TB	Recon % Comp	IS Correction	BS Correction	Manual Entry
		Top Side JV				
Petty Cash	Show Detail For 'Petty Cash'.	5,008,150	100	3,000	4,890	
Cash Deposits		89,700,483	0	0	0	
Marketable Securities		12,123,388	0	0	0	
Restricted Cash		11,128,389	0	0	0	
Total Cash		117,960,410	0	0	0	
Trade Receivables		36,998,763	0	0	0	

Here is the drilled report:

Reconciliation Report (Local)

Reconciliation Report (Local)

Preview

Navigation

Enter text to search... X

Document MapPagesSearch Results

Document

Completed

10000 - Petty Cash [11080,]

Reconciliation Scenario: ActualAR

Time: 2018M3

Currency Level: Local

Currency Type: USD

Reconciliation

10000 - Petty Cash

GL Account	OneStream Entity	GL Entity	Tracking Detail
11080	Houston Heights	Heights	
Risk Level: Low	Proper Sign: OK	Due Date: 06/11/2020	Days Until Due: 0
Days Past Due: 0			

Balance: 2,003,260.00

Explained: 2,003,260.00

Unexplained: 0.00

Activity: 40,065.20

Status: Completed

Status By: HC

Status Date: 3/8/2018 10:17:11 PM

Approval: Approved

Approval Level: 1 of 1

Approval By: CC

Approval Date: 3/8/2018 11:21:59 PM

Item Type	Item Name	Item Note	Item Amount
Correction (IS)	Reclass Adjustment		59,367.66
Strnt Balance	Cash Balance	Chase	1,943,892.34
Item Total:			2,003,260.00

Sign-Off History

State	Approval Level	Reason	Detail	User	Time Stamp (UTC)
Approved	1			CC	3/8/2018 11:21:59 PM
Completed	0			HC	3/8/2018 10:17:11 PM

Commentary

Comment	User	Time Stamp (UTC)
---------	------	------------------

Page: 1 / 1

100%

Close

Multi-Currency Calculation Examples

The Account Reconciliations solution performs translation calculations automatically within the system. The examples in the following demonstrate how the calculations are performed.

Data Loaded into Stage

Account Reconciliations requires that at a minimum, Local balances are loaded into Stage. If Account and/or Reporting balances are not loaded, OneStream will automatically translate the Local balances to the respective levels using the FX Rate Type selected within Global Options.

1. **Load FX Rates** for the current reconciling period using the **FX Rate Type** that was selected within the **Account Reconciliation Global Options**. For this example, the rates being used are as follows:

FX Rates				
	EUR	CAD	USD	GBP
EUR		1.52	1.09	0.88
CAD	0.66		0.71	0.58
USD	0.92	1.40		0.81
GBP	1.14	1.74	1.24	

Note that the rates in the upper right, which are shown in grey, are included for clarification purposes only. OneStream calculates inverse rates.

2. **Load Trial Balance** data into Stage. Note that balances may be loaded at different levels, for different Source Accounts. The one exception being that Local balances must always be loaded.

Account Reconciliations

Balances Loaded						
Account #	Account		Local		Reporting	
1001	-	EUR	10,000.00	EUR	-	USD
1002	9,000.00	GBP	10,000.00	EUR	-	USD
1003	15,000.00	CAD	10,000.00	EUR	11,000.00	USD
1004	-	CAD	10,000.00	EUR	11,000.00	USD

3. OneStream will automatically translate the Account and Reporting level balances for Source Accounts loaded that do not load these level balances. Balances that are loaded, will hold and supersede any further translation.

Calculated Reconciliation Balances						
Account #	Account Amount		Local		Reporting Amount	
1001	 10,000.00	EUR	10,000.00	EUR	 10,900.00	USD
1002	 9,000.00	GBP	10,000.00	EUR	 10,900.00	USD
1003	 15,000.00	CAD	10,000.00	EUR	 11,000.00	USD
1004	 15,200.00	CAD	10,000.00	EUR	 11,000.00	USD

- a. $10,000 \text{ EUR} * 1.00 = 10,000 \text{ EUR}$
- b. $10,000 \text{ GBP} * 1.09 = 10,900 \text{ CAD}$
- c. $10,000 \text{ EUR} * 1.52 = 15,200 \text{ CAD}$
- d. Note that the loaded balances remain and that variances exist between translated values, even when the currency types are the same.

Multi-currency Account Groups

For the Source Accounts that were loaded, assume a single Account Group is desired to reconcile all cash balances in one reconciliation. First, the Account Group is created, and the Account and Local currency types are selected as part of that creation. For this example, The Account Group Account currency is CAD and the Account Group Local currency is GBP.

Account Reconciliations

1. Using the same FX rates listed above, OneStream will automatically translate the Child (i.e. Source) currency balances to the Group currency balances.
2. The translated balances are then aggregated for each currency level and are the reconciling balances for the Account Group.

1				1				1			
	C. Acct		G. Acct		C. Local		G. Local		C. Reporting		G. Reporting
1001	a 10,000.00	EUR	15,200.00	CAD	b 10,000.00	EUR	8,800.00	GBP	f 10,900.00	USD	10,900.00
1002	b 9,000.00	GBP	15,660.00	CAD	10,000.00	EUR	8,800.00	GBP	10,900.00	USD	10,900.00
1003	c 15,000.00	CAD	15,000.00	CAD	10,000.00	EUR	8,800.00	GBP	d 11,000.00	USD	11,000.00
1004	d 15,200.00	CAD	15,200.00	CAD	10,000.00	EUR	8,800.00	GBP	11,000.00	USD	11,000.00
			2 61,060.00	CAD			2 35,200.00	GBP			2 43,800.00

- a. $10,000 \text{ EUR} * 1.52 = 15,200 \text{ CAD}^{**}$
- b. $9,000 \text{ GBP} * 1.74 = 15,660 \text{ CAD}$
- c. $15,000 \text{ CAD} * 1.00 = 15,000 \text{ CAD}$
- d. $15,200 \text{ CAD} * 1.00 = 15,200 \text{ CAD}$
- e. $10,000 \text{ EUR} * 0.88 = 8,800 \text{ GBP}^{**}$
- f. $10,900 \text{ USD} * 1.00 = 10,900 \text{ USD}$
- g. $11,000 \text{ USD} * 1.00 = 11,000 \text{ USD}$

******These examples reflect the use of OneStream calculated inverse rates and is for clarification purposes only.

Transaction Matching

See these topics:

- [Settings](#)
- [Match Set Administration](#)
- [Matches](#)
- [Transactions](#)
- [Scorecard](#)
- [Data Splitting](#)

Settings

The **Settings** page contains the Global Options in which key properties that guide administration are set as well as Access Control, Match Sets, and Uninstall options.

Global Options

Global Options contains key properties that guide global Transaction Matching administration and is used for the initial setup and configuration of Transaction Matching.

NOTE: All global option settings are retained during solution upgrades.

Security Role

Security is governed at the global level. The user group assigned to the Security Role determines who will be the Transaction Matching Administrators. Users in this group

Transaction Matching

have access to all areas of Transaction Matching and are the only users who can see the Settings Page icon.

See [Options](#).

IMPORTANT: If Data Security is enabled, Transaction Matching Administrators will only be able to see transactions for which they have access, based on the Data Set Security.

Assign User Group to Security Role

Click **Global Options**, select the user group from the drop-down list (the default value is Administrators), and click **Save**.

Data Splitting Workflow Profile

The *Data Splitting Workflow Profile* is the Base Input Parent created if data splitting is needed.

See [Data Splitting Setup](#) for complete setup details.

Assign Data Splitting Workflow Profile

Click **Global Options**, select the workflow profile from the drop-down list, and click **Save**.

User Preferences

All users can set preferences for the Start page and the layout of the data sets on the Transactions page.

1. On the **Settings** page, click **User Preferences**.
2. In the drop-down menus, select the options.

- **Start Page:** The default option is **Scorecard**. You can change it to **Matches** or **Transactions**.
- **Transactions Page Layout:** The default option is **Horizontal**. You can change it to **Vertical**.

3. Click **Save**.

4. Click **OK**.

Access Control

An Access Group is a list of users and their respective roles that are created by OneStream Administrators or Transaction Matching Administrators.

Access Groups can be set up to support the concept of backup resources for a role when the designated user cannot perform the duties. It can contain many users for each Role. For instance, an Access Group may contain more than one User for the Role of Preparer. By adding more than one User per Role in this way, the main person's backup is already granted access.

Another way that backups are built in is by a person in a superior role can act in place of a person in a lessor role for a given period. For instance, if a user in a Preparer Role is on vacation, an Approver can act as a Preparer, but someone else must approve the match due to Segregation of Duties.

NOTE: Access Groups are used only by the Transaction Matching solution and are different than User Groups used in other parts of OneStream.

See [Segregation of Duties](#).

Transaction Matching


Role	Duties
Viewer	Read-only access to: • View transactions • View matches • View scorecard • View notes • View reason codes
Commenter	Same as Viewer and: • Add comments to matches and transactions
Preparer	Same as Commenter and: • Add attachments to matches and transactions • Create manual matches • Accept suggested matches • Process match set rules • Add and edit notes • Edit reason codes
Local Admin	Same as Approver and: • Access Administration • Create and manage rules • Create and edit data sets and data set fields • Create and edit rule sets • Create and edit reason codes • Add, remove, and edit user access to match sets • Delete transactions • Remove deleted transactions

Transaction Matching

Role	Duties
Approver	Same as Preparer and: Approve and unapprove suggested and manual matches

Add Access Group

1. On the **Settings** page, click **Access Control**.
2. In the **Access Groups** pane, click **Insert Row** and then click in the fields to add a **Name** and **Description** for the group. It is recommended to use a common naming convention since there could be many of these. Whatever standard is set by your project team, it is recommended to document the naming conventions so that it can be followed by all administrators.
3. Click **Save**.



Transaction Matching

Add Members to Access Group

1. On the **Settings** page, click **Access Control**.
2. Click the name of the Access Group you want to modify.
3. In the Members pane, click **Insert Row**.
4. Click the **User** cell and select a name from the drop-down list. You can only add a user to an Access Group once for each Role.
5. When a new row is inserted, the **Role** defaults to **Preparer**. Change this setting by clicking the **Role** cell and select the new role from the drop-down list.
6. Click **Save**.

The screenshot shows the 'Dashboard - Transaction Matching' window. The main content area is titled 'ONESTREAM FINANCIAL CLOSE - TRANSACTION MATCHING'. Below this, there's a 'SETTINGS - (TXM_BanktoGL, ActualTXM, 2022M3)' section. On the left, a sidebar lists 'Global Options', 'User Preferences', 'Access Control', 'Match Sets', and 'Uninstall'. The 'Access Control' section is active, showing two tables: 'Access Groups' and 'BankTeam - Members'.

Name	Description
BankTeam	All members of bank team
GeneralAccounting	

2 Rows Page 1 of 1

User	Role
OFC_User	Preparer
Administrator	Approver

3 Rows Page 1 of 1

Match Sets

The **Match Sets** list displays all match sets and their respective Access Group, identified by a Workflow Profile and Scenario.

Transaction Matching

 			
Copy Delete			
   Match Sets 			
Workflow Profile ▼	Scenario ▼	Access Group ▼	Match Set ID ▼
TXM_BanktoGL	ActualTXM	BankTeam	6afd2896-c2a2-499d-9742-f8c530500c95
TXM_Suspense	ActualTXM	GeneralAccounting	906e95d2-4b2d-4ce4-b321-ed3ae5243b5
TXM_ICMatch	ActualTXM	GeneralAccounting	f3b8d913-2cdb-4499-a3cb-e953dd35e331

Create Match Set

1. On the **Settings** page, click **Match Sets**.
2. Click **Insert Row**.
 - Double-click the **Workflow Profile** cell and select a Workflow Profile.
 - Double-click the **Scenario** cell and select a Scenario.
 - Double-click the **Access Group** cell and select an Access Group to assign to the Match Set.
 - Do not make any changes to the **Match Set ID**. Any text entered is reverted to a system generated GUID.
3. Click **Save**.

NOTE: Match Sets must contain unique Workflow Profiles and Scenarios.

Copy Match Set to New or Same Scenario

1. On the **Settings** page, click **Match Sets**.
2. Select the Match Set you want to copy.
3. Click **Copy**.

4. In the Copy Match Set dialog box, select the scenario you want to use from the drop-down list and click **Copy**.

IMPORTANT: When copying a Match Set in the same scenario, it is recommended that all data set fields match.

Delete Match Set

1. On the **Settings** page, click **Match Sets**.
2. Select the Match Set you want to delete.
3. Click **Delete**.
4. Click **OK**.

IMPORTANT: Only Match Sets without transactions or matches can be deleted.

Uninstall

The Uninstall feature allows you to uninstall the user interface or the entire solution. If performed as part of an upgrade, any modifications that were made to standard solution objects are removed.

IMPORTANT: The Uninstall option uninstalls all solutions integrated in OneStream Financial Close.

The uninstall options are:

1. **Uninstall UI - OneStream Financial Close** removes all solutions integrated into OneStream Financial Close, including related dashboards and business rules but

leaves the databases and related tables.

IMPORTANT: This procedure resets the Workspace Dashboard Name to (Unassigned). An Administrator must manually reassign the Workspace Dashboard Name after performing an Uninstall UI.

2. **Uninstall Full - OneStream Financial Close** removes all the related data tables, data, dashboards, and business rules from all solutions integrated into OneStream Financial Close. Select this option to completely remove the solutions or to perform an upgrade that is so significant in its changes to the data tables that this method is required.

CAUTION: Uninstall procedures are irreversible.

Load Transaction Data

After Transaction Matching is set up, one of the first steps is to create the data set. In order to do this, the data source must be identified.

Data loading leverages the OneStream Data Integration Functionality (Flat File or Direct Connect) into Stage. During import, the data transfers into Stage and then to the linked Match Set Data Set; assigning it a transaction number.

You can leverage a single file with all transactions and then split the data in Transaction Matching to the applicable Match Set Data Sets. Organizations can also import multiple data source formats (i.e. disparate GLs) and stack the transactions in a single Data Set creating a single source. Data can be imported Daily, Weekly, Monthly, etc.

Once the base input import is set up, data can be loaded to it before it is assigned to a transaction matching data set. This occurs only in stage and will not be copied into Transaction Matching until it is linked to a data set. In order to reduce the volume of data

Transaction Matching

maintained in OneStream, once data is loaded into the Transaction Matching tables it is cleared from Stage.

TIP: The first row of data imported will remain in Stage in order to identify the sources imported into Transaction Matching.

See *Integration* in the *Design and Reference Guide*.

Match Set Administration

Match Set Administration contains the Match Set Rules, Data Sets, Options and Access Groups.

Match Set Administration contains the areas a user requires to manage the match sets by implementing and refining the settings in order to automate as much of the matching activities as possible. Match Set Administration is only accessible to Transaction Matching Administrators and Match Set Local Administrators.

Data Sets

The **Data Sets** page displays the available data sets for the current match set and provides the ability to create new ones.

A Data Set is the transactional data used for matching. A data set may contain one or many data sources. Each data set may contain the following fields:

Data Sets				
Name ▼	Description ▼	Sequence ▼	Data Security	
Payables Ledger		1	Entity OR IC	
Receivables Ledger		2	Entity OR IC	

Transaction Matching

Field	Description
Name	The name of the data set.
Description	The description of the data set.
Sequence	The sequence (order) of the data set (1,2,3) to be used for display on the Matches and Manual Matches pages. The first data set (DS1) is the primary data set used to compare against the remaining data sets.
Security Type	Security level of the data set (Entity, IC, Entity OR IC, or Entity AND IC) based on members in the Read and Write Data Group or Read and Write Data Group 2 in the Security section of Member Properties on the OneStream Entity.

The screenshot displays the OneStream software interface. On the left, a tree view under the 'Members' tab shows a hierarchy: 'All Orgs' > 'Total GolfStream' > 'Clubs' > 'NA Clubs' > 'US Clubs' > 'Augusta'. The 'Augusta' member is selected. On the right, the 'Member Properties' dialog box is open, showing the 'General' and 'Security' tabs. The 'General' tab includes fields for 'Dimension Type' (Entity Dimension Type), 'Dimension' (CorpEntities Dimension), 'Member Dimension' (CorpEntities Dimension), 'Name' (Augusta), and 'Default Description'. The 'Security' tab shows a table of security settings:

Property	Value	Action
Display Member Group	Everyone	[Icon] ...
Read Data Group	Augusta	[Icon] ...
Read Data Group 2	Nobody	[Icon] ...
Read and Write Data Group	Everyone	[Icon] ...
Read and Write Data Group 2	Nobody	[Icon] ...
Use Cube Data Access Security	False	
Cube Data Cell Access Categories		
Cube Conditional Input Categories		
Cube Data Management Access Categories		

Below the security settings, the 'Settings' section includes 'Currency' (USD), 'Is Consolidated' (True), and 'Is IC Entity' (False). The 'Vary By Cube Type' section is partially visible at the bottom.

IMPORTANT: Assign the primary data sequence to position 1; match variances are calculated by comparing all subsequent data sets to the primary.

Create a Data Set

1. On the **Match Set Administration** page, click **Data Sets**.
2. Click **Insert Row** and then double-click in the following cells to enter information:
 - **Name:** Enter a display name to identify the data set.
 - **Description:** Enter additional information you want to display to further identify the data set.
 - **Sequence:** Enter the number indicating the order you want the data set displayed.
 - **Data Security (Optional):** Select the security type you want to assign to the data set from the drop-down list or leave the default (Not Enabled) to display everything. This column is visible only when the Data Security option is enabled for the Match Set.
3. Click **Save**.

NOTE: Although the Transaction Matching Administrators user group has the access necessary to manage the solution, if Data Security is enabled, the ability to view transactions depends on the individual user's Entity level security. Users are only able to see transactions for the entities to which they have Read and Write access.

Data Set Fields

Each data set holds up to 47 fields identified by a predetermined field name. Although 50 fields are available, only 47 fields are displayed in the Transaction Matching grid view.

Transaction Matching

Three of the 50 fields are used to display the Transaction ID, Transaction Number, and Comment/Attachment identification.

- **16 Cube Dimensions:** Entity, Account, Scenario, Flow, Time, IC, UD1-8, Label, SourceID, TextValue, WF Profile, WF Scenario, WF Time, and Status WF Time.
- **16 Text Fields:** Attribute Fields 1-16
- **4 Date Fields:** Attribute Fields 17-20
- **13 Value Fields:** Amount and Attribute Value Fields 1-12

Each piece of data contains the following descriptors:

NOTE: If integrating Transaction Matching with Account Reconciliations, you must include all Tracking Levels used for Account Reconciliations in your Data Set Name field. See [Preparing External Files](#).

Field	Description
Alias	Freeform text field that describes the friendly name intended to further identify the data in a field.
Column Order	Allows users to see the data/information in a specific order on both Matched and Transactions pages.
Display Format	Formats that numerical values display such as dates, amounts, and decimals throughout the solution, for example: • N0 will not show any decimals or zeroes. • N1-N6 shows X number of decimals (N2 shows two decimals, N5 shows five decimals, etc.) • #,###,0\% displays 10,000% and -10,000% • #,###,0.00 displays 10,000.00 and -10,000.00 <i>See Application Properties in the Design and Reference Guide for the complete listing of number formats.</i>

Transaction Matching

Field	Description
Summary 1–3	Amount or Attribute Value fields displayed on transactions and match grid pages that are used to cross-reference and total up to three value fields to verify that the values are in balance. NOTE: Summary fields can only be changed before matches exist in a match set.
Detail Item Mapping	Select which column in Transaction Matching will populate the detail item in Account Reconciliations. Select which fields are editable on the Transactions page directly in the grid. The following fields cannot be set as editable: SourceID, S.Cons, Cons, S.S-cenario, Scenario, S.Time, Time, S.View, View, S.Origin, Origin, WF Profile, WF Time, and Status WF Time.
Editable	• N0 will not show any decimals or zeroes. • N1-N6 shows X number of decimals (N2 shows two decimals, N5 shows five decimals, etc.) • #,###,0\% displays 10,000% and -10,000% • #,###,0.00 displays 10,000.00 and -10,000.00 See <i>Application Properties</i> in the <i>Design and Reference Guide</i> for the complete listing of number formats.

NOTE: Even if fields are marked editable, they cannot be edited for matched transactions and transactions that are associated to a detail item in Account Reconciliations.

Import Workflows

1. On the **Match Set Administration** page, click **Data Sets**.
2. Click the data set you want to import into.
3. In the *<Data Set name>***Import Workflows** pane click **Insert Row** and then click the new row.
4. Select a base import workflow from the drop-down list.
5. Click **Save**.

NOTE: If multiple import workflows are added, they will be sequentially stacked together into a single data set.

Match Set Rules

The **Match Set Rules** page displays rules created for the current match set and provides the ability to create new ones.

Match Set Rules contains the logic that data runs through to determine rules-based matches. There is no limit to the number of rules that can be created. The Rules list displays the following information for each Rule:

Transaction Matching

- **Name:** Freeform text field to give rule a short name
- **Type:** Drop-down list containing the rule types.
- **Match Type:** Drop-down list containing the match types.
- **Description:** Optional freeform text field containing additional rule information.
- **Reason Code:** Field displaying the information established during reason code setup.
- **Active:** Indicates if the rule should be run during Rule processing (on/off toggle).
- **Process Sequence:** The order in which the rules are run. Rules are run in ascending order of the process sequence.

Rules						
Name ▼	Type ▼	Match Type ▼	Description ▼	Reason Code ▼	Active	Process Sequence ▼
1:1 Exact Match	One : One	Automatic	1:1 Exact Match	Exact Match	☐	1
M:1 Exact Match	Many : One	Automatic	M:1 Exact Match	Exact Match	☐	2
1:1 Date Tol 3	One : One	Suggested	1:1 Date Tol 3	Date Variance	☐	3
M:1 Date Tol 3	Many : One	Suggested	M:1 Date Tol 3	Date Variance	☐	4

See also:

- [Rule Types](#)
- [Match Types](#)
- [Reason Codes](#)

Create Match Set Rule

1. On the **Match Set Administration** page, click **Rules**.
2. Click **Insert Row** and then double-click in the following cells to enter information:

Transaction Matching

- **Name:** Enter a display name to identify the rule.
 - **Type:** Select the Rule Type you want to use from the drop-down list. For One Sided match see [Create a One-sided Match](#).
 - **Match Type:** Select the Match Type from the drop-down list.
 - **Description:** Enter additional information you want to display regarding the rule.
 - **Reason Code:** Select the appropriate reason code from the drop-down list.
3. Click the **Active** box to turn it on/off.
 4. In the **Process Sequence** cell, enter the number indicating which order you want the rule run.
 5. Click **Save**. The rules Definition pane will appear upon successful save.

Create a One-sided Match

After you create the match set rule on the Rules tab, continue with these steps to create a one-sided match.

If you selected One Sided - DS3 then on the Grouping tab you will see fields only for Data Set 3, and Data Set 1 and Data Set 2 are blank. If you want to match transactions that cancel or reverse each other out, you can group by common fields such as Account, Entity, Cost Center, and Transaction Date, as shown below.

Rule Types

The following Rule Types are available for two data set matches:

- **One to One (1:1):** An exact match in which a transaction in one data set is compared to a single transaction in the other.
- **One to Many (1:M):** A single transaction in one data set can be matched with one or more transactions (a grouping) in another.
- **Many to One (M:1):** One or more transactions (a grouping) in one data set are condensed into one transaction and then compared to a single transaction in another.
- **Many to Many (M:M):** One or more transactions (a grouping) in one data set are collapsed into a single amount and then compared to the same in another.
- **One Sided - DS1, One Sided - DS2, One Sided - DS3:** Match transactions within the same data set.

Additionally, the following Rule Types are available for three data set matches:

- One to One to One (1:1:1)
- One to One to Many (1:1:M)
- One to Many to One (1:M:1)
- Many to One to One (M:1:1)
- One to Many to Many (1:M:M)
- Many to Many to One (M:M:1)
- Many to One to Many (M:1:M)
- Many to Many to Many (M:M:M)

Transaction Matching

Match Types

- *Automatic matches* do not require acceptance or approval.
- *Suggested matches* require acceptance and may also require approval.

Standard Rule Filters

Filters define the criteria for returning unmatched transactions.

You can create or edit filters for any rule by clicking **Filters** and applying them to any data set. Only the unmatched transactions returned by the filter are used during rule processing.

TIP: If a filter is applied to transaction data, then the Filter button displays in green.

Payables Ledger (DS1)			Receivables Ledger (DS2)		
Field Name	Operator	Value	Field Name	Operator	Value
Account (Ac)	Starts With	20			
Entity (Et)	In 1;2;3 or 'A';'B';'C'	'Houston Heights', 'South Houston'			

- **Field Name:** Drop-down list containing all fields in the data set. Select the field to which you want the filter to be applied.
- **Operator:** Function used to combine items or determine the parameters in order to create a filter.
- **Value:** Information used by the operator.

Transaction Matching

Operator	Definition
=	Is equal to the value specified (exact match). To return fields that are blank, leave Value blank.
>	Is greater than the value specified.
> =	Is greater than or equal to the value specified.
<	Is less than the value specified.
< =	Is less than or equal to the value specified.
< >	Is not equal to the value specified. To return fields that are not blank, leave Value blank.
In 1;2;3 or 'A'; 'B'; 'C'	Displays values that are the same as what is specified.
Between 1;2 or 'A'; 'Z'	Displays values that fall between the first and second values (including the listed values).
Starts With	Displays results where the data in the column starts with the value in the filter.
Does Not Start With	Displays results where the data in the column starts with anything except the value in the filter.
Ends With	Displays results where the data in the column ends with the value in the filter.
Does Not End With	Displays results where the data in the column ends with anything except the value in the filter.
Contains	Displays only records where the data in the column contains all the values in the filter.
Does Not Contain	Displays only records where the data in the column does not contain any of the values in the filter.

NOTE: Syntax of the filter is validated when you click **Save**.

Custom Rule Filters

In addition to the standard rule filters, administrators can create custom rule filters that use complex expressions.

CAUTION: Only advanced users should create custom rule filters.

Use custom rule filters to create filters more quickly and efficiently and reduce the need to duplicate filters with slight variations within the standard filter, which can be time consuming and also prone to error.

Administrators can set up standard and custom rule types for a data set. Whichever filter is selected is the one that is applied.

GL10003 (DS1)

Custom Filter

+

-

↺

↻

|

Field Name

Operator

Value

Account (AcT)

=

10004

⏪

⏩

1

⏪

⏩

1 Rows

Page 1 of 1

- 1. Select **Custom Filter**.
- 2. Enter a custom rule and then click **Save**. The rule syntax is validated when you save.

Rule Grouping

Grouping displays in the Rule Definition pane when you select a Many rule type.

When you select a Many rule type, the Grouping icon displays, providing the ability to specify how to aggregate (group) the data. Once the grouping is defined, the items in the group become the only items available in the Definition Field Name list for selection, in addition to the Summary fields.

Transaction Matching

For each data set, you can group data by attributes (top) and apply date tolerances (bottom). Applying date tolerances in the Grouping tab creates a match rule that applies the date tolerances before grouping as opposed to after grouping. You can set up date tolerances to be applied after grouping in the Definition tab.

For a detailed example of how to use date tolerances, see [Date Grouping Tolerances Appendix](#).

Attributes - GL10003 (DS1)		Attributes - BNKBOA (DS2)	
Field Name		Field Name	
Invoice		Bnk Location	
		Account	
		Entity	

Dates - GL10003 (DS1)		Dates - BNKBOA (DS2)	
Field Name	Days Before	Field Name	Days Before
Post Date	1		
	Days After		Days After
	1		

Add Rule Grouping for Attributes

1. On the **Match Set Administration** page, click **Rules** and then select a *Many : One* or *Many to Many* rule type.
2. Click **Grouping**.
3. In the **Attributes** pane, click **Insert Row**.
4. Click on the inserted row and, from **Field Name**, select an attribute to group by.
5. Repeat Step 4 to add all attributes that you want to group by.
6. Click **Save**.

Transaction Matching

Add Date Grouping Tolerances

For a detailed example of how to use date tolerances, see [Date Grouping Tolerances Appendix](#).

1. On the **Match Set Administration** page, click **Rules** and then select any rule type that uses Many for one of the data sets.
2. Click **Grouping**.
3. In the **Dates** pane, click **Insert Row**.
4. Click on the inserted row and, from **Field Name**, select a date field and then set the date tolerances. Date tolerances applied in the Grouping tab are applied pre-aggregation. Date tolerances applied post-aggregation are done in the Definition tab. For example, if set to 1 day before and 1 day after, before summing up the total amount based on the common attributes, there would be a date tolerance of 1 day before and after applied.
5. Repeat Step 4 until you have added all date attributes that you want to group by.
6. Click **Save**.

Rule Definition

 **Definition** displays detailed information about a selected rule.

The Rule Definition contains the data set field names, conditions, and tolerances for each rule.

Transaction Matching



Rule:
M:1 Exact Match

Attributes

Values

Dates

Summary



Attributes

Field Name - GL10003 (DS1) ▼	Condition	Value	Field Name - BNKBOA (DS2) ▼	Condition	Value
Check No (A1)	(None)	0	Check No (A2)	(None)	0
Source Acct (Ac)	(None)	0	Source Acct (Ac)	(None)	0
Entity (EtT)	(None)	0	Entity (EtT)	(None)	0

Attributes

- **Field Name (DS1):** Drop-down list containing all fields in the first data set (DS1). Select the field on which to perform the match. Each selected field must have a corresponding field in all other data sets.
 - **Condition:** Indicates the placement (None, Left, Right) set for DS1; this is particularly useful if there will be leading or trailing zeroes in one data set that may not exist in the other data sets. Rule conditions help guide the position the rule should be applied to for a certain data element. The position can start at the beginning of a string (left) or the end of a string (right). The Rule definitions have Conditions and Value fields for each data set.
 - **Value:** Integer field.
- **Field Name (DS2):** Drop-down list containing all fields in the second data set (DS2). Select the field on which to perform the match. Each selected field must have a corresponding field in all other data sets.
 - **Condition:** Indicates the placement (None, Left, Right) set for DS2.
 - **Value:** Integer field.

Transaction Matching

- **Tolerance Type:** Tolerances can be set on amount (Numeric dollar amount or Percentage) or date fields (Numeric only).
- **Under:** Default minimum is 0. (Example: 5.00)
- **Over:** Default maximum is 0.(Example: 5.00)

Rule Tolerances

Tolerances can be set on amount (numeric dollar amount or percentage) or date fields (numeric only) to allow some variation when creating a match.

Date variations provide allowances for circumstances such as transit times when a transaction may arrive at a customer's ERP system and a bank/3rd party source on different dates.

Tolerance Example

If the amount tolerance equals plus or minus \$5 and the data in DS1 = 100, the rule will search for an amount in the corresponding DS2 for a range of \$95-105.

 Filters

 Definition

Rule:

1:1 Exact Match









|

Definition

Field Name - GL10003 (DS1) ▼	Condition ▼	Value ▼	Field Name - BNKBOA (DS2) ▼	Condition ▼	Value ▼	Tolerance Type ▼	Tolerance Min ▼	Tolerance Max ▼
Check No (A1)	(None)	0	Check No (A2)	(None)	0	(None)	0.000000000	0.000000000
Check Amt (Am)	(None)	0	Debit Amt (Am)	(None)	0	(None)	0.000000000	0.000000000
Check Date (D1)	(None)	0	Debit Date (D1)	(None)	0	(None)	0.000000000	0.000000000

Options

Options contains Match Set Options, Manual Matching Tolerances, and Reason Codes.

Transaction Matching

Match Set Options

The following conditions can be required during the approval process. To activate or deactivate an option, select or clear the check box and click **Save**.

Options					
Require Approval - Manual	Require Approval - Suggested	Require Comment	Require Attachment	Data Security ▼	Auto Unsuspend
☒	☒	☒	☐	(Not Enabled) ▼	☒

- **Require Approval (Manual):** An Approver must approve every manual match.
- **Require Approval (Suggested):** An Approver must approve every suggested match.
- **Require Comment:** A comment must be entered for every manual match.
- **Require Attachment:** An attachment must be uploaded to every manual match.

Require Match Reason Code:

IMPORTANT: If you select Require Comment or Require Attachment, on the Transactions page, the Match Reason Code drop-down menu and Match icon in the bottom right will not display. In this case, you must click the Match+ icon to create a manual match, which opens a dialog box for you to add comments and attach documents.

- **Data Security:** Select a Cube from the drop-down list to specify the Cube the Entity security will reference
- **Auto Unsuspend:** Unsuspend all suspended transactions that were suspended in any prior Workflow period, redefining them as Unmatched in the current Workflow

period. This will allow match rules to run against the previously suspended transactions in the current Workflow period.

NOTE: Anything that is suspended in the current Workflow period will remain suspended.

Manual Matching Tolerances

Because manual matching is a transaction-selecting process, you can select transactions that have an amount variance range by defining and applying tolerances. A tolerance allows transactions to be matched when they do not have exact matching values (which would otherwise trigger human intervention). Defining a tolerance range (upper and lower levels of acceptable variance) tells the system how far outside of the exact amount it can consider an acceptable match.

Tolerance **Type** options are both **Numeric** or a **Percentage** of the total (or **None**) and different tolerances can be set against each of the Summary fields.

Manual Matching Tolerances										
Admin Override	Approver Override	Summary 1 Type ▼	Summary 1 Min ▼	Summary 1 Max ▼	Summary 2 Type ▼	Summary 2 Min ▼	Summary 2 Max ▼	Summary 3 Type ▼	Summary 3 Min ▼	Summary 3 Max ▼
☐	☐	(None)	0.00000000	0.00000000	(None)	0.00000000	0.00000000	(None)	0.00000000	0.00000000

Admin Override grants Administrators the ability to create manual matches even if the variance is outside the tolerances defined for any of the three Summary fields.

Approver Override grants Approvers the ability to create a manual match even if the variance is outside the tolerances defined for any of the three Summary fields.

Summary 1, 2, 3 Type options are (None), Numeric, or Percentage (of total).

Summary 1, 2, 3 Min defines the absolute value lower limit in which a difference is automatically accepted.

Summary 1, 2, 3 Max defines the absolute value upper limit in which a difference is automatically accepted.


Transaction Matching

Set or Edit Manual Matching Tolerances

In the **Manual Matching Tolerances** pane on the **Options** page, select the fields you want to apply and click **Save**.

Reason Codes

A reason code is a brief explanation or description of the match. Reason codes can be assigned through match rules or manual matches. They can be used for reporting purposes or to extract specific pieces of information.



Reason Codes		
Name	Description	Active
Amount Variance		☐
Bank Fee		☐
Data Discrepancies		☐
Date Variance		☐
Exact Match		☐

Add New Reason Code

1. In the **Reason Codes** pane on the **Options** page, click **Insert Row**.
2. Click the **Name** cell and enter the name of the Reason Code.
3. Click the **Description** cell and enter an explanation of the Reason Code (optional but recommended).
4. Click **Save**.

Edit a Reason Code

Updates to the reason code will only affect future matches not previous matches.

1. On the **Match Set Administration Page**, click **Rules**.
2. In the **Reason Code** column for a rule, click in the field to display a drop-down menu.
3. Select the reason code from the drop-down menu.
4. Click **Save**.

NOTE: After the reason code has been updated, the change does not affect any prior matches, only matches made going forward.

You can also edit the Reason Code on the Transactions page. See [Edit Transactions](#).

Access

The **Access** page displays the user name and role for each team member in the current match set.

The **Access** page lists the *<GroupName>* team members who are permitted to work with the current match set and their role. It is where an existing role can be changed, and additional team members added. Match Set Administration is only accessible to Transaction Matching Administrators and Match Set Local Administrators.

See also: [Access Control](#)

Add User to Match Set Access Group

1. On the **Match Set Administration** page, click **Access**.
2. In the Members pane, click **Insert Row**.
3. Click the **User** cell and select the name from the drop-down list.

Transaction Matching

4. When a new row is inserted, the **Role** defaults to **Preparer**. To change this setting, click the **Role** cell and select the role from the drop-down list.
5. Click **Save**.

Modify User Role to Match Set Access Group

1. On the **Match Set Administration** page, click **Access**.
2. In the Members pane, click the name you want to modify in the **User** column.
3. Click the **Role** cell and select the appropriate role from the drop-down list.
4. Click **Save**.

Remove User from Match Set Access Group

1. On the **Match Set Administration** page, click **Access**.
2. In the Members pane, click the name you want to remove in the **User** column.
3. Click **Delete Rows**.
4. Click **Save**.

TRANSACTION MATCHING

MATCH SET ADMINISTRATION - (TXM_BanktoGL_ActualTXM)

RulesData SetsOptionsAccess

BankTeam - Members

Matches

The **Matches** page displays a grid containing all matches made for the active Match Set and allows for Match Actions like Accepting, Approving, and Unmatching.

Matches are displayed in a Match Grid View (MGV), with a numerical summary on the header bar. The results in the MGV display can be further customized by selecting filters from the drop-down list.

NOTE: Only matches for the current workflow period are displayed.

Match Filters

Filter Name	Filter Option	Description
Type	Manual	Require review and approval
	Suggested	Require review and acceptance
	Automatic	Created by the system via Rules
Rule	List	Dynamic list populated with all match set rules
Status	All	All Status states
	Pending	Suggested matches that have not yet been accepted
	Matched	Automatic, Accepted, Suggested, and Manual Matches

Transaction Matching

Filter Name	Filter Option	Description
Approval	All	All Approval states
	Unapproved	Not yet been approved or a previous approval was retracted
	Approved	Approved either automatically or manually
	Not Required	Applies to Matches that are set to Approval Not Required for Manual and/or Suggested.
Reason Code	List	Dynamic list populated with all match set reason codes

Header Bar Metrics

Total: 369
Pending: 180
Unapproved: 4

The header bar displays the number of unapproved, pending, and total matches. A

Refresh icon is also available to refresh the Matches grid with the latest information.

Matches Columns

Change the order in which Matches are displayed by clicking the Filter icon of any column.

- Match
- Type
- Rule
- Match By
- Match Date (UTC)
- Status
- Status By
- Status Date (UTC)
- Approval

Transaction Matching

- Approval By
- Approval Date (UTC)
- Reason Code
- Match Period
- Summary fields across each data set
- Match Date

To Select	Do This
A single row	Click anywhere in the row or click the row's checkbox
Multiple non-contiguous rows	1. Click anywhere in a row. 2. Hold down the Ctrl key and select the next row. 3. Repeat until all rows are selected.
A contiguous group of rows	1. Click the first row of the group. 2. Hold down the Shift key and select the last row of the group.
Multiple contiguous groups of rows	1. Click the first row of the group. 2. Hold down the Shift key and select the last row of the group. 3. Hold down the Ctrl key and select the first row of the next group. 4. Press and hold Ctrl+Shift and select the last row of the next group.
Rows on multiple pages	1. Perform the steps for the row type you want to select. 2. Repeat until all rows on the page are selected. 3. Click the next page and repeat the procedure until all rows on all pages are selected.

Rule Processing

Process Match Set Rules initiates a Data Management job on all active rules in a Match Set.

Rule processing can be launched from either the **Matches** or **Transactions** page by a Preparer, Approver, Local Admin, or Transaction Matching Administrator. While the Data Management job runs in the background, its progress can be monitored at any time in **Task Activity**. Manual Matching is blocked while the process rules job is running. Only one active job per Match Set can be run at a time.

Process Matches

1. On the Matches or Transactions page, click **Process**.
2. Click **OK** in the **Process Match Set Rules Started** dialog box.

Match Detail

When you select a match in the Matches grid, the Match Detail appears beneath it. This pane contains the system-generated Match ID (an alphanumeric code beginning with the letter M), the rule that created the match, and a color-coded status box stating the Type, Status, and Approval state.

The Match Detail pane displays transactions matched from each data set. The number of transactions displayed in each pane is determined by the Rule Type. For example, a Many to One rule applied may result in the display of multiple transactions in the first data set (DS1) with a single transaction displayed in the second data set (DS2).

Transaction Matching

At the bottom of each section of the Match Detail pane are the summary totals. The number of summary totals displayed correlates to the number of summary fields previously determined in the data sets. The variance calculation will display in the appropriate pane.

Match Details

Transactions

Comments

Attachments

Match: M210608_000028180

Rule: M:1 Date Tol 3

Accept

Unmatch

Type: Suggested

Status: Pending

Approval: Not Required

GL10003 (DS1)

Transaction

Check Date

Post Date

Check Amt

Detail Amt

T210608_000106126

2022-01-04

2022-01-04

-3,655.16

-3,655.16

T210608_000106128

2022-01-04

2022-01-04

-806.00

-806.00

T210608_000106420

2022-01-04

2022-01-04

-781.00

-781.00

BNKBOA (DS2)

Transaction

Load Period

Src Entity

Entity

Src Acc

Debit Ar

Detail Amt

T210608_000105753

2022M1

Heights

Houston

10003

-5,242.16

-5,242.16

GL10003 (DS1)

BNKBOA (DS2)

DS1 to DS2

Check Amt

-5,242.16

-5,242.16

0.00

Transaction Matching

- On the **Matches** or **Transactions** page, click **Complete WF**.
- After a workflow is complete, the **Complete WF** icon is replaced by the **Revert WF** icon. When a workflow is complete:
 - All users can view the workflow but cannot edit or delete the existing information.
 - Commenters, preparers, approvers, and administrators can add comments.
 - Preparers, approvers, and administrators can add attachments.

Revert Workflow

The **Revert WF** removes the **Complete** checkmark from the workflow and restores it to an open status.

On the **Matches** or **Transactions** page, click **Revert WF**.

Export

Export takes filtered matches and transaction information and exports all or portions of the match data

IMPORTANT: If Data Security is enabled, only OneStream Administrators can export transactions.

The Export option exports all or partial match data in the active match set into a comma-separated values (*.csv) format. This information can be brought into account reconciliation activities, journal entry, reporting, or even third-party solutions for general or other entry work.

IMPORTANT: The Export feature requires the OneStream App for Windows.

Transaction Matching

Export Match and Transaction Details

1. On the header bar of the **Matches** page, click **Export**.
2. Select the **Export Type** from the drop-down list and then click **Export**.



Comments and Attachments

Comments and attachments can be added at either the Transaction level or the Match level.

Add Comments and Attachments to a Suggested Match

1. In the **Matches** grid, select the matches that you want to accept.
2. Click **Comments** to add a comment.



The **Comments** icon when there are no comments.

NOTE: The **Comments** icon  changes to show when a match contains comments.

- Click **Attachments** to add a file to the match.
- Click **Upload**, navigate to the location of the file, and then click **Open**. Repeat the process to add additional files.

Transaction Matching



The **Attachments** icon when there are no attachments.



The **Attachments** icon when there are comments.

NOTE: The **Attachments**  icon changes to show when a match contains attached files.

3. Click **Accept** to finalize the match.

Match Actions

Matches can be reviewed, and different actions can be taken on and through the **Matches** page.

Automatic Matches

Automatic matches are generated by the system based on the match rules created for the match set and can be unmatched by the Approvers, Transaction Matching Administrator, and OneStream Administrators.

View Automatic Matches

To display automatic matches in the Matches grid, on the Matches page, select **Automatic** from the **Type** drop-down list.

Accepting/Unaccepting Suggested Matches

Suggested matches are matches made by the system that require acceptance. They may also require approval if **Require Approval - Suggested** is set under Match Set Options.

Transaction Matching

Accept Suggested Matches

1. In the **Matches** grid, select the matches that you want to accept. You can select multiple matches and accept them together.
2. In the **Selected Matches** pane, click **Accept**.

Unaccept Suggested Matches

A suggested match that has been accepted can be unaccepted if it is still unapproved. If it is already approved, it must be unapproved before the suggested match can be unaccepted.

1. In the **Matches** grid, select the accepted match.
2. In the **Match** pane, click **Unaccept**.

Approving/Unapproving Suggested and Manual Matches

Approve Matches

Automatic matches are approved when the match is made. Approving an unaccepted suggested match will bypass acceptance and approve the match in a single action.

1. In the **Matches** grid, select the matches that you want to approve. You can select multiple matches and approve them together.
2. In the **Selected Matches** pane, click **Approve**.

Unapprove Matches

1. In the **Matches** grid, select the approved matches you want to unapprove. You can select multiple matches and unapprove them together.
2. In the **Match** pane, click **Unapprove**.

Segregation of Duties

Transaction Matching honors strict Segregation of Duties for manual matches. If a user creates a Manual Match, the approval must be performed by another user.

Unmatch Matches

When you **Unmatch** a match, these events occur:

- The transactions become available on the **Transactions** page.
- The match ID, comments, and attachments associated with the match are permanently removed.

Remove a Suggested Match

1. In the **Matches** grid, select the checkbox next to the matches that you want to remove. You can select multiple matches and unmatch them together.
2. Click **Unmatch** to remove the match.

The selected matches are removed from the **Matches** grid.

Remove All Matches

OneStream Administrators can remove all matches for the current filter selections.

NOTE: If entity security is enabled, a Local Admin or Transaction Matching Administrator cannot unmatch for entities that they do not have access to.

1. In the **Matches** grid, make selections from the filters to identify the matches to be removed.
2. Click **Unmatch All**.

Transaction Matching

3. Confirm the match removal.

All matches for the selected filters are removed from the **Matches** grid.

Multi-Match Actions

When you select multiple matches on the **Matches** grid, you can apply one of these actions to the selected matches:

- Accept
- Approve
- Unapprove
- Unmatch

Matches										
Match	Type	Rule	Match By	Match Date (UTC)	Match Period	Status	Status By	Status Date (UTC)		
☐	M210701_000025061	Suggested	1:1 Suggested	System	7/1/2021 5:10:35 PM	2021M1	Pending	System	7/1/2021 5:10:35 PM	
☒	M210701_000025060	Suggested	1:1 Suggested	System	7/1/2021 5:10:35 PM	2021M1	Pending	System	7/1/2021 5:10:35 PM	
☐	M210701_000025059	Suggested	1:1 Suggested	System	7/1/2021 5:10:35 PM	2021M1	Pending	System	7/1/2021 5:10:35 PM	
1 2										
Accept Approve Unapprove Unmatch										
Selected Matches										
Match	Type	Rule	Match By	Match Date (UTC)	Match Period	Status	Status By	Status Date (UTC)	Approval	
M210701_000025061	Suggested	1:1 Suggested	System	7/1/2021 5:10:35 PM	2021M1	Pending	System	7/1/2021 5:10:35 PM	Unapproved	
M210701_000025060	Suggested	1:1 Suggested	System	7/1/2021 5:10:35 PM	2021M1	Pending	System	7/1/2021 5:10:35 PM	Unapproved	

Transactions

The **Transactions** page displays a stacked grid view for all transactions.

IMPORTANT: If Data Security is enabled, users are only able to see transactions for the entities to which they have Read and Write access.

Transaction Matching Limits

Transaction Matching functionality included with the core platform Service is limited to 100,000 Transactions per month, without any carryover of any unused Transactions to any following month(s). Transaction shall be defined as a single row of data loaded and stored into the transaction matching infrastructure. Additional capacity can be provisioned subject to additional fees.

Transaction Status

The **Transaction Status** drop down filters the transactions based on the current status of the transaction:

- [Unmatched](#)
- [Unmatched \(As of Period End\)](#)
- [Matched](#)
- [Suspended](#)
- [Pending Delete](#)
- [Deleted](#)

The Transaction page displays a stacked grid view by default with Data Source 1 (DS1) on top and Data Source 2 (DS2) under it. Click **Layout** to toggle the view between stacked and side-by-side.

TIP: You can click  in a column to filter and sort transactions.

Transaction Matching

Unmatched

Select Unmatched to show all transactions that are not currently matched and manually match transactions. Manual matching is a process performed when transactions are not matched via the match rules.

Create a Manual Match

On the **Transactions** page, select the transactions in each data set to be matched. The status bar at the bottom automatically updates the amounts and variance calculations as transactions are selected or cleared. When you make a manual match, these events occur:

- The match type “manual” is assigned to the match.
- A match ID is generated.
- The match status changes to **Matched**.

Unmatching a Manual Match

Manual matches can be unmatched by Preparers, Approvers, Local Admins, and Transaction Matching Administrators. After approval, only Approvers or Transaction Matching Admins can unmatch a manual match.

One-Sided Matches

One-sided matches are permitted when selecting more than one transaction in the same data set.

Assign a Match Reason Code

Match reason codes can be used to aid in identifying issues with matches or individual transactions that may have required a manual match to be performed.

Transaction Matching

1. Select the transactions from the data sets.
2. On the status bar, select a reason from the **Match Reason Code** drop-down list.
3. Click **Match +**.

Create Quick Match

A Quick Match moves matched transactions out of the unmatched transaction list immediately upon selection without requiring additional steps such as adding comments or attachments.

1. Select the transactions from the data sets.
2. (Optional): Assign a **Match Reason Code**.
3. Click **Match**.

Create Match Plus

Match Plus enables the creation of a match while providing an opportunity to add comments or attachments. When the process is complete, the transactions are matched, and any added comments or attachments are saved to the match.

1. Select the transactions from the data sets.
2. (Optional): Assign a **Match Reason Code**.
3. Click **Match +**.
4. (Optional): Click **Comments** to add a comment.
5. (Optional): Click **Attachments** to add a file to the match.
 - Click **Upload**, navigate to the location of the file, and then click **Open**.
 - Repeat to add additional files.
6. Click **Accept** to finalize the match or **Decline** to discard the match.

Transaction Matching

Matching Outside of Tolerance

If tolerances are in place across any of the three summary fields and a variance exists then a match will not occur, and an error message is displayed. If the user's role lets them override this tolerance variance, a warning that the match variance is outside the tolerance is displayed.

See also: [Manual Matching Tolerances](#)

Suspend Transactions

Suspend a transaction to set it aside until it is ready for matching.

If there are transactions awaiting additional data, for example the need to wait for a first of month reconciliation, that transaction can be marked Suspended. This action removes the transaction from the Unmatched status and stores it until it is ready to be matched.

You can apply a reason code to explain why the transaction is being suspended. If the transaction becomes unsuspended or is moved to any other status besides suspended, the reason code is removed from the transaction. You can view reason codes when the transaction list is filtered to suspended transactions.

NOTE: Reason codes can only be applied from the Transactions page. You cannot apply them from the transaction details dialog.

When suspended transactions exist, a warning is visible at the top of every page in Transaction Matching and remains in place for as long as there are suspended transactions.



Warning: Suspended Transactions

To suspend a transaction:

Transaction Matching

1. Select **Unmatched** from the **Transaction Status** drop-down list.
2. Select the transactions you want to suspend.
3. (Optional): Select a **Reason Code**.
4. Click **Suspend**.

IMPORTANT: If Auto Unsuspend is not enabled, suspended transactions are excluded from rules-based matching.

Delete Transactions

Delete a transaction that does not need to be matched.

If there are transactions that will never be matched, for example a bank fee deemed immaterial, that transaction can be deleted and marked as Pending Delete. This action can be done by Preparers, Approvers, and Administrators and removes the transaction from the Unmatched status and moves it to the Pending Delete status.

To delete a transaction:

1. Select **Unmatched** or **Suspended** from the **Transaction Status** drop-down list.
2. Select the transactions you want to delete.
3. Click **Delete**.

Unmatched (As of Period End)

Select **Unmatched (As of Period End)** to show all transactions that are unmatched in the current period, regardless of future period match status. For example, if there are 10 unmatched transactions in total for M1 and 6 are matched in M2, the filter for Unmatched (As of Period End) would show 10 transactions, and the filter for Unmatched would show 4 transactions.

Transaction Matching

Matched

Select Matched to show all transactions that are matched and perform Match Actions in the **Transactions** page.

When you select Matched transactions, you can use these additional filters to change the transactions that display:

- **Match Reason Code:** Select one or more reason codes or **All**.
- **Match Period:** Select **All**, **Current Period**, or **Future Periods**.
- **Import Period:** Select one or more import periods or **All**.

See Also:

- [Match Actions](#)
- [Unmatch Matches](#)
- [Multi-Match Actions](#)

Suspended

Selecting Suspended shows all transactions that are currently suspended. The period the transaction was suspended will be identified by the Status Period column. The reason for the suspension, if provided, displays in the Reason Code column. If Auto Unsuspend is enabled, transactions suspended in one Workflow period will be unsuspended in the next period, upon running Process in the new period. The Status Period will then reflect the new Workflow period, which is the period the transaction was automatically moved from suspended to unmatched.

Transaction Matching

Unsuspending Transactions

1. From the **Transaction Status** drop-down list select **Suspended**.
2. Select the transactions you want to unsuspend.
3. Click **Unsuspend**.

The selected transactions are returned to the unmatched transaction grid.

Pending Delete

Selecting **Pending Delete** shows all transactions that were deleted by users. Transactions with a Pending Delete state can be deleted or recalled which moves them back to the unmatched state. Only Approvers, Transaction Matching Administrators, or OneStream Administrators may move transactions to a Deleted state.

1. delete.

Recalling Transactions

1. Select **Pending Delete** from the **Transaction Status** drop-down list.
2. Select the transactions you want to recall.
3. Click **Recall**.

When transactions are recalled, they are returned to the unmatched transaction grid.

Deleted

Only Transaction Matching Administrators or OneStream Administrators have the ability to view deleted transactions. The ability exists to recall these transactions or to permanently remove the transactions from the transaction matching database tables.



Permanently remove a transaction from the transaction matching database tables.

Transaction Matching

Once removed, the selected transactions are permanently removed from the Transaction Matching tables.

Data Filters

On the Transactions page, you can apply data filters to all types of transactions. You can also use the Manage Filters dialog box to create, edit, clone, and delete filters for each data set.

ONESTREAM FINANCIAL CLOSE - TRANSACTION MATCHING

TRANSACTIONS - (TXM BanktoGL, ActualTXM, 2022M3)

Transaction Status: Unmatched Reconciliation Link: (All) Export

Filter (DS1): (None) Filter (DS2): (None) Filters

Defer Refresh

GL10003 (DS1)

Transaction ID	Check Date	Post Date	Check Amt	Check No	Invoice	JE Num	Source Acct	Account	Source Entity	Entity	Load Period	Amount	Reason Code	Additional Info
4125	2022-02-27	2022-02-28	-91.77	511AAA180	34795	2153766	10003	10100	Heights	Houston Heights	2022M3	-91.77	(Unassigned)	
8481	2022-03-11	2022-03-31	-108.87	511AAA192	34843	2153766	10003	10100	Heights	Houston Heights	2022M3	-108.87	(Unassigned)	
8772	2022-03-17	2022-03-31	-678.92	511AAA288	35227	2153766	10003	10100	Heights	Houston Heights	2022M3	-678.92	(Unassigned)	
8789	2022-03-09	2022-03-31	-795.77	511AAA370	35555	2153766	10003	10100	Heights	Houston Heights	2022M3	-795.77	(Unassigned)	
13204	2022-03-01	2022-03-31	-656.12	511AAA272	35163	2153766	10003	10100	Heights	Houston Heights	2022M3	-656.12	(Unassigned)	
26981	2022-03-18	2022-03-31	-118.84	511AAA199	34871	2153766	10003	10100	Heights	Houston Heights	2022M3	-118.84	(Unassigned)	


Data filters provide increased efficiency by letting you create and save filters that are applied to transactions within a data set. Data filters also enable you to:

- Filter on any dimension within the data set.
- Filter using wildcards and select multiple items to add to a filter.
- View and clone other users' filters within the match set.
- Edit and delete other users' filters within the match set and assign filters to other users (administrators only).

Create a Filter

1. On the **Transactions** page, click **Filters**.
2. In the **Manage Filters** dialog box, click **Create**.

Transaction Matching



3. Complete the **Filter Name** field. The filter name will appear on the Transactions page in the filter drop-down menus. Each filter name must be unique within the data set for each assigned user. This field cannot be left blank.
4. Select the data set from the drop-down menu to indicate which data set will use the filter.
5. Click **Create**.

NOTE: In the Manage Filters dialog box, the box in the Enabled column is selected by default, which means that the filter will appear on the Transactions page in the filter drop-down menus. If the box is cleared, the filter is disabled and will not appear as an option in the drop-down menus.

6. Add filter information. See [Edit a Filter](#).
7. Click **Close**.

Transaction Matching

Edit a Filter

1. On the **Transactions** page, click **Filters**.
2. In the **Manage Filters** dialog box, select the name of the filter to edit.

TIP: To view a list of all filters created by other users within the same match set, select the **Show All** option. All users are able to view and clone other users' filters within the match set. Administrators can also edit and delete other users' filters within the match set.

NOTE: Administrators can assign filters to other users. In the **Assigned User** column for a filter, click in the field to display a drop-down menu and select the user.

3. Fields for the filters that you can apply to the data set are listed: Attributes, Dates, Values, and Dimensions. There is also a Notes field where you can enter a description for the filter. In the **Manage Filters** dialog box, enter the filter information.

NOTE: To clear the contents of a filter field, click .

TIP: For Dates fields, the Start Date must be before the End Date.

TIP: For Values fields, the value entered must be a decimal, and the minimum value must be less than or equal to the maximum value.

You can also enter information in the Attributes and Dimensions fields using the Selector dialog box.

Transaction Matching

1. Click to open the **Selector** dialog box.
2. (Optional) Type filter information in the **Filter** field.
3. (Optional) Click to apply the filter.
4. Select the boxes next to the items in the list to select one or more options.
5. Click **Save**.

You can also filter using wildcards in the filter fields in the Manage Filters dialog box and the Selector dialog box. This table shows the information about filtering using wildcards. Click  to see this information displayed in the Manage Filters dialog box and the Selector dialog box.

Operator	Definition	Example
_	Represents a single character	Filter for invoices set as "34_7__" would return any invoices where the first two digits are "3" and "4" and fourth digit is "7". The third, fifth, and sixth digit could be anything (for example, "340785" or "345722" could be returned).
%	Represents zero or more characters	Filter for invoices set as "34%" would return all invoices that start with "34" as the first two digits and the last digits could be anything (for example, "3450" or "345001" could be returned).

Transaction Matching

Operator	Definition	Example
[]	Represents any single character within the brackets	Filter for invoices set as "3 [45]00" would return any invoices with "4" or "5" as the second digit (for example, "34000" or "35000" could be returned).
^	Represent any character not in the brackets	Filter for invoices set as "3 [^45]00" would return any invoices where the second digit is not "4" or "5" as the second digit (for example, "36000" or "37000" could be returned but not "34000" or "35000").
-	Represents any single character with the specified range	Filter for invoices set as "3 [4-6]00" would return any invoices where the second digit is within the bracketed range (for example, "34000", "35000", or "36000" could be returned).
'A', 'B', 'C'	Represent a string or specific, distinct value. Display values that are the same as what is specified	Filter for invoices set as "340000, 340001, 340002" would return those exact invoices only, or if the invoices do not exist, nothing is returned.

Transaction Matching

4. Click **Save**.
5. Click **Close**.

Clone a Filter

1. On the **Transactions** page, click **Filters**.
2. In the **Manage Filters** dialog box, select the name of the filter to clone.

TIP: To view a list of all filters created by other users within the same match set, select the **Show All** option. All users are able to view and clone other users' filters within the match set. Administrators can also edit and delete other users' filters within the match set.

3. Click **Clone**.
4. Complete the **Filter Name** field. The filter name will appear on the Transactions page in the filter drop-down menus. Each filter name must be unique within the data set for each assigned user. This field cannot be left blank.
5. Click **Create**.
6. Click **Close**.

Delete a Filter

1. On the **Transactions** page, click **Filters**.
2. In the **Manage Filters** dialog box, select the name of the filter to delete.

TIP: To view a list of all filters created by other users within the same match set, select the **Show All** option. All users are able to view and

clone other users' filters within the match set. Administrators can also edit and delete other users' filters within the match set.

3. Click **Delete**.
4. Click **Delete** to confirm.
5. Click **Close**.

Apply Filters


1. On the **Transactions** page, the filter drop-down menus display the list of saved (and enabled) filters that you created: **Filter (DS1)**, **Filter (DS2)**, and, if a third data set is included in the match set, **Filter (DS3)**.
2. In each drop-down menu, select the filter to apply it to the data set.

Edit Transactions

You can add a note or edit a note or reason code for a transaction on the Transactions page directly in the grid by double-clicking in the field.

To edit notes and reason codes for multiple transactions:

1. On the **Transactions** page, select each transaction to edit.
2. Click the **Edit** icon.
3. In the **Edit Transactions** dialog box, select the **Reason Code** check box, the **Notes** check box, or both. Edit each selected item.



Edit Transactions

☒ Reason Code
Bank Fee

☒ Notes
Check Date imported incorrectly

Save Cancel

IMPORTANT: You must select the check box for each item you edit in order to save the changes. The Save button displays after a check box is selected.

4. Click the **Save** button.

NOTE: Fields for matched transactions cannot be edited in the grid on the Transactions page.

For reason codes, note the following information:

- You can only assign reason codes that are active.
- After the reason code has been updated, the change does not affect any prior matches, only future matches.

Permission to add and edit notes and edit reason codes is based on your role. See [Access Control](#).

Transaction Details

Select a transaction to review the transactional level details, including comments and attachments. You can also drill back to the source level information. Select a transaction

Transaction Matching

from a data set and then click on the corresponding **Details** button.

Defer Refresh

GL10003 (DS1)

Transaction	Check Date	Post Date	Check Amt	Detail Amt	Check No	Invoice	JE Num	Src Entity	Entity	Src Acct
T210608_000106320	2021-12-14	2021-12-14	-588.32	-588.32	5001599	75790	3053676	Heights	Houston Heights	10003
T210608_000106327	2022-01-18	2022-01-18	-164,520.35	-164,520.35	5101600	75791	3053677	South	South Houston	10003
T210608_000106447	2022-01-18	2022-01-18	-164,520.35	-164,520.35	5101600	75791	3053677	Heights	Houston Heights	10003

1

9 Rows

Page 1 of 1

Defer Refresh

BNKBOA (DS2)

Transaction	Load Period	Src Entity	Entity	Src Acct	Debit Amt	Detail Amt	Descrip	Check No	Debit Date	BNkAcct#
T210608_000105831	2022M1	Heights	Houston Heights	10003	-8.00	-8.00	NSF	SF65	2022-01-31	BN#1234567
T210608_000105832	2022M1	Heights	Houston Heights	10003	-55.00	-55.00	Bank Fee	SF34	2022-01-31	BN#1234567

1

2 Rows

Page 1 of 1

GL10003 (DS1)	BNKBOA (DS2)	DS1 to DS2
Check Amt	-164,520.35	-8.00
		-164,512.35

Details

Details

Create Items

Match

Match+

Suspend

Delete

Dashboard - TranTXM_BanktoGL - New

Drill Back

When you click **Drill Back**, information for any Dimension data that was not null upon import is displayed. Additionally, the dialog displays the source data that was loaded, the target (transformed data), the transformation rule that was applied, and if the sign was flipped.

Financial Close Guide

206

Transaction Matching

Transaction and Match Details

Transaction Details

Match Details

Transaction: T210608_000106125

Status: Matched

Comments

Attachments

Drill Back

Dimension	Cube Dimension	Source Value	Target Value	Rule Group	Rule Name	Description	Flip Sign	Rule Type	Rule Expre
Et	CorpEntities	68	Montreal	CorpEntities	68	Montreal	☐	TransformOneToOne	
Ac	HoustonAccounts	10003	10100	HoustonAccounts	CashBalance	Cash & Disbursements	☐	TransformRange	10001~10
Ic	IC	None	None	IC	None		☐	TransformOneToOne	
Cn		Local	Local				☐		
Sn		(Current)	ActualTXM				☐		
Tm		(Current)	2022M1				☐		
Vw	View	YTD	YTD	View	YTD		☐	TransformOneToOne	
Fw	Flows	None	None	Flows	None		☐	TransformOneToOne	
Og		Import	Import				☐		
U1	CostCenters	None	None	CostCenters	None	NONE	☐	TransformOneToOne	
U2	CorpProducts	None	None	CorpProducts	None		☐	TransformOneToOne	
U3	CorpSalesRegions	None	None	CorpSalesRegions	None		☐	TransformOneToOne	
U4	Custom4	None	None	UD4	None		☐	TransformOneToOne	
U5	GAAPs	None	None	GAAPs	None		☐	TransformOneToOne	


IMPORTANT: Data imported for Transaction Matching is cleared from stage at the conclusion of the import. Therefore, source data cannot be retransformed in Transaction Matching and must be loaded.

Export Transactions

Transactions displayed in a grid can be exported from the **Transactions** page.

Transaction Matching

1. Select the transactions you want to export.
2. Right-click anywhere on the selection of rows and click **Export > To Csv**.



3. Navigate to the location you want to save the file. Enter the file name and click **Save**.

Open the extracted file in Excel to view the exported information.

Multi-Row Selection

By using the mouse and the keyboard, you can select multiple rows in a grid view, including items that are not next to each other (non-contiguous), even if they are on different pages. To clear all the selections made, click **Deselect All** or **Refresh**.

To Select	Do This
A single row	Click anywhere in the row.
Multiple non-contiguous rows	1. Click anywhere in a row. 2. Hold down the Ctrl key and select the next row. 3. Repeat until all rows are selected.
A contiguous group of rows	1. Click the first row of the group. 2. Hold down the Shift key and select the last row of the group.

Transaction Matching

To Select	Do This
Multiple contiguous groups of rows	1. Click the first row of the group. 2. Hold down the Shift key and select the last row of the group. 3. Hold down the Ctrl key and select the first row of the next group. 4. Press and hold Ctrl+Shift and select the last row of the next group.
Rows on multiple pages	1. Perform the steps for the row type you want to select. 2. Repeat until all rows on the page are selected. 3. Click the next page and repeat the procedure until all rows on all pages are selected.

Export Transactions Page

You can export transactions into a comma-separated values (.csv) format. Use this information for account reconciliation activities, journal entries, and manual matching. Transactions displayed as a result of filters will be the same that are exported to the .csv (exception is column specific filters will not be applied to the transactions exported).

1. On the **Transactions** page, click **Export**.
2. Select the data set or all data sets that you want to export.
3. Click **Export**.

Scorecard

The **Scorecard** page contains the **Match Set Scorecard** and **Analysis** pages.

The Scorecard provides insights into the status of the match set while the corresponding Analysis pages provide more detailed operational data.

IMPORTANT: The Match Set Scorecard and Analysis require the OneStream App for Windows.

Match Set Scorecard


The **Scorecard** is a visual display of Key Performance Indicators of the active match set based on a selected Time Period.

Statistics are based on transactions for which a user has access that were loaded and/or matches created in the selected Date Range. Information is available in the following areas:

- **Transaction Information** is a text-based summary of all transactions.
- **Match Information** is a text-based summary of match results.
- **Matches by Type** is a pie chart that displays the number of Automatic, Manual, and Suggested matches while also showing the proportional to the sum of all matches in the match set. Hover the mouse over the titles to view total and percentage values.
- **Transaction Status** is a stacked bar chart displaying the number of Unmatched, Matched, Suspended, Pending Delete, and Deleted transactions, with the data sets on the vertical axis and their values along the horizontal axis. Hover the mouse over the chart to view totals by transaction status.
- **Top 20 Rules by Transaction** is a stacked column chart that displays the rule type along the horizontal axis and their values on the vertical axis. Hover the mouse over a shaded section to view the rule name and results.

Transaction Matching

IMPORTANT: If Data Security is enabled, information displayed relates to the user's security access.



displayed on

TIP: Click  to maximize and  to minimize a section of the Scorecard.

Analysis

Analysis contains pivot information for transactions loaded in the selected Time Period by data set and matches made during the Time Period by rule, variances, or comments and attachments based on a selected Time Period.

The following operational reports are available from the Analysis page based on the user's transaction access:

Transaction Matching

- **Transactions by Data Set** displays totals for each data set as well as grand totals for Unmatched, Suspended, Manual, Suggested, and Automatic matches. Each row also shows the percentage matched.
- **Matches by Rule** displays totals for Matches, Transactions, Pending, and Unapproved for each rule included in the workflow. The information is also displayed in percentage form for Accepted and Approved and provides the Last Match Date.
- **Matches with Variance** lists matches containing a variance that can be filtered and/or sorted by Status or Approval detail, Reason Code, amount information, or Transaction by data source.
- **Matches with Comments or Attachments** lists matches that contain comments or attachments.

Select a row in any of the above grids and click **Details** to view the complete Match Details.

To create custom reports for Transaction Matching, the following tables and views are useful:

- XFW_TXM_Transaction
- vXFW_TXM_TransactionDetail
- vXFW_TXM_TransactionDetailMatched
- vXFW_TXM_TransactionDetailWithSource

If you have a large volume of data, use a large data pivot grid.

Data Splitting

Data Splitting provides the ability to divide a single data source between numerous data sets across multiple Match Sets. This flexibility enables the file to be accessed across different areas such as departments or divisions, while controlling access and visibility through the separate match sets.

Data Splitting Setup

Assign Data Splitting Workflow Profile

Data Splitting Workflow Profile are base input parent workflow profiles that are available for Data Splitting. When applied, all base input imports under this profile are available for data splitting setup.

1. On the **Settings** page, click **Global Options** and then select the Data Splitting Workflow Profile from the drop-down list.

Transaction Matching

2. Click **Save**.

The screenshot shows a software window titled "TXM_BanktoGL - ActualTXM - Jan 2018". The window has a blue header bar with "Workspace" and "Workspace Started" buttons. Below the header, the title "TRANSACTION MATCHING" is displayed. A left sidebar contains a menu with "Global Options", "Access Control", "Match Sets", and "Uninstall". The main content area is titled "SETTINGS - (TXM_BanktoGL, ActualTXM)" and contains two dropdown menus: "Security Role [Manage Transaction Matching Setup]: Administrators" and "Data Splitting Workflow Profile: TXM_SharedSources". A "Save" button is located at the bottom right of the main content area. The bottom status bar shows "TXM_BanktoGL - New".

Set up Data Splitting Dashboard

1. On the Application tab, click **Workflow > Workflow Profiles > {Select Your Transaction Matching Review Level WF}**
2. Click the Workflow Profile and the Scenario you want to assign.
3. On the **Profile Properties** tab in the Workflow Settings section, adjust the following settings:
 - **Cube Name:** Select the Cube Name from the drop-down list.
 - **Workflow Name:** Select Workspace from the drop-down list.

Transaction Matching

- **Workspace Dashboard Name (Custom Workflow):** Click **Edit (...)**, select **0_DataSplitting_TXMT - Transaction Matching** from the drop-down list and then click **OK**.

4. Click **Save**.

Workflow Settings	
Cube Name	TXM
Workflow Name	Workspace
Workspace Dashboard Name (Custom Workflow)	0_DataSplitting_TXMT - Transaction Matching

IMPORTANT: Uninstall UI will reset the Workspace Dashboard name to (Unassigned). An Administrator must manually reassign the Workspace Dashboard name after performing an Uninstall UI.

Source Import

The source imports are the Base Import Children in the Data Splitting Workflow Profile assigned to a data set.

Filters

The **Filters** page provides for the management of data splitting filters which determine how transactions are split between the various target data sets.

On the **Filters** page, there is no limit to the number of filters you can create and modify. At any time, you can refine the processing order of the application of these filters to a target data set in the Source Import.

Transaction Matching

Add Splitting Filters

1. On the **Data Splitting** page, select a data source from the **Source Import** drop-down list.
2. In the **Target Data Sets** pane, click the data set where the split data will be added.
3. In the **Splitting Filters** pane, click **Insert Row** to add a filter to the selected import source.
4. Click **Save** when you have finished adding or editing the filters.

TRANSACTION MATCHING

DATA SPLITTING - (ActualTXM)

Source Import:

TXM_SharedSources.ICSAP

Filters

Orphaned

Target Data Sets

Splitting Filters

Data Set	Filter Sequence	Field Name	Operator	Value
(TXM_ICHouston).Houston	1	Entity	Contains	Heights
(TXM_ICHouston).Partners	2	Scenario	=	ScenVal
		View	>	Add Flow

Target Data Sets


- Data Sets display in the **Target Data Sets** pane after the Source Import is selected.
- For target data sets to show up in data splitting, they must already be assigned to the match set data set.
- **Filter Sequence** is the order in which filters are applied to the source import to determine where each transaction is split to.

Splitting Filters

- **Field Name** is a drop-down list containing all fields in the selected target data set.
- The **Operator** in a filter specifies how filter criteria relate to one another.
- **Value** is the information used by the operator.

Transaction Matching

Operator	Definition
=	Is equal to the value specified (exact match).
>	Is greater than the value specified.
> =	Is greater than or equal to the value specified.
<	Is less than the value specified.
< =	Is less than or equal to the value specified.
< >	Is not equal to the value specified.
In 1;2;3 or 'A'; 'B'; 'C'	Displays values that are the same as what is specified.
Between 1;2 or 'A'; 'Z'	Displays values that fall between the first and second values (including the listed values)
Starts With	Displays results where the data in the column starts with the value in the filter.
Does Not Start With	Displays results where the data in the column starts with anything except the value in the filter.
Ends With	Displays results where the data in the column ends with the value in the filter.
Does Not End With	Displays results where the data in the column ends with anything except the value in the filter.
Contains	Displays only records where the data in the column contains all the values in the filter.
Does Not Contain	Displays only records where the data in the column does not contain any of the values in the filter.



TRANSACTION MATCHING

DATA SPLITTING - (ActualTXM)

Source Import:
TXM_SharedSources.Suspe...

Filters

Orphaned

Orphaned Transactions

TransactionID	TransactionNv	FKDataSetID	Wk1	Wk2	Wk3	Status	Status	StatusDate	ImportDate	FKMatchID	Δm	Lb	Si	Tv	Et	Pr	Cn	Sn	Tim	Vw	Ac	Fw
51353622-3844-4371	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	6152.4050000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
6780a8b9-6d76-4156	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	7332.8500000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
6a095b61-df5e-4762	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	7765.9100000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
7347ad41-d649-4746	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	8000.9700000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
d5d00410-b373-4807	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	8235.0300000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
94d76035-3792-4798	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	8469.0900000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
124e881b-0838-4063	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	11044.7500000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
74066d4e-1d43-4a86	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	11277.8100000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
26b06f8a-d961-45a7	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	11581.8700000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
3f126f2a-3b4a-4a3d	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	11745.9300000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
d53623c3-fb07-4554	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	11979.9900000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
6088081f-056e-4574	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	12214.1000000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
9d94d79c-5cea-4f53	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	12448.1100000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			
93987872-2b2d-42b6	T200324_00010	10000000-0000-0000-C	ca80595b-725c	1048628	2018050000	0	Michael	3/24/2020 9:33:18 PM	3/24/2020 9:33:18 PM	00000000-0000-0	12682.1700000000			Suspense_022818	Heights	Local	(Current)	(Current)	10200			

61 Rows

Page 1 of 2

Data Set:

Apply

NOTE: Filters created for a source import in data splitting are only applied to that import source.

Manually Assign Orphaned Transactions to a Data Set

1. In the Orphaned transactions grid, select the transactions you want to assign.
2. Select the appropriate data set from the **Data Set** drop-down list.
3. Click **Assign**.

Prepare External Files

For integration purposes, the transactional level data must contain the applicable dimensionality to correlate the transaction to the respective reconciliation. In many cases, this is S.Entity, S.Account, T.Entity, and T.Account but could also contain other tracking levels such as UD's if required.

The source dimensionality is often in the files pulled from the ERP. However, third party or external systems may be used for matching purposes and these files most likely will not have the source information needed.

Follow these steps to pre-process the data to enhance the external files so that upon import the transactional line contains the source dimensions based on a field in the data.

NOTE: All lookups in this example were put into a single lookup table and run on a single parser rule but could be broken out if significant lookups are required.

1. Data source creation, map file to the specific fields.
Example: Mapped Entity and Account from the bank

Transaction Matching

Fixed Files

AmsterdamGL

Eagle

ExcelOnly

Frankfurt

HoustonActual

HoustonBudget

Legacy System

Legacy System Cashfi

Quebec

US Accessories

XPR_BasicFixedLength

XPR_StoredTextFixed

Delimited Files

Legal

OneStream_Data_Exp

SAP_FileLoad

TradeAP_FFBalCheck

TradeAR_BalanceCheck

TXM_BankBOA

Scenarios

Time

HoustonEntities

View

HoustonAccounts

Flows

IC

CostCenters

HoustonProducts

HoustonSalesRegi

HoustonCustomer

GAAPs

Label

TXM_BankBOA (HoustonEntities)									
	Description	Amount	CheckNo	Check Date	Account No.	Location	Ref #	Proc Date	Statement Date
1	BOA Disbursement	-5431.16	520476	3/8/2022	BN#123456789	HHBranch123USA	1243787	3/8/2022	4/5/2022
2	BOA Disbursement	-5467.16	510536	3/22/2022	BN#123456789	HHBranch123USA	1243844	3/22/2022	4/5/2022
3	BOA Disbursement	-5410.16	510441	3/3/2022	BN#123456789	HHBranch123USA	1243768	3/3/2022	4/5/2022
4	BOA Disbursement	-5494.16	510581	3/31/2022	BN#123456789	HHBranch123USA	1243880	3/31/2022	4/5/2022
5	BOA Disbursement	-5491.16	520576	3/28/2022	BN#123456789	HHBranch123USA	1243867	3/28/2022	4/5/2022
6	BOA Disbursement	-5461.16	520526	3/18/2022	BN#123456789	HHBranch123USA	1243827	3/18/2022	4/5/2022
7	BOA Disbursement	-65955.61	5201534	3/10/2022	BN#123456789	HHBranch123USA	1243797	3/10/2022	4/5/2022
8	BOA Disbursement	-5419.16	510456	3/6/2022	BN#123456789	HHBranch123USA	1243780	3/6/2022	4/5/2022
9	BOA Disbursement	-66102.61	5201597	3/31/2022	BN#123456789	HHBranch123USA	1243881	3/31/2022	4/5/2022
10	BOA Disbursement	-65962.61	5201537	3/11/2022	BN#123456789	HHBranch123USA	1243801	3/11/2022	4/5/2022
11	BOA Disbursement	-66011.61	5201558	3/18/2022	BN#123456789	HHBranch123USA	1243829	3/18/2022	4/5/2022
12	BOA Disbursement	-5494.16	520581	3/29/2022	BN#123456789	HHBranch123USA	1243871	3/29/2022	4/5/2022
13	BOA Disbursement	-5500.16	63541	3/31/2022	BN#123456789	HHBranch123USA	1243755	3/31/2022	4/5/2022
14	BOA Disbursement	-5500.16	63541	3/31/2022	BN#123456789	HHBranch123USA	1243886	1/31/2022	4/5/2022
15	N S F	-8	SF65	1/31/2022	BN#123456789	HHBranch123USA	1243886	1/31/2022	4/5/2022

1 of 29

BankApr2021.csv

General

Name

Et

Settings

Data Type

Text

Position Settings

Column Number

6

Logical Expression And Override Settings

Logical Operator

Business Rule

Logical Expression

TransformSource_Preimport_Lookup

Static Value

Text Fill Settings

Leading Fill Value

Trailing Fill Value

Substitution Settings

Substitution Old Value (Find)

Substitution New Value (Replace)

Fixed Files

AmsterdamGL

Eagle

ExcelOnly

Frankfurt

HoustonActual

HoustonBudget

Legacy System

Legacy System Cashfi

Quebec

US Accessories

XPR_BasicFixedLength

XPR_StoredTextFixed

Delimited Files

Legal

OneStream_Data_Exp

SAP_FileLoad

TradeAP_FFBalCheck

TradeAR_BalanceCheck

TXM_BankBOA

Scenarios

Time

HoustonEntities

View

HoustonAccounts

Flows

IC

CostCenters

HoustonProducts

HoustonSalesRegi

HoustonCustomer

GAAPs

Label

TXM_BankBOA (HoustonAccounts)									
	Description	Amount	CheckNo	Check Date	Account No.	Location	Ref #	Proc Date	Statement Date
1	BOA Disbursement	-5431.16	520476	3/8/2022	BN#123456789	HHBranch123USA	1243787	3/8/2022	4/5/2022
2	BOA Disbursement	-5467.16	510536	3/22/2022	BN#123456789	HHBranch123USA	1243844	3/22/2022	4/5/2022
3	BOA Disbursement	-5410.16	510441	3/3/2022	BN#123456789	HHBranch123USA	1243768	3/3/2022	4/5/2022
4	BOA Disbursement	-5494.16	510581	3/31/2022	BN#123456789	HHBranch123USA	1243880	3/31/2022	4/5/2022
5	BOA Disbursement	-5491.16	520576	3/28/2022	BN#123456789	HHBranch123USA	1243867	3/28/2022	4/5/2022
6	BOA Disbursement	-5461.16	520526	3/18/2022	BN#123456789	HHBranch123USA	1243827	3/18/2022	4/5/2022
7	BOA Disbursement	-65955.61	5201534	3/10/2022	BN#123456789	HHBranch123USA	1243797	3/10/2022	4/5/2022
8	BOA Disbursement	-5419.16	510456	3/6/2022	BN#123456789	HHBranch123USA	1243780	3/6/2022	4/5/2022
9	BOA Disbursement	-66102.61	5201597	3/31/2022	BN#123456789	HHBranch123USA	1243881	3/31/2022	4/5/2022
10	BOA Disbursement	-65962.61	5201537	3/11/2022	BN#123456789	HHBranch123USA	1243801	3/11/2022	4/5/2022
11	BOA Disbursement	-66011.61	5201558	3/18/2022	BN#123456789	HHBranch123USA	1243829	3/18/2022	4/5/2022
12	BOA Disbursement	-5494.16	520581	3/29/2022	BN#123456789	HHBranch123USA	1243871	3/29/2022	4/5/2022
13	BOA Disbursement	-5500.16	63541	3/31/2022	BN#123456789	HHBranch123USA	1243755	3/31/2022	4/5/2022
14	BOA Disbursement	-5500.16	63541	3/31/2022	BN#123456789	HHBranch123USA	1243886	1/31/2022	4/5/2022
15	N S F	-8	SF65	1/31/2022	BN#123456789	HHBranch123USA	1243886	1/31/2022	4/5/2022

1 of 29

BankApr2021.csv

General

Name

Ac

Settings

Data Type

Text

Position Settings

Column Number

5

Logical Expression And Override Settings

Logical Operator

Business Rule

Logical Expression

TransformSource_Preimport_Lookup

Static Value

Text Fill Settings

Leading Fill Value

Trailing Fill Value

Substitution Settings

Substitution Old Value (Find)

Substitution New Value (Replace)

2. Create a transformation lookup rule.

Transformation Rules - TXM_BankBOA

Rule Groups

Entity Dimensions

Scenario Dimensions

Time Dimensions

View Dimensions

Account Dimensions

Flow Dimensions

IC Dimensions

UD1 Dimensions

UD2 Dimensions

UD3 Dimensions

UD4 Dimensions

UD5 Dimensions

UD6 Dimensions

UD7 Dimensions

UD8 Dimensions

Derivative

Lookup

ConsolidationRegister_Lookup

RCM_Lookup_CorrectionBS_TCR1

RCM_Lookup_SAP_JE_TC_Only_Header_Tc

RCM_Lookup_SAP_JE_TC_Only_Line_TCR1

TXM_BankBOA

XFR_AltDescription

General

NameTXM_BankBOA

DescriptionBankBOA_Entity

Security

Access GroupEveryone

Maintenance GroupEveryone

Settings


Cube Dimension Name(Lookup)

TypeLookup


Source Value	Description	Target Value	Order
HHBranch123USA		Heights	0
MONTBranch6758CA		68	1
STHHBranch125USA		South	2
BN#123456789		10003	4

3. Create a parser rule and update it to call the lookup table created in step 2.

Transaction Matching



4. Update the data source mapping for Entity and Account to call the parser rule.



Transaction Matching

Load File

AutoSave Off BankApr2021.csv

File Home Insert Page Layout Formulas Data Review View Help OneStream XF

Clipboard Font Alignment Number

	A	B	C	D	E	F	G	H	I
1	Description	Amount	CheckNo	Check Date	Account No.	Location	Ref #	Proc Date	Statement Date
2	BOA Disbursement	-5431.16	520476	3/8/2022	BN#123456789	HHBranch123USA	1243787	3/8/2022	4/5/2022
3	BOA Disbursement	-5467.16	510536	3/22/2022	BN#123456789	HHBranch123USA	1243844	3/22/2022	4/5/2022
4	BOA Disbursement	-5410.16	510441	3/3/2022	BN#123456789	HHBranch123USA	1243768	3/3/2022	4/5/2022
5	BOA Disbursement	-5494.16	510581	3/31/2022	BN#123456789	HHBranch123USA	1243880	3/31/2022	4/5/2022
6	BOA Disbursement	-5491.16	520576	3/28/2022	BN#123456789	HHBranch123USA	1243867	3/28/2022	4/5/2022
7	BOA Disbursement	-5461.16	520526	3/18/2022	BN#123456789	HHBranch123USA	1243827	3/18/2022	4/5/2022
8	BOA Disbursement	-65955.61	5201534	3/10/2022	BN#123456789	HHBranch123USA	1243797	3/10/2022	4/5/2022
9	BOA Disbursement	-5419.16	510456	3/6/2022	BN#123456789	HHBranch123USA	1243780	3/6/2022	4/5/2022
10	BOA Disbursement	-66102.61	5201597	3/31/2022	BN#123456789	HHBranch123USA	1243881	3/31/2022	4/5/2022

Results

TXM_BanktoGLBank_BOA - ActualTXM - Apr 2022

Import Completed

Load And Transform Retransform Clear Complete Workflow Row Type Filter: All Rows

Status

Source Intersections

Amount (Raw)	SourceID	HoustonEntiti	Time	View	HoustonAccoi	Label	Flows	IC	CostCenters	HoustonProdi	HoustonSales	H
-5,431.16	BankApr2021	Heights	(Current)	YTD	10003		None	None	None	None	None	N

Data Loads

(All)

BankApr2021

KDarren

8/3/2021 3:21 PM

BankApr2021_XFC32731

Integration

OneStream Financial Close consists of these integrated solutions:

- Transaction Matching
- Account Reconciliations

Perform these tasks in order to integrate the OneStream Financial Close solutions.

Step	Task	See
1	Enable integration	Enable Integration
2	Assign Match Sets	Assign Match Sets
3	Map Detail Item information	Map Detail Item Information

Enable Integration

NOTE: After you enable integration with Transaction Matching and save the settings, you cannot disable the integration.

To enable integration between solutions in OneStream Financial Close:

1. In Account Reconciliations, click **Show Settings Page**  .
2. On the **Global Setup > Global Options** page, click **Enable** next to **Transaction Matching Integration**.

3. Confirm the integration and then click **Save**.

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

SETTINGS (Houston, ActualAR, 2022M3)

Global Setup | Global Options | Global Defaults

Control Lists
Column Settings
Templates
Access Control
Certifications
Uninstall

Security Role [Manage Reconciliation Setup]: Administrators

Security Role [Reconciliation View Only]: Administrators

Security Role [Auditor]: Nobody

All Reconciliations Require R-Doc: ☐

Allow Approver Attachments: ☐

Enable Mass Actions: Prepare ☒ Approve ☒

Default Reconciliation ID to (Group): ☐

Transaction Matching Integration: Enabled

Process Reconciliations On Complete Workflow: ☐

See [Global Setup](#).

Assign Match Sets

In Account Reconciliations, assign one or more match sets to a reconciliation in the inventory. After assigning match sets, you can filter the reconciliation inventory by the match sets assigned.

You can assign match sets to a single reconciliation or you can select multiple reconciliations and assign match sets to the entire selection.

To assign match sets:

1. In Account Reconciliations, click **Show Administration Page**  to display the Reconciliation Inventory.
2. To filter the inventory to view where Match Sets have been assigned, from the **Assigned Match Sets** filter, select one or more match sets to include in the list or

select one of these options:

- **(Full Inventory):** All reconciliations.
- **(All):** Reconciliations that have a match set assigned.
- **(None):** Reconciliations that do not have a match set assigned.

3. Select one or more reconciliations and then click **Match Set**.

ONESTREAM FINANCIAL CLOSE - ACCOUNT RECONCILIATIONS

ADMINISTRATION - Inventory (Clubs, ActualAR, 2022M1)

Type: All Account Group: All Access Group: All Assigned Match Sets: (Full Inventory)

Definition Inventory Update Tracking BalCheck AutoRec

Reconciliation Inventory

	WF Profile	Recon Scenario	Required	T.Account	S.Account	T.Entity	S.Entity	Account	Local	Reporting	MC Effect
☐	Houston.Import	ActualAR	☐	10100	10003	Houston Heights	Heights	USD	USD	USD	(Not En
☐	Houston.Import	ActualAR	☐	10100	10004	Houston Heights	Heights	USD	USD	USD	(Not En
☐	Houston.Import	ActualAR	☐	10100	11234	Houston Heights	Heights	USD	USD	USD	(Not En
☒	Houston.Import	ActualAR	☐	10100	11238	Houston Heights	Heights	USD	USD	USD	(Not En
☐	Houston.Import	ActualAR	☐	10300	11085	Houston Heights	Heights	USD	USD	USD	(Not En
☐	Houston.Import	ActualAR	☐	10400	11090	Houston Heights	Heights	USD	USD	USD	(Not En
☐	Houston.Import	ActualAR	☐	11000	11200	Houston Heights	Heights	USD	USD	USD	2018M

Detail Dim Delete Groups Import Export Template Access Match Set

4. If you selected a single reconciliation, from **Available Match Sets**, select one or more match sets to assign to the reconciliation, click **Add**, and then click **Close**.

If you selected multiple reconciliations, select the check box next to the match sets you want to assign to the reconciliations, click **Add**, click **OK**, and then click **Close**.

Map Detail Item Information

Detail item mapping is done in Transaction Matching. If a match set is assigned to a reconciliation, you must map each data set within the match set to a reconciliation.

Keep these mapping requirements in mind:

Integration

- If the account reconciliation instance is single currency (multi-currency is not enabled), then Local Amount and Item Name must be mapped.
- If multi-currency is enabled and all reconciliations within the Reconciliation Inventory are multi-currency, then Detail Amount and Item Name must be mapped.
- If multi-currency is enabled and single and multi-currency reconciliations exist in the Reconciliations Inventory, then Local Amount, Detail Amount, and Item Name must be mapped.

To map detail item information:

1. In Transaction Matching, click **Show Match Set Administration** page .
2. Click **Data Sets** and then select a data set.
3. Align the **Name** column with the alias for the Account Reconciliation column. For example, Attribute 17 (Date) is mapped to the Check Date in Account Reconciliation.

GL10003 - Fields									
Name	Alias	Column Order	Display Format	Summary 1	Summary 2	Summary 3	Detail Item Mapping	Editable	
Attribute 17 (Date)	Check Date	1	yyyy-MM-dd	☐	☐	☐	(Unassigned)	☒	
Attribute 18 (Date)	Post Date	2	yyyy-MM-dd	☐	☐	☐	(Unassigned)	☐	
Amount	Check Amt	3	N2	☒	☐	☐	(Unassigned)	☐	
Attribute 1	Check No	4		☐	☐	☐	Item Name	☒	
Attribute 2	Invoice	5		☐	☐	☐	(Unassigned)	☐	
Attribute 3	JE Num	6		☐	☐	☐	(Unassigned)	☒	
Attribute 5	Source Acct	7		☐	☐	☐	(Unassigned)	☐	
Account	Account	7		☐	☐	☐	(Unassigned)	☐	
Entity	Entity	8		☐	☐	☐	(Unassigned)	☐	
WF Time	Load Period	9		☐	☐	☐	(Unassigned)	☐	

4. In the **Detail Item Mapping** column, make selections to map which columns in Transaction Matching populate the detail item in Account Reconciliations. For example, the check number will be displayed in the **Item Name** column.

5. In the **Editable** column, select which fields will be editable on the Transactions page directly in the grid. The following fields cannot be set as editable: SourceID, S.Cons, Cons, S.Scenario, Scenario, S.Time, Time, S.View, View, S.Origin, Origin, WF Profile, WF Time, and Status WF Time.

NOTE: Even if fields are marked editable, they cannot be edited for matched transactions and transactions that are associated to a detail item in Account Reconciliations.

Create Detail Items

There are two ways to create detail items in OneStream Financial Close:

- [From Transaction Matching](#)
- [From Account Reconciliations](#)

Both methods create detail items using Transaction Matching and detail items are defined as X item types.

From Transaction Matching

From the **Transactions** page, you can create detail items from matched, unmatched, or unmatched (as of period end) transactions and send them directly into Account Reconciliations to both individual reconciliations and reconciliations within account groups. Detail items can be created by data set for selected transactions or all available transactions. Available transactions are those transactions that have not already been used to create a detail item in the current workflow period. Transactions can only be used once per workflow period to create a detail item and cannot be deleted if used to create a detail

item in any workflow period. You can also create detail items for multiple reconciliations at once.

Aggregation can be done by:

- Total (single sum amount)
- Transaction Date (recommended)
- Item Name

NOTE: The user creating the detail items must have access and entitlements to both Transaction Matching and Account Reconciliations.

These actions are not allowed while detail items are being created:

- Processing in Account Reconciliations
- Completing Workflow in Account Reconciliations
- Running Process in Transaction Matching for the match set
- Manual matching and unmatching in Transaction Matching for the match set

To create detail items:

1. From **Transaction Status**, select **Matched** , **Unmatched**, or **Unmatched (As of Period End)**.
2. From the **Reconciliation Link** drop down, select an option to filter the list of transactions:
 - **(All)**: Displays all transactions.
 - **No Detail Item**: Displays transactions that have not been used to create a detail item in the current workflow period. Use this option to ensure that you

do not select a transaction that has already been used to create a detail item.

- **Detail Item Exists:** Displays transactions that have been used to create a detail item in the current workflow period.
3. If you selected **Unmatched** or **Unmatched (As of Period End)**, go to the next step. If you selected **Matched**, make selections from these filters to update the displayed transactions:
 - **Match Reason Code:** Select one or more reason codes or **All**.
 - **Match Period:** Select **All**, **Current Period**, or **Future Periods**
 - **Import Period:** Select one or more import periods or **All**.
 4. Select the check box next to one or more transactions for which you want to create a detail item.

NOTE: The selected transactions must all be of the same currency level to create one detail item. Transactions are first aggregated by currency level.

5. Click **Create Items**.

The screenshot shows a window titled "Create Detail Items" with two sections for different data sets. The first section is for "GL10003 (DS1)" and the second is for "BNKBOA (DS2)". Each section has a "Transactions:" dropdown menu, a "Reverse Sign:" checkbox, an "Item Name:" text field, an "Aggregation:" dropdown menu, an "Item Type:" dropdown menu, a "Reference 1:" text field, and a "Reference 2:" text field. At the bottom right of the window are "Create" and "Cancel" buttons.

Field	GL10003 (DS1)	BNKBOA (DS2)
Transactions:	Selected	Selected
Reverse Sign:	☐	☐
Item Name:	[Check No]	[Check No]
Aggregation:	(None)	(None)
Item Type:	Matching_DS1	Matching_DS2
Reference 1:	[Invoice]	[Descrip]
Reference 2:	[JE Num]	[BnkAcct#_Bnk Location]

6. For each data set, make selections from these options:

- **Transactions:** Options are: **Selected**, **All**, or **None**.

CAUTION: All creates detail items for all transactions in the data set, not just the transactions displayed on the first page.

- **Reverse Sign:** Reverses the sign from positive to negative or negative to positive.
- **Item Name:** Defaults to the mapped Item Name field and can be changed. If left blank, it defaults to "Transaction Matching Item" as the item name.
- **Aggregation:** Select from these options:

- **None:** Creates a detail item for each transaction.
 - **Total:** Creates one detail item for all transactions in the data set.
 - **Item Name:** Creates a detail item for each unique item name.
 - **Transaction Date:** Creates a detail item for each transaction date.
- **NOTE:** Regardless of the aggregation selected, transactions of different currencies will not aggregate into a single line item. For example, if you have 10 CAD and 10 USD transactions and selected total there would be two detail line items created, one for USD total and one for CAD total.
- **Item Type:** Defaults to **Matching_DS1**, **Matching_DS2**, or **Matching_DS3** depending on the associated data set. You can change this to be any item type in the control list.
 - **Reference 1:** Defaults to the mapped Reference 1 fields. If you make any changes in this field, the value that you input becomes Reference 1.
 - **Reference 2:** Defaults to the mapped Reference 2 fields. If you make any changes in this field, the value that you input becomes Reference 2.

7. Click **Create**.

In Account Reconciliations, the detail items display as X item types.

					S.Entity: Heights	S.Account: 10003	S.Account Description: Cash Disbursements - Chase Bank
Details	Attributes	Comments	History	Prepare	T.Entity: Houston Heights	T.Account: 10100	Tracking Detail:
+ - Refresh ☐ Defer Refresh							
Detail Items							
☐	R ▼	Local (USD) ▼	Item Type ▼	Item Name ▼	Item Comment ▼	Booked Period ▼	Transaction Date ▼
☐	X	-588.32	Matching_DS1	75790		2022M1	12/14/2021 12:00:00 AM

From Account Reconciliations

From the **Reconciliations** page, you can pull transactions directly into Account Reconciliations to both individual reconciliations and reconciliations within account groups. To be able to pull transactions into Account Reconciliations, the Tracking Level Dimensions must be added to the Transaction Matching Data Set Definition. See [Detail Item Integration Addendum](#).

From the Reconciliations Workspace, you can create detail items by matching transactions and pulling them into Account Reconciliations. Transactions are filtered to show only those that relate to the individual reconciliation or reconciliations within the account group and that are available for the current period. Detail items created this way are defined as X item types and can be auto-reconciled. See [AutoRec](#).

NOTE: X item types created with overrides do not require supporting documentation. The ability to drill back to Transaction Matching provides the required support.

To create detail items:

Integration

1. Select a reconciliation or account group and then click **Match Item**.

Match Set: TXM_BanktoGLActualTXM Transaction Status: Unmatched

Transactions: Selected Reverse Sign: [None] Aggregation: (None) Item Type: Matching_DS1

Reference 1: [Invoice] Reference 2: [Check No]

GL10003 (DS1)

Transaction ID	Check Date	Post Date	Check Amt	Check No	Invoice
3169	2022-01-18	2022-01-18	-164,520.35	5101600	75791
3254	2021-11-17	2021-11-17	-128,000.45	5001598	75789

2 Rows Page 1 of 1

GL10003 (DS1) BNKBOA (DS2) DS1 to DS2

Check Amt 0.00 0.00 0.00

Match Item

2. Make selections in the **Create Detail Item** dialog box. These selections filter the transactions within the match set to only those that relate to the selected reconciliation or account group. In other words, where the tracking level in Account Reconciliations is the same as the tracking level in Transaction Matching.

- Select the **Match Set** to use.
- Select the **Transaction Status**: Matched, Unmatched, or Unmatched (As of Period End)

Match Set: TXM_BanktoGLActualTXM Transaction Status: Unmatched

Transactions: Selected Reverse Sign: [None] Aggregation: (None) Item Type: Matching_DS1

Reference 1: [Invoice] Reference 2: [Check No]

GL10003 (DS1)

Transaction ID	Check Date	Post Date	Check Amt	Check No	Invoice
3169	2022-01-18	2022-01-18	-164,520.35	5101600	75791
3254	2021-11-17	2021-11-17	-128,000.45	5001598	75789

2 Rows Page 1 of 1

GL10003 (DS1) BNKBOA (DS2) DS1 to DS2

Check Amt 0.00 0.00 0.00

Match Item

3. For each data set, make selections from these options:

- **Transactions:** Options are: **Selected**, **All**, or **None**.

CAUTION: **All** creates detail items for all transactions in the data set, not just the transactions displayed on the first page.

- **Reverse Sign:** Reverses the sign from positive to negative or negative to positive.
- **Item Name:** Defaults to the mapped Item Name field and can be changed. If left blank, it defaults to "Transaction Matching Item" as the item name.
- **Aggregation:** Select from these options:

NOTE: Regardless of the aggregation selected, transactions of different currencies will not aggregate into a single line item. For example, if you have 10 CAD and 10 USD transactions and selected total there would be two detail line items created, one for USD total and one for CAD total.

- **None:** Creates a detail item for each transaction.
- **Total:** Creates one detail item for all transactions in the data set.
- **Item Name:** Creates a detail item for each unique item name.
- **Transaction Date:** Creates a detail item for each transaction date.
- **Item Type:** Defaults to **Matching_DS1**, **Matching_DS2**, or **Matching_DS3** depending on the associated data set. You can change this to be any item type in the control list.

Integration

- **Reference 1:** Defaults to the mapped Reference 1 fields. If you make any changes in this field, the value that you input becomes Reference 1.
- **Reference 2:** Defaults to the mapped Reference 2 fields. If you make any changes in this field, the value that you input becomes Reference 2.

4. Select the transactions to include in the detail item and then click **Create Items**.

The screenshot shows the 'Create Detail Items' interface. It has two main sections for selecting transactions. The left section, 'GL10003 (DS1)', shows a table with two rows of transaction data. The right section, 'BNKBOA (DS2)', is currently empty. At the bottom, there are 'Create Items' and 'Cancel' buttons.

The transaction is added as a detail item to the reconciliation.

Detail Items										
	R	Local (USD)	Item Type	Item Name	Item Comment	Booked Period	Transaction Date	Aging	Ref 1	Ref 2
☐	X	-588.32	Matching_DS1	75790		2022M1	12/14/2021 12:00:00 AM	48	5001599	
☐	X	-164,520.35	Matching_DS1	75791		2022M1	1/18/2022 12:00:00 AM	13	5101600	

Drilling Back to Transactions


From the Account Reconciliation workspace, you can select an X item type and drill back to the transaction detail.

NOTE: You can delete detail items (X item types) that have been pulled from Transaction Matching into Account Reconciliations. Doing so will allow the transaction to be used again in the current period, as it is no longer associated to a reconciliation. Select the item, click the minus sign, and then


Integration

click **Save**. The transaction is removed and can be used to create a new detail item in the current workflow period.

To drill back, select an X item type detail item and then click **Drill Back**.



The transactional detail from Transaction Matching displays.



Navigating to Match Sets

From the Reconciliation Workspace, you can navigate to match sets in Transaction Matching.

1. Select a reconciliation that has associated match sets.
2. Click **Match Set**.

Integration

The screenshot displays the Transaction Matching interface. At the top, a list of transactions is shown with columns for status, count, and description. The second transaction is highlighted. Below this, a detailed view of the match set is shown, including fields for S.Entity, S.Account, S.Account Description, T.Entity, T.Account, and Tracking Detail. The 'Detail Items' table is also visible, showing columns for R, Local (USD), Item Type, Item Name, Item Comment, Booked Period, and Transaction Date. The 'Match Set' button is highlighted in the bottom toolbar.

R	Local (USD)	Item Type	Item Name	Item Comment	Booked Period	Transaction Date
X	-588.32	Matching_DS1	75790		2022M1	12/14/2021 12:00:00 AM

3. If prompted, select the match set in Transaction Matching that you want to navigate to. If only one match set is applicable, the Transactions page opens.

Detail Item Integration Addendum

Transaction Matching transactions are used to create detail items in the Account Reconciliations solution. The following examples demonstrate how the selections in the Create Detail Items dialog box determine the information in the detail item that gets created.

Mapping

To use Transaction Matching transactions to create detail items in Account Reconciliations the data sets in Transaction Matching need to be assigned to Account Reconciliations fields.

Bank - Fields							
Name	Alias	Column Order	Display Format	Summary 1	Summary 2	Summary 3	Detail Item Mapping
S.Account		1		☐	☐	☐	(Unassigned)
Account		2		☐	☐	☐	(Unassigned)
S.Entity		3		☐	☐	☐	(Unassigned)
Entity		4		☐	☐	☐	(Unassigned)
S.UD1		5		☐	☐	☐	9 Reference 2
UD1		6		☐	☐	☐	9 Reference 2
Amount	Local \$	7	N2	☒	☐	☐	3 Local Amount
Attribute Value 1	Account \$	7	N2	☐	☒	☐	4 Account Amount
Attribute Value 2	Reporting \$	7	N2	☐	☐	☒	5 Reporting Amount
Attribute Value 3	Detail \$	7	N2	☐	☐	☐	1 Detail Amount
Attribute 1	Currency	8		☐	☐	☐	2 Currency Type
Attribute 2	Invoice	9		☐	☐	☐	7 Item Name
Attribute 3	CheckNo	10		☐	☐	☐	8 Reference 1
Attribute 4	JE	11		☐	☐	☐	8 Reference 1
Attribute 17 (Date)	T.Date	12		☐	☐	☐	6 Transaction Date

1. **Detail Amount:** If multi-currency is enabled, identifies the amount to be pulled in as the Account Reconciliation detail amount.
2. **Currency Type:** Detail Amount currency type used when multi-currency is enabled.
3. **Local Amount:** If multi-currency is not enabled, identifies the detail item amount.
4. **Account Amount:** Overrides what would be calculated for the account amount if multi-currency is enabled.
5. **Reporting Amount:** Overrides what would be calculated for the reporting amount if multi-currency is enabled.
6. **Transaction Date:** Date of the transaction and is dependent on selections made when creating a detail item.
7. **Item Name:** Default value for item name. It can be overridden and is dependent on the selections made when creating a detail item.

8. **Reference 1:** Concatenates up to two fields and is used to provide additional information. It can be overridden and is dependent on selections made when creating a detail item.
9. **Reference 2:** Concatenates up to two fields and is used to provide additional information. It can be overridden and is dependent on selections made when creating a detail item.

Selections

The screenshot shows the 'Create Detail Items' dialog box with two sections: 'Bank (DS1)' and 'GL (DS2)'. Each section contains the following fields:

- Transactions:** A dropdown menu with 'Selected' selected. Callout A points to this field.
- Reverse Sign:** A checkbox. Callout B points to this field.
- Item Name:** A text field containing '[Invoice]'. Callout C points to this field.
- Aggregation:** A dropdown menu with '(None)' selected. Callout D points to this field.
- Item Type:** A dropdown menu with 'Matching' selected. Callout E points to this field.
- Reference 1:** A text field containing '[CheckNo_JE]'. Callout F points to this field.
- Reference 2:** A text field containing '[U1_U1T]'. Callout G points to this field.

At the bottom right of the dialog are 'Create' and 'Cancel' buttons.

- A. **Transactions:** The transactions to use to create the detail items. Options are: **Selected**, **All**, or **None**.

NOTE: **All** creates detail items with all transactions available in the match set, not just the transactions displayed on the first page.

- B. **Reverse Sign:** Select to change the sign for the detail items from positive to negative (or vice versa).

- C. **Item Name:** Defaults to the mapped Item Name field. If you make any changes in this field, the value that you input becomes the item name.
- D. **Aggregation:** Used to group multiple transactions into a detail item based on the type of aggregation selected.

NOTE: Detail items never combine transactions of different currencies. Aggregation level overrides the mapped fields for Item Name, Reference 1, Reference 2 and Transaction Date.

- **None:** This selection creates a detail item for each transaction.
 - **Item Name** - Input from this field in the dialog.
 - **Reference 1** and **Reference 2** - Input from these fields in the dialog.
 - **Transaction Date** - Date of the transaction.
- **Total:** This selection creates one detail item for all transactions in the data set
 - **Item Name** -Displays as “Transaction Matching Item”.
 - **Reference 1** - Name of the Data Set, Transaction Status, and reason codes (if matched) (for example, Bank;Matched;ReasonCode:Im-material,DateVariance)
 - **Reference 2** - Selection of transactions and aggregation level (for example, Selected;Total)
 - **Transaction Date** - Defaults to end of the period.
- **Item Name:** Creates one detail item for each unique item name.

- **Item Name** - Input from this field in the dialog.
 - **Reference 1** - Name of the data set, transaction status, and reason codes (if matched) (for example, Bank;Matched;ReasonCode:Im-material,DateVariance)
 - **Reference 2** - Selection of transactions and aggregation level (for example, Selected;Total)
 - **Transaction Date** - Defaults to end of the period.
- **Transaction Date:** Creates one detail item for each transaction date.
 - **Item Name** - Displays as “Transaction Matching Item.”
 - **Reference 1** - Name of the data set, transaction status, and reason codes (if matched) (for example, Bank;Matched;ReasonCode:Im-material,DateVariance)
 - **Reference 2** - Selection of transactions and aggregation level (for example, Selected;Total)
 - **Transaction Date** - The date of the transaction.
- E. **Item Type:** Defaults to **Matching_DS1**, **Matching_DS2**, or **Matching_DS3** depending on the associated data set. You can change the item type to be any item type in the control list.
- F. **Reference 1:** Defaults to the mapped Reference 1 field. If you make any changes in this field, the value that you input becomes Reference 1.
- G. **Reference 2:** Defaults to the mapped Reference 2 field. If you make any changes in this field, the value that you input becomes Reference 2.

Scheduling Data Management Jobs

You can schedule data management jobs to create detail items from Transaction Matching. See the Task Scheduler section of the *Design and Reference Guide*.

Name	Value
MatchSetName	Houston.ActualTM
WFTIMEID	2022M11
TransactionStatus	Unmatched
TransactionTypeDS1	(All)
AggTypeDS1	TransactionDate
RevSignDS1	False
ItemTypeDS1	Matching_DS1
TransactionTypeDS2	(All)

Available parameter names, including default values and valid values, are listed below. Parameters with an asterisk are required.

NOTE: Use the following format to define a MatchSetName value: Workflow Profile.Scenario. For example, in the previous image, the MatchSetName value is Houston.ActualTM. The Workflow Profile is Houston and the Scenario is ActualTM.

Parameter	Default Value	Valid Value
TransactionTypeDS1	(All)	(All), Selected, (None)
ItemNameDS1	Substituted Value	
ReferenceOneDS1	Substituted Value	
ReferenceTwoDS1	Substituted Value	
AggTypeDS1	(None)	(None), Total, ItemName, TransactionDate
RevSignDS1	FALSE	True/False
ItemTypeDS1	Matching_DS1	Any Item Type
TransactionTypeDS2	(All)	(All), Selected, (None)
ItemNameDS2	Substituted Value	
ReferenceOneDS2	Substituted Value	
ReferenceTwoDS2	Substituted Value	
AggTypeDS2	(None)	(None), Total, ItemName, TransactionDate
RevSignDS2	FALSE	True/False
ItemTypeDS2	Matching_DS2	Any Item Type
TransactionTypeDS3	(All)	(All), Selected, (None)
ItemNameDS3	Substituted Value	

Integration

Parameter	Default Value	Valid Value
MatchSetName *		
WFTIMEID *		
TransactionStatus *		Unmatched, Matched
MatchReasonCode	(All)	Any Reason Code name
MatchPeriod	Future	(All), Future, Current
ImportPeriod	(All)	Any WFTIMEID

Parameter	Default Value	Valid Value
ReferenceOneDS3	Substituted Value	
ReferenceTwoDS3	Substituted Value	
AggTypeDS3	(None)	(None), Total, ItemName, TransactionDate
RevSignDS3	FALSE	True/False
ItemTypeDS3	Matching_DS3	Any Item Type

Help and Miscellaneous Information

ⓘ This page contains Solution documentation.

- [Set Optimal Display Settings](#)
- [Package Contents and Naming Conventions](#)
- [Database Migration Considerations](#)
- [Modifying Solution Considerations](#)

Set Optimal Display Settings

OneStream and MarketPlace solutions frequently require the display of multiple data elements for proper data entry and analysis. Therefore, the recommended screen resolution is a minimum of 1920 x 1080 for optimal rendering of forms and reports.

Additionally, OneStream recommends that you adjust the Windows System Display text setting to 100% and do not apply any Custom Scaling options.

Package Contents and Naming Conventions

The package file name contains multiple identifiers that correspond with the platform. Renaming any of the elements contained in a package is discouraged in order to preserve the integrity of the naming conventions.

Example Package Name: OFC_PV8.0.0_SV200_PackageContents.zip

Identifier	Description
OFC	Solution ID

Identifier	Description
PV7.1.0	Minimum Platform version required to run solution
SV201	Solution version
PackageContents	File name

Solution Database Migration Advice

A development OneStream application is the safest method for building out a solution with custom tables such as this one. The relationship between OneStream objects such as workflow profiles and custom solution tables is that they point to the underlying identifier numbers and not the object names as seen in the user interface. Prior to the solution configuration and to ensure the identifiers match within the development and production applications, the development application should be a recent copy of the production application. Once the development application is created, install the solution and begin design. The following process below will help migrate the solution tables properly.

See also: *Managing a OneStream Environment* in the *Design and Reference Guide*.

MarketPlace Solution Modification Considerations

A few cautions and considerations regarding the modification of MarketPlace solutions:

- Major changes to business rules or custom tables within a MarketPlace solution will not be supported through normal channels as the resulting solution is significantly different from the core solution.

- If changes are made to any dashboard object or business rule, consider renaming it or copying it to a new object first. This is important because if there is an upgrade to the MarketPlace solution in the future and the customer applies the upgrade, this will overlay and wipe out the changes. This also applies when updating any of the standard reports and dashboards.
- If modifications are made to a MarketPlace solution, upgrading to later versions will be more complex depending on the degree of customization. Simple changes such as changing a logo or colors on a dashboard do not impact upgrades significantly. Making changes to the custom database tables and business rules, which should be avoided, will make an upgrade even more complicated.

Date Grouping Tolerances Appendix

This section explains Date Grouping Tolerances and how to set them up in OneStream. To help explain Date Grouping Tolerances, we'll use two data sets to show how matches work when you have:

- [No date tolerances](#)
- [Post-aggregate date tolerances](#)
- [Pre-aggregate date tolerates](#) (new feature added for the PV710 SV100 release)

These are the data sets we'll use to explain the different scenarios. They both have a list of five transactions containing invoices with dates and amounts.

DS1		
Invoice	Date	Amount
AAAA	2-Jan	100
AAAA	2-Jan	200
AAAA	3-Jan	75
BBBB	3-Jan	200
BBBB	4-Jan	100

DS2		
Invoice	Date	Amount
AAAA	2-Jan	425
AAAA	3-Jan	350
AAAA	3-Jan	25
BBBB	3-Jan	150
BBBB	3-Jan	150

No Date Tolerances

If we do not apply date tolerances to the data sets then the transactions are grouped by the same invoice and date to get the aggregated amounts. All AAAA invoices on 2-Jan are summed together, as are all AAAA invoices on 3-Jan and all BBBB invoices on 3-Jan.

As noted in the image below, there are no matches across the aggregated amounts. The sum of the AAAA invoices on 2-Jan for DS1 is \$300 while DS2 is \$425. The sum of the AAAA invoices on 3-Jan for DS1 is \$75 while DS2 is \$375. The sum of the BBBB invoices on 3-Jan for DS1 is \$200 while DS2 is \$300.

DS1		
Invoice	Date	Amount
AAAA	2-Jan	100
AAAA	2-Jan	200
AAAA	3-Jan	75
BBBB	3-Jan	200
BBBB	4-Jan	100

AAAA	2-Jan	300
AAAA	3-Jan	75
BBBB	3-Jan	200

DS2		
Invoice	Date	Amount
AAAA	2-Jan	425
AAAA	3-Jan	350
AAAA	3-Jan	25
BBBB	3-Jan	150
BBBB	3-Jan	150


AAAA	2-Jan	425
AAAA	3-Jan	375
BBBB	3-Jan	300

Post-aggregate Date Tolerances

When we add a post-aggregate date tolerance, of 1 day before and 1 day after the first step is the same as in the previous example: we sum all the transactions by invoice and date. Then we add an additional step of taking the aggregated amounts and applying the date tolerances after the fact.

Let's look at just one of the aggregated amounts in DS1 (the aggregated AAAA invoices on 2-Jan for \$300, which we saw in the previous example is actually made up of two transactions). In applying the date tolerance post grouping we will then look in DS2 for invoice AAAA on 2-Jan for an aggregated amount of \$300 and also look to see if there is this amount for invoice AAAA on a day before (on 1-Jan) or a day after (on 3-Jan).

But if we look at the aggregated amounts for the AAAA invoices we had in our DS2 we see there is no match (they total \$425 or \$375, but not \$300). Again, we just reviewed one of the aggregated amounts, but if we did this for the other aggregated transactions (AAAA invoices on 3-Jan and BBBB invoices on 3-Jan), we would still find no matches.



Pre-aggregate Date Tolerances

For pre-aggregate date tolerances, we need to specify which data set we want the date tolerance applied to. In this example we won't apply a tolerance to DS2 since we have already seen that the transactions easily group by the same invoice and date. So the transactions in DS2 will be aggregated the same as in the previous examples. The AAAA invoices on 3-Jan equal \$375 and the BBBB invoices on 3-Jan equal \$300.

For DS1, we'll apply the pre-aggregate date tolerance of 1 day before and 1 day after. Starting with the first line item for invoice AAAA on 2-Jan for \$100, all invoice AAAAs within one day before (on 1-Jan) and one day after (on 3-Jan) are aggregated. There's nothing on 1-Jan but now the 3-Jan invoice for \$75 is included so the total is \$375.

The same happens for the BBBB invoices. Starting with the BBBB invoice on 3-Jan for \$200, the amounts on 2-Jan and 4-Jan are included. There's nothing on 2-Jan, but now the 4-Jan invoice is included so the total is \$300. As a result, there are two matches, where in the first two scenarios there were no matches.

DS1		
Invoice	Date	Amount
AAAA	2-Jan	100
AAAA	2-Jan	200
AAAA	3-Jan	75
BBBB	3-Jan	200
BBBB	4-Jan	100

DS2		
Invoice	Date	Amount
AAAA	2-Jan	425
AAAA	3-Jan	350
AAAA	3-Jan	25
BBBB	3-Jan	150
BBBB	3-Jan	150

AAAA	2-Jan and 3-Jan	375
BBBB	3-Jan and 4-Jan	300

AAAA	3-Jan	375
BBBB	3-Jan	300

Set Up Date Tolerances

Following are instructions for setting up date tolerances to match the scenarios that were described above.

Post-aggregate Date Tolerances


To set up the post-aggregate date tolerances as in the [scenario above](#), you set up the date tolerances in the Definition tab and then group by Invoice attribute field in the Grouping tab.

The screenshot shows the 'BanktoGL' software interface with the 'Definition' tab selected. The 'Rules' section is titled 'BanktoGL'. Below it, there are tabs for 'Attributes', 'Values', 'Dates', and 'Summary'. The 'Dates' tab is active, showing a table with columns for 'Field Name - GL10003 (DS1)', 'Field Name - BNKBOA (DS2)', 'Days Before', and 'Days After'. The table contains one row with the value '1' in both the 'Days Before' and 'Days After' columns.

Field Name - GL10003 (DS1)	Field Name - BNKBOA (DS2)	Days Before	Days After
Post Date (D2)		1	1

Pre-aggregate Date Tolerances

To set up the pre-aggregate date tolerances as in the [scenario above](#), you set up the date tolerances in the Grouping tab and group by the Invoice attribute field.



BanktoGL

Filters **Grouping** Definition

Attributes - GL10003 (DS1)

Field Name
Invoice

1

Dates - GL10003 (DS1)

Field Name	Days Before	Days After
Post Date	1	1